Vol. 91. Sect. 18, 1954

MAMMALIA

COMPILED BY

R. W. HAYMAN, F.Z.S.

LONDON
PUBLISHED BY
THE ZOOLOGICAL SOCIETY OF LONDON

PRICE SEVEN SHILLINGS AND SIXPENCE
December, 1955

SEPARATE SECTIONS OF THE ZOOLOGICAL RECORD

In addition to the complete bound volume, the separate Sections may be obtained singly, bound in printed paper covers.

The following are the Sections and their prices, viz .:-

								8.	d.	
1.	Comprehens	sive Zoo	ology		***	***	*** -	2	6	
2.	Protozoa	***	•••		•••	•••	***	7	6	
3.	Porifera	***	***		• • •	***	***	2	0	
4.	Coelenterate	a	• • •					4	0	
5.	Echinoderm	18.						2	6	
6.	Vermes	•••	•••	•••	•••	***	***	10	0	
7.	Brachiopod	a				***		3	0	
8.	Bryozoa							2	0	
9.	Mollusca							10	0	
10.	Crustacea							5	0	
11.	Trilobita							3	0	
12.	Arachnida							7	6	
*13.	Insecta			•••				30	0	
14.	Protocherd	ata						2	0	
15.	Pisces							7	0	
164	. Amphibia							5	0	
16E	3. Reptilia							6	0	
17.	Aves							7	6	
18.	Mammalia					•••		7	6	
19.	List of New	Gener	a and S	Subgen	era			3	0	

^{*} Obtainable only from the Commonwealth Institute of Entomology, 56, Queen's Gate, London, S.W.7.

18. MAMMALIA

COMPILED BY

R. W. HAYMAN, F.Z.S.

CONTENTS

I.	Titles	PAGE 2
II.	Subject Index	72
	General Literature and History, p. 72; Structure, p. 73; Physiology, p. 77; Reproduction and Sex, p. 81; Development, p. 82; Evolution and Genetics, p. 82; Ecology and Habits, p. 83; Distribution and Faunas, p. 87; Geological (Fossil Faunas), p. 91.	
III.	Systematic Index	92
	Monotremata, p. 92; †Multituberculata, p. 93; Marsupialia, p. 93; Insectivora, p. 94; Chiroptera, p. 96; Primates, p. 99; †Tillodontia, p. 102; Edentata, p. 102; Pholidota, p. 103; Lagomorpha, p. 103; Rodentia, p. 103; Cetacea, p. 110; Carnivora, p. 111; †Condylarthra, p. 116; †Notoungulata, p. 116; †Astrapotheria, p. 116; Tubulidentata, p. 116; †Pantodonta, p. 117; †Dinocerata, p. 117; †Pyrotheria, p. 117; Proboscidea, p. 117; Hyracoidea, p. 118; Sirenia, p. 118; Perissodactyla, p. 118; Artiodactyla, p. 119.	

Vol. 91 t 1

I.—TITLES

- 1.—Opinion 238. Validation, under the plenary powers, of the generic name Cercopithecus as from Linnaeus, 1758 (Class Mammalia) (correction of an error in Opinion 104). Opin. int. Comm. zool. Nom. 4 1954: 351–360.
- 2.—Opinion 257. Rejection for nomenclatorial purposes of the work by Zimmermann (A. E. W. von) published in 1777 under the title Specimen Zoologiae geographicae, Quadrupedum Domicilia et Migrationes sistens and acceptance for the same purposes of the work by the same author published in the period 1778–83 under the title Geographische Geschichte des Menschen, und der allgemein verbreiteten vierfüssigen Thiere. Opin. int. Comm. 2001. Nom. 5 1954: 231–244.
- 3.—Opinion 258. Rejection for nomenclatorial purposes of the work by Frisch (J. L.) published in 1775 under the title Das Natur-System der vierfüssigen Thiere. Opin. int. Comm. zool. Nom. 5 1954: 245–252.
- 4.—Opinion 271. Addition to the Official List of Generic Names in Zoology of the generic names Equus Linnaeus, 1788 (Class Mammalia) and Alca Linnaeus, 1758 (Class Aves). Opin. int. Comm. zool. Nom. 6 1954: 41–50.
- 5.—Opinion 273. Suppression, under the plenary powers, of the anonymous pamphlet known as the Hildesheim List published in about the year 1840 and containing descriptions of new nominal species of mammals and birds from Java. Opin. int. Comm. zool. Nom. 6 1954: 63-74.
- Anon. Production of by-products. Norsk Hvalfangsttid. 43 1954: 25–27.
- 7.—Anon. Concerning the oil output in pelagic Antarctic whaling. Norsk Hvalfangsttid. 43 1954: 57-67.
- 8.—Anon. Pelagic operations in the Antarctic 1953/54. Norsk Hvalfangsttid. 43 1954: 80-84.
- 9.—Anon. The summer season 1953. Norsk Hvalfangsttid. 43 1954: 258-267.

- 10.—Anon. Antarctic whaling operations 1953/54. Norsk Hvalfangsttid. 43 1954: 309–320.
- .11.—Anon. Statement of active whaling men concerning the last Antarctic season. Norsk Hvalfangsttid. 43 1954: 326–330.
- 12.—Anon. Whales on show. Norsk Hvalfangsttid. 43 1954: 457-459.
- 13.—Anon. Whale-marking. Norsk Hvalsfangsttid. 43 1954: 590-591.
- 14.—Anon. Whale marking performed by the "Slava" expedition. Norsk Hvalfangsttid. 43 1954: 591-592.
- 15.—Anon. The Japanese whaling industry. Norsk Hvalfangsttid. 43 1954: 625-631 3 figs.
- 16.—Anon. World eatch 1953. Norsk Hvalfangsttid. 43 1954: 632-639.
- 17.—Anon. Rotary whale harpoons. Norsk Hvalfangsttid. 43 1954: 650-651.
- 18.—Anon. Ambergris from a British Columbia sperm whale. Norsk Hvalfangsttid. 43 1954: 707-708.
- 19.—Anon. Whale marking. Norsk Hvalfangsttid. 43 1954: 725.
- 20.—Anon. Whale cardiogram. Sci. Amer. 187 4 1952: 68-70 8 figs.
- 21.—Anon. Whaling in the North Pacific. Proc. 7th Pacif. Sci. Congr. 4 1953; 368–369.
- 22.—Anon. Liste des publications du Professeur Dr. H. Schouteden, Misc. Zool. H. Schouteden, Ann. Mus. Roy. Congo Belge (N.S.) Sci. Zool. 1 1954: xiii-xxviii.
- 23.—Anon. Eighth progress report on the cooperative study of the Devils Garden Interstate Deer Herd and its range. Calif. Fish Game 40 1954: 235— 266 4 figs.
- 24.—Anon. East Suffolk and Norfolk River Board. Second annual report for the year ended 31st March, 1954. Norwich, 1954: 1-45.
- 25.—Anon. A mammoth tusk found in Slough. Mid-Thames Nat. No. 6 [1954]: 8 1 pl.

- 26.—Anon. Wild and feral mammals. Rep. Lundy Fld. Soc. No. 7 [1954]: 28.
- 27.—Anon. Verzeichnis der Wissenschaftlichen Arbeiten von Prof. med. et phil. R. N. Wegner. Wiss. Z. Univ. Greifswald Math. Nat. R. 3 1954: 569–571.
- 28.—Anon. Cercopithecus hamlyni Pocock, specimen capturé à l'ouest de la rivière Otembo dans le territoire de l'Epulu. Zooleo No. 27 1954: 420 pl.
- 29.—Anon. La naissance et la trépas d'un petit Okapi du Zoo d'Anvers. Zooleo No. 29 1954: 562–563.
- 30.—Anon. The Piltdown bones and "implements." Nature, Lond. 174, 1954: 61-62.
- 31.—Anon. 3rd Internat. Conf. Protect Fauna and Flora Africa, Bukavu, 1953. Brussels, 1954: 1-571.
- 32.—Anon. De strijd gaat weer ontbranden. Rat en Muis 2 1953: 1–4 3 figs.
- 33.—Anon. Kuikenslachting. Rat en Muis 2 1953: 6-8 6 figs.
- 34.—Anon. Ratten en de ziekte van Weil. Rat en Muis 2 1953: 9-10 1 fig.
- 35.—Anon. Hoe worden de eieren versleept? Rat en Muis 2 1953: 11-12.
- 36.—Anon. Is ratten speuren een moeilijk vak? Rat en Muis 1 1954: 1-7 6 figs.
- 37.—Anon. Ook de zwarte rat vreet eieren. Rat en Muis 1 1954: 9-10 2 figs.
- 38.—Anon. Rat en Muis. Wageningen. No. 2 1954: 27-45 figs.
- 39.—Anon. Rat en Muis. Wageningen. No. 3 1954: 51-62 figs.
- **40.—Anon.** A rare bat. Ctry. Life, Lond. **116** 1954: 1058.
- 41.—Anon. The courtship of the platypus—photographed for the first time [New York Zoo]. Ill. Lond. News 225 1944: 1114.

Abdel-Merseih, G. see Khalil.

42.—Abrams, M. E., Marshall, W. A. and Thomson, A. P. D. Effect of cervical sympathectomy on the onset of oestrus in ferrets. Nature, Lond. 174 1954: 311.

Adams, C. E. see Hunter.

Adams, P. see Buckley.

- 43.—Aellen, V. Description d'un nouvel *Hipposideros* (Chiroptera) de la Côte d'Ivoire. Rev. suisse Zool. 61 1954: 473-483 2 figs.
- 44.—[Afanasyev, A. V., Bazhanov, V. S. and others]. [The animals of Kazakhstan]. Alma-Ater, 1953 pp.536. [N.V. Review, Zool. Zh. 33 1954: 237–240.] [In Russian.]
- 45.—Agar, W. E., Drummond, F. H., Tiegs, O. W. and Gunson, M. M. Fourth (final) report on a test of McDougall's Lamarckian experiment on the training of rats. J. exp. Biol. 31 1954: 307– 321 4 figs.
- 46.—Aguayo, C. G. and Rivero, L. H. Sinopsis de los mamíferos cubanos. Circ. Mus. Malac. Habana 1954: 1283–1324.

Aitken, R. see Serventy.

- 47.—[Akimushkin, I. I.] [Basic food of Hyperoodon rpstratus.] C.R. Acad. Sci. URSS n.s. 95 1954: 419-420 fig. [In Russian.]
- 48.—[Akimushkin, I. I.] [Cephalopods in the food of sperm-whale.] C.R. Acad. Sci. URSS n.s. 96 1954: 665-667. [In Russian.]
- 49.—Ali, S. and Santapar, S. J. The abominable snowman. J. Bombay nat. Hist. Soc. 52 1954: 594-598 1 fig.
- 50.—Allen, G. E. Experiences with a dolphin. Sch. Nat. Stud. J. 49 1954: 60-61 figs.
- 51.—Allouse, B. E. A bibliography on the vertebrate fauna of Iraq and neighbouring countries. I. Mammals. Publ. Iraq nat. Hist. Mus. No. 4 1954: 1-30

Altevogt, R. see Rensch.

Ames, C. T. see Ryckman.

- 52.—Andersen, J. Analysis of a Danish roe-deer population (Capreolus capreolus (L.)), based upon the extermination of the total stock. Danish Rev. Game Biol. 2 2 1953: 127-155 7 figs.
- 53.—Andersen, J. The food of the Danish Badger (Meles meles danicus Degerbøl) with special reference to the summer months. Danish Rev. Game Biol. 3 1 1954: 1-75 20 figs.

- 54.—Anderson, S. Subspeciation in the meadow mouse *Microtus montanus*, in Wyoming and Golorado. Univ. Kansas Pub. Mus. Nat. Hist. 7 1954: 489-506 2 figs.
- 55.—Andras, R. K. Der fossile Säugetier-Fundort von Kislang. Kozlon. 84 1954: 376–388 1 pl. garian with German summary.]
- 56.—Andrewes, C. H. Myxomatosis in Britain. Nature, Lond. 174 1954: 529-530.
- 57.—Angot, M. Observations sur les mammifères marins de l'Archipel de Kerguelen avec une étude détaillée de l'Elephant de mer, Mirounga leonina (L.). Mammalia, Paris 18 1954: 1-111 6 pls. 15 figs.
- 58.—Annison, E. F., Chalmers, M. I., Marshall, S. B. M. and Synge, R. L. M. Ruminal ammonia formation in relation to the protein requirement of sheep. III. Ruminal ammonia formation with various diets. J. agric. Sci. 44 1954: 270-273 7 figs.
- **59.—Anthony**, H. E. George H. H. Γate (1894–1953), J. Mammal. **35** 1954: 281–282.
- 60.—Anthony, H. E. George H. H. Tate. Saugetierk. Mitt. 2 1954: 176–177.

Antony, J. see Nirula.

Anwar, A. see Hafez.

- 61.—Appelman, F. J. Über Theropithecus gelada Rüpp. Zool. Gart., Lpz. 20 1953: 95-98 3 figs.
- 62.—Arambourg, C. La faune à Hipparion de l'Oued el Hammam (Algerie). C.R. 19me Congres Geol. Internat. Alger 1952 21 [1954]: 295–302.
- 63.—Arambourg, C. L'hominien fossile de Ternifine (Algérie). C.R. Acad. Sci. Paris 239 1954: 893-895.
- 64.—Arambourg, C. L'Atlanthrope de Ternifine un chaînon complémentaire de l'ascendance humaine fabriquait des bifaces chelléens. Nature, Paris No. 3235 1954: 401–404 8 figs.
- 65.—Arambourg, C. and Hoffstetter, R. Découverte en Afrique du Nord, de restes humains du Paléolothique inferieur. C.R. Acad. Sci. Paris. 239 1954: 72-74.

- 66.—Arauz, J. El hombre de Piltdown. Bol. Inf. Cient. Nac. Ecuator. No. 58 1954: 415-422.
 - Armour, C. J. see Thompson.

Arnoldi, L. V. see Vinogradov.

Arsenault, M. G. see Cowan.

- 67.—Arthur, D. R. Extinct and rare animals. Discovery 15 1954: 7-11 12 figs.
- 68.—Aschoff, J. and Meyer-Lohmann. Die 24-Stunden-Periodik von Nagern im natürlichen und künstlichen Belichtungswechsel. Z. Tierpsychol. 11 1954: 476-484 8 figs.
- 69.—Ashton, E. H. Age changes in some bodily dimensions of apes. Proc. zool. Soc. Lond. 124 1954: 587–594 1 fig.
- 70.—Ashton, E. H. and Zuckerman, S. The anatomy of the articular fossa (fossa mandibularis) in man and apes. Amer. J. Phys. Anthrop. 12 1954: 29–50 45 figs.
- 71.—Astre, G. Faune de l'Aurignacien supérieur de la Gravette en Périgord. Bull. Soc. Hist. nat. Toulouse 88, 1953: 362–363.

Auerbach, C. see Falconer.

- 72.—Auerbach, R. Analysis on the developmental effects of a lethal mutation in the house mouse. J. exp. Zool. 127 1954: 305–329 18 figs.
- 73.—Austin, C. R. and Braden, A. W. H. Nucleus formation and cleavage induced in unfertilized rat eggs. Nature, Lond. 173 1954: 999-1000 1 fig.
- 74.—Austin, C. R. and Braden, A. W. H. Time relations and their significance in the ovulation and penetration of eggs in rats and rabbits. Aust. J. biol. Sci. 7 1954: 179-194 4 figs.
- 75.—Austin, C. R. and Braden, A. W. H. Induction and inhibition of the second polar division in the rat egg and subsequent fertilization. Aust. J. biol. Sci. 7 1954: 195–210 2 pls.
- 76.—Austin, C. R. and Braden, A. W. H. Anomalies in rat, mouse, and rabbit eggs. Aust. J. biol. Sci. 7 1954: 537-542 2 pls.

Austin, C. R. see Braden.

Austwick, P. K. C. see McDiarmid.

- 77.—Azzali, G. Ricerche sulla neurosecrezione negli animali ibernanti, Pubbl. Staz. zool. Napoli 24 Suppl. 1954: 32–33.
- 78.—Azzali, G. Annotazioni citologiche sull' ipofisi dei chirotteri nel letargo. Monit. zool. ital. 62 Suppl. 1954: 506– 509.
- 79.—Azzaroli, A. Osservazioni sulla formazione villafranchiana di Olivola in Val di Magra. Mem Soc. tosc. Sci. nat. 57A 1950: 104-112.
- 80.—Azzaroli, A. La sistematica dei cervi giganti e i cervi nani della isole, Mem. Soc. tose. Sci. nat. 59A 1952: 119–127 3 figs.
- 81.—Azzaroli, A. Critical observations upon Siwalik deer. Proc. Linn. Soc. Lond. 165 1954: 75–83 7 figs.
- 82.—Azzaroli, A. Revisione della fauna dei terreni fluviolacustri del Valdarno Superiore. V. Filogenesi e biologia di Sus strozzi e di Sus minor. Palaeont. Ital. 48 1954: 41-76 12 pls. 12 figs.
- 83.—Bagenal, T. B. A stoat trapped on Great Cumbrae. Scot. Nat. 65 1953: 197.
- 84.—Baggs, J. W. Quenda near Perth. W. Aust. Nat. 4 1954: 171.
- 85.—Bailey, A. M. The Hawaiian monk seal. Mus. Pictorial, Denver No. 7 1952: 1-32 27 figs.
- 86.—Baker, A. L. L. Wild goats in Wales. Field, Lond. 204 1954: 426.
 - Baker, B. L. see Weymouth.
- 87.—Baker, J. R. A study of the Osmium techniques for the 'Golgi apparatus.' Quart. J. micr. Sci. 95 1954; 383–388 l pl.
- 88.—Baker, R. H. The silky pocket mouse (*Perognathus flavus*) of Mexico. Publ. Mus. nct. Hist. Univ. Kansas 7 1954: 339–347 I fig.
- 89.—Baker, R. H. A new bat (genus *Pipistrellus*) from Northeastern Mexico. Publ. Mus. nat. Hist. Univ. Kansas 7 1954: 583-586.
- 90.—Baker, R. H. A hoary bat from northwestern Kansas. Trans. Kansas Acad. Sci. 57 1954: 196.

- 91.—Baker, R. H. and Findley, J. S. Mammals from Southeastern Alaska. Publ. Mus. nat. Hist. Univ. Kansas 7 1954: 473-477.
- 92.—Baker, R. H. and Villa, R. B. Mamiferos registrados por primera vez en el Estado de Hidalgo. Rev. Soc. Mex. Hist. Nat. 14 1953: 149-150.
 - Baker, R. H. see Stains.
- 93.—Balcells, E. R. Quiropteros de cuevas catalanas: Campaña de 1952— 53. Speleon, Inst. Geol. Oviedo 5 1954: 105-110.
 - Ballier, P. see Urbain.
- 94.—Banfield, A. W. F. The role of ice in the distribution of mammals. J. Mammal. 35 1954: 104-107.
- 95.—Banfield, A. W. F. Tularemia in beavers and muskrats, Waterton Lakes, National Park, Alberta, 1952— 53. Canad. J. Zool. 32 1954: 139–143 3 figs.
- 96.—Banfield, A. W. F. Preliminary investigation of the barren ground caribou. Part I. Former and present distribution, migrations, and status. No. 10a: 1-79 17 figs. Part 2. Life history, ecology and utilization. No. 10b: 1-112 31 figs. Wildl. Mgmt. Bull. Can. (1) 1964.
- 97.—Bannikov, A. G. List of the mammals of the Mongolian Peoples' Republic. Report Mongol. Comm. 51, Acad. Sci. U.S.S.R. Moscow 1953: 1-111 41 figs.
- 98.—Bannikov, A. G. Mammals of the Mongolian Peoples' Republic. Report Mongol. Comm. 53, Acad. Sci. U.S.S.R. Moscow 1954: 1–669 99 figs. 54 maps.
- 99.—Barbehenn, K. R. Handling small mammals. J. Mammal. 35 1954: 429.
- 100.—Barber, H. N. Genetic polymorphism in the rabbit in Tasmania. Nature, Lond., 173 1954: 1227-1229 1 fig.
- 101.—Bargallo, M. Nuevos yacimientos de Mammuthus y otros mamiferos en la region suroriental del Lago de Chapala (Mexico). Ciencia, Mexico 12 1953: 107-108.

- 102.—Bargmann, W. Neurosekretion und hypotholamisch-hypophysäres System. Verh. anat. Ges. Jena 51 1954: 30-45 7 figs.
- 103.—Barkalow, F. S., Jr. The status of the names Sciurus miger cinereus Linnaeus and Sciurus niger eulpinus Gmelin. J. Elisha Mitchell sei. Soc. 70 1954: 19-26 2 pls.

Barker, W. see Hill.

104.—Barnard, K. H. A guide book to South African whales and dolphins. S. Afr. Mus., Cape Town, Guide No. 4 1954: 1-33 22 figs.

Barnes, H. see Rothschild.

- 105.—Barnes, V. and Duncan, A. The population of grey squirrels in the grounds of a college in Surrey. Sch. Nat. Stud. J. 49 194 1954: 6-10 3 figs.
- 106.—Barnett, C. H. Spiral structures within the hepatic portal vein of mammals. Proc. 2001. Soc. Lond. 123 1954: 747-751 1 pl.
- 107.—Barnett, S. A. and Bathard, A. H. Population dynamics of sewer rats. J. Hyg., Lond. 51 1953: 483–491 2 pls. 3 figs.
- 108.—Barnett, S. A. and Manly, B. M. Breeding of mice at -3° C. Nature, Lond. 173 1954: 355.
- 109.—Barry, J. De l'existence de voies neurosécrétoires hypothalmotélencéphaliques chez la chauve-souris (Rhinolophus ferrum equinum) en état d'hibernation. Bull. Soc. Sci. Nancy N.S. 13 1954: 126–136 3 figs.
- 110.—Bartheld, F. v. and Moll, J. The vascular system of the mouse epiphysis with remarks on the comparative anatomy of the venous trunks in the epiphyseal area. Acta anat. 22 1954: 227-235 11 figs.
- 111.—Bartholomew, G. A. Body temperature and respiratory and heart rates in the northern elephant seal. J. Mammal. 35 1954: 211-218 1 fg.
- 112.—Bartholomew, G. A. and Cary, G. R. Locomotion in pocket mice. J. Mammal. 35 1954: 386-392 3 pls.
- 113.—Barto, E. Spinner, an inherited type of abnormal behavior in the beach mouse, *Peromyscus polionotus*. Contr. Lab. Vertebr. Biol. Univ. Mich. No. 66 1954: 1-16 32 figs.

- 114.—Bassett, E. G. and Phillips, D. S. M. Pelvic relaxation in sheep. Nature, Lond. 174 1954: 1020-1021.
- 115.—Bateman, N. Bone growth: a study of the grey-lethal and microphthalmic mutants of the mouse. J. Anat., Lond. 88 1954: 212–262 20 pls. 51 figs.
- 116.—Bateman, N. The measurement of milk production of mice through preweaning growth of suckling young. Physiol. Zool. 27 1954: 163–173 1 fig.
- 117.—Bates, M. A dog that wasn't a dog. Nat. Hist., N.Y. 63 1954: 370–372 2 figs.

Bathard, A. H. see Barnett.

- 118.—Batrawi, A. The external features of the dugong kidney. Bull. 2001. Soc. Egypt No. 11 1953: 12-13.
- 119.—Batty, I., Brambell, F. W. R., Hemmings, W. A. and Oakley, C. L. Selection of antitoxins by the foetal membranes of rabbits. Proc. roy. Soc. 142B 1954: 452-471. 11 figs.
- 120.—Bauer, K. Die Streifenmaus (Sicista subtilis trizona Petenyi) in Österreich. Zool. Ann. 152 1954: 206– 213 3 figs.
- 121.—Bauer, K. Zu Ökologie und Verbreitung der Zweifarbigen Fledermaus (Vespertilio discolor Natterer) in Österreich. Zool. Anz. 152 1954: 274— 279 I fig.

Bazhanov, V. S. and others see Afanasyev.

- 122.—Beaton, K. de P. Uganda (Extracts from the report of the Trustees of the National Parks for the year 1953). Oryx 2 1954: 366–374.
- 123.—Beatty, R. A. and Rowson, L. E. A. Note on motility and fertility of colchicine-treated bull and rabbit sperm. J. agric. Sci. 45 1954; 254–256.

Beatty, R. A. see Briones.

Beatty, R. A. see Gates.

- 124.—Becher, H. Beitrag zum feineren Bau der Retina. Verh. anat. Ges. Jena 51 1954: 166-184 16 figs.
- 125.—Becker, K. Pregnancy rates in two different samples of brown rats. J. Mammal. 35 1954; 119-121.
- 126.—Becker, K. Geschlechtsunterschiede am Becken von Mäusen (Murinae) und Wühlmäusen (Microtinae). Zool. Jb. Syst. 82 1954: 453–462.1 pl. 4 figs.

127.—Becker, K. Beiträge zur Geschlechtsbestimmung von Mäusen (Muridae) nach Skelettresten aus Eulengewöllen. Zool. Jb. Syst. 82 1954: 463– 472.

Bee, J. W. see Hall.

128.—Beer, J. R. A record of the hoary bat from a cave. J. Mammal. 35 1954: 116.

129.—Behn, U. Aufzucht von Vielfrassen. Zool. Gart., Lpz. 20 1953; 77–81 4 figs.

130.—Beidleman, R. G. October breeding of *Peromyscus* in north central Colorado. J. Mammal. 35 1954: 118.

131.—Bejsovec, J. Ossifikation des Schildknorpels beim Rehwilde. Öst. zool. Z. 5 1954: 239-251 7 figs.

132.—[Belyavskaya, B. K.] [Handrearing beavers.] Nasimovich, A.A. Ed. Reorg. vert. fauna U.S.S.R. (Biotech. measures) Moscow 1953: 171–190 8 figs. [In Russiam]

133.—Benne-Jeant, C. La denture temporaire des hommes fossiles. C.R. Ass. franç. Av. Sci. 68 1950: 235-243 10 figs.

134.—Benson, S. B. Records of the spotted bat ((Euderma maculata) from California and Utah. J. Mammal. 35 1954: 117.

Benton, A. H. see Layne.

Berg, E. D. see Peterson.

Bergamini, L. see Fedrigo.

Bergersen, B. see Jahn.

Bernstein, L. see Harrison.

135.—Best, J. W. A. A. Dunbar Brander. J. Bombay nat. Hist. Soc. 51 1954: 926.

136.—Bhaskar, S. N. and others. The growth rate of the tibia of the iarat from 17 days insemination age to 30 days after birth. Anat. Rec. 119 1954: 231-245 4 figs.

137.—Bianchi, A. Geni modificatori comuni agli alleli dello "spotting" dominante del topo e teorie della dominanza. Sci. genet. 4 1954: 300–309.

138.—Bigalke, R. The discovery of the giraffe in South Africa. Fauna & Flora, Pretoria No. 2 1951: 24-28 1 fig. 139—Bigalke, R. A note on the behaviour of a group of five spotted hyenas. Fauna & Flora, Pretoria No. 3 1953: 24—26 1 fig.

140.—Biggers, J. D. and Claringbold, P. J. Why use inbred lines? Nature, Lond. 174 1954: 596-597.

Biggs, J. A. see Macy.

141.—Bilewicz, S. and Mikiewiczowa, Z. Four cases of anomalous reproduction in white mice. Folia biol., Kraków 2 1954: 113–121. [English summary.]

142.—Billingham, R. E. and Sparrow, E. M. Studies on the nature of immunity to homologous grafted skin with special reference to the use of pure epidermal grafts. J. exp. Biol. 31 1954: 16-39 2 pls.

143.—Billingham, R. E., and others. Quantitative studies on tissue transplantation immunity. Proc. roy. Soc. 143B 1954: 43-58, 58-80.

144.—Bischoff, A. I. Abnormal fetal development from a mule deer. Calif. Fish Game 40 1954: 340-341 1 fig.

145.—Bishop, A. S. La glandula perianal de *Mephitis macroura macroura* Lichtenstein y *Conepalus mesoleucus mesoleucus* (Lichtenstein). An. Inst. Biol. Univ. Méx. 25 1954; 463— 472 9 figs.

146.—Bishop, M. W. H. and others. Semen characteristics and fertility in the bull. J. agric. Sci. 44 1954: 227– 248 2 pls.

147.—Bjarnason, I., and Lingaas, P. Some weight measurements of whales. Norsk Hvalfangsttid. 43 1954: 8-11 lfig.

148.—Björkman, N. Morphological and histochemical studies on the bovine placenta. Acta anat. Suppl. 22 1954: 1–91 26 figs.

149.—Blackmore, M. British bats. Bull. Mamm. Soc. Brit. Is. 1 1954: 8-10.

150.—Blackwood, B. Prof. E. A. Hooton. Nature, Lond. 173 1954: 1022.

151.—Blair, W. F. A melanistic race of the white-throated packrat (Neotoma albigula) in Texas. J. Mammal. 35 1954: 239-242.

152.—Blair, W. F. Tests for discrimination between four subspecies of deer mice ((Peromyscus maniculatus) Texas J. Sci. 6 1954: 201-210.

153.—Blair, W. F. Mammals of the Mesquite Plains biotic district in Texas and Oklahoma, and speciation in the central grasslands. Texas J. Sci. 6 1954: 235–264 map.

Blaisdell, J. A. see Dasmann.

Blanchard, W. E. see Halloran.

- 154.—Blancou, L. Notes sur les mammifères de l'Equateur Africain Francais. Le Gorille (2º note). Mammalia, Paris 18 1954: 170–180.
- 155.—Blancou, L. Notes sur les mammifères de l'Equateur Africain Francais. Un Rhinoceros de Forêt? Mammalia, Paris 18 1954: 358-361.
- 156.—Blancou, L. Buffles d'Afrique. Zooleo No. 27 1954: 425-434 6 figs.
- 157.—Blandau, R. J. The effect of development when eggs and sperm are aged before fertilization. Ann. N.Y. Acad. Sci. 57 1954: 526-530.
- 158.—Blin, P. Recent classical findings on the thymus. The thymovegetative relation. Bull. zool. Soc. Egypt No. 10 1952: 26-50 2 figs.
- 159.—Bloch, S., Hediger, H., Müller, C. and Strauss, F. Probleme der Fortpflanzung des Feldhasen. Rev. suisse Zool. 61 1954: 485–490.
- 160.—Boback, A. Zur Frage des "Harnspritzens" beim Feldhasen, *Lepus europaeus* Pallas 1778. Saugetierk. Mitt. 2 1954: 78-79.
- 161.—Bodenheimer, F. S. On spontaneous malignant growth in the Levant vole, (*Microtus guentheri* D.A.). Bull. res. Counc. Israel 4 1954: 31–32 1 pl.
- 162.—Boerner-Patzelt, D. Wechselbeziehungen zwischen der frühen Entwicklung der Hypophyse und dem Entstehen ihres Blutgefässsystems. Z. mikr. anat. Forsch. 60 1954: 104–136 20 figs.
- 163.—Boerner-Patzelt, D. Die Entwicklung des Pancreas vom Meerschweinchen. Z. mikr. anat. Forsch. 61 1954: 119–137 15 figs.
- 164.—Boetticher, H. V. Gehörnform und Entwicklungsrichtung. Z. Säugetierk. 18 1953: 137–145.
- 165.—Bolliger, A. The adrenals of the Koala (*Phaecolarctos cinereus*) and their alleged relationship to eucalyptus leaf diet. Med. J. Aust. 40 (I) 1953: 917-919 4 figs.

- 166.—Bolliger, A. Oestrogen-induced organ transformations in an adolescent marsupial (*Trichosurus vulpecula*). Aust. J. Sci. 16 1954: 147.
- 167.—Bolliger, A. Organ transformation induced by oestrogen in an adolescent marsupial ((*Trichosurus vulpecula*). J. roy. Soc. N.S.W. 88 1954: 33-39 3 pls.
- 168.—Boolootian, R. A. An analysis of subspecific variations in *Dipodomys nitratoides*. J. Mammal. 35 1954: 570–577 2 figs.
- 169.—Boom, H. P. A. de . The identification of biltong. Fauna & Flora, Pretoria No. 3 1953: 4–23 26 figs.
- 170.—Booth, A. H. A note on the colobus monkeys of the Gold and Ivory Coasts. Ann. Mag. Nat. Hist. 7 1954: 857–860 2 figs.
- 171.—Booth, A. H. The Dahomey Gap and the mammalian fauna of the West African forests. Re▼. Zool. Bot. Afr. 50 1954: 305–314 map.

Boothroyd, E. R. see Walker.

- 172.—Bopp, P. Biologische Beobachtungen an *Choloepus didactylus* L. in Gefangenschaft. Verh. schweiz. naturf. Ges. 133 1953: 100-101.
- 173.—Bopp, P. Schwanzfunktionen bei Wirbeltieren. Ein Beitrag zur vergleichenden Biologie und Psychologie der Wirbeltiere. Rev. suisse Zool. 61 1954: 83-151 24 figs.
- 174.—Bopp, P. Zur Topographie der Murmeltierterritorien. Rev. suisse Zool. 61 1954: 374–380 9 figs.
- 175.—Bopp, P. Einige biologische Beobachtungen am Zweizehenfaultier, Choloepus didactylus (Linné, 1766). Säugetierk, Mitt. 2 1954: 114-118 2 figs.
- 176.—Bornschein, H. & Viltar, V. Exploration électro-physiologique et histologique de la rétine d'un Mammifère nocturne: le Loir (Myoxus glis L.). C.R. Soc. Biol. Paris 148 1954: 525–528 1 fig.
- 177.—Borowiec, S. Interdependence between chewing musculature and dentition. Folia morph., Warsz. 1 1950: 88-120 8 figs. [Polish with English summary.]

Bortolami, R. see Tuchmann-Duplessis.

- 178.—Bouckaert, J. H. and Oyaert, W. A method of collecting fluid leaving the omasum of sheep. Nature, Lond. 174 1954: 1195.
- 179.—Bouillon, J. and Leleup, N. Specimens de Cephalophus nigrifrons kiruensis Lönnberg sans glandes inguinales apparentes. Rev. Zool. Bot. afr. 49 1954: 27-28.
- 180.—Bourdier, F. Remarques sur les faunes froides du Quaternaire français anterieures au Wurm. C.R. Soc. Geol. France 4 1954: 76-80.
- 181.—Bourlière, F. Les adaptations à la vie aquatique chez les mammifères. Nature, Paris No. 3233 1954: 1954: 321–325 8 figs.
- 182.—Bourlière, F. Le monde des Mammiféres. Paris (Horizons de France) 1954: 224pp. 96 pls. 16 col. pls. [N.V. Review Mammalia, Paris 18 1954: 334-335.]
- 183.—Bovey, R. Observations sur less Chiroptères du canton de Vaud et des régions voisines. Bull. Soc. vaud. Sci. nat. 66 1954: 1-18 1 fig.

Bowman, H. S. see Svihla.

- 184.—Bowsher, D. A comparative study of the azygos venous system in man, monkey, dog, cat, rat, and rabbit. J. Anat., Lond. 88 1954: 400-406 4 pls.
- 185.—Boyle, C. L. Red deer in Ireland. Oryx 2 1954: 394-395.

Bracher, F. see Strauss.

- 186.—Braden, A. W. H., Austin, C. R. and David, H. A. The reaction of the zona pellucida to sperm penetration. Aust. J. biol. Sci. 7 1954: 391–409 1 pl.
- 187.—Braden, A. W. H. and Austin, C. R. The number of sperms about the eggs in mammals and its significance for normal fertilization. Aust. J. biol. Sci. 7 1954: 543-551.
- 188.—Braden, A. W. H. and Austin, C. R. Fertilization of the mouse egg and the effect of delayed coitus and of hot-shock treatment. Aust. J. biol. Sci. 7 1954: 552-565 4 figs.
- 189.—Braden, A. W. H. and Austin, C. R. The fertile life of mouse and rat eggs. Science 120 1954: 610-611.

Braden, A. W. H. see Austin.

Brambell, F. W. R. see Batty.

- 190.—Brander, T. Om vertebratfaunan i mellersta kyrkslätt (N.). Memor, Soc. Fauna Flora fenn. 29 1954: 28-33.
- 191.—Brandt, K. Ein bearbeitetes Geweih vom Riesenhirsch. Quartär. 6 1954: 139-140.
- 192.—Breathnach, A. S. and Goldby, F. The amygdaloid nuclei, hippocampus and other parts of the rhinencephalon in the porpoise (*Phocaena phocaena*). J. Anat., Lond. 88 1954: 267-291 2 pls. 9 figs.
- 193.—Bridges, W. It's the "Fear-some Warracaba Tiger". Anim. Kingd. 57 1954: 25–28 1 fig.
- 194.—Briones, H. and Beatty, R. A. Interspecific transfers of rodent eggs. J. exp. zool. 125 1954: 99–118 1 fig.
- 195.—Broadbrooks, H. E. A new subspecies of the pocket mouse (*Perognathus parvus*) from Washington. J. Mammal. 35 1954: 95–99.
- 196.—Brochart, M. Attempted experimental production of identical twins in rabbits. Nature, Lond. 173 1954: 160–162 2 figs.
- 197.—Brodal, A. and Gogstad, A. C. Rubro-cerebellar connections. An experimental study in the cat. Anat Rec. 118 1954: 455-485 14 figs.
- 198.—Bromage, T. N. Wolves in the Middle East. Field, Lond. 203 1954: 703.
- 199.—[Bromlei, G. F.] [Test of wolf destruction in game reserves of Premore Land.] Nasimovich, A. A. Ed. Reorg. vert. fauna U.S.S.R. (Biotech. measures) Moscow 1953; 140–144 2 figs. [In Russian.]
- 200.—[Bromlei, G. F.] [Importance of marten as predator and means of its control in Premore Land.] Nasimovich, A.A. Ed. Reorg. vert. fauna U.S.S.R. (Biotech measures) Moscow 1953: 167–170. [In Russian.]
- 201.—Brosset, A. Répartition et densité actuelle des carnivores dans le Département des Deux-Sèvres et les régions voisines. Mammalia, Paris 18 1954: 216-218.
- 202.—Brough, J. B. White moles. Field 204 1954: 126.

203.—Browman, L. G. Microphthalmia and maternal effect in the white rat. Genetics 39 1954: 261-264.

Brown, E. see Hauschka.

- 204.—Brown, J. W. The effect of protein deficiency on the submaxillary lymph nodes and spleens of albino rats. Kans. Univ. Sci. Bull. 36 1954: 41-54 2 figs.
- 205.—Brown, J. W. The effect of protein deficiency on the bone marrow and peripheral blood of young albino rats. Kans. Univ. Sci. Bull. 36 1954: 55-68.
- 206.—Brown, J. W. A quantitative study of cellular changes occurring in bone marrow following protein deficiency in the rat. Anat. Rec. 120 1954: 515-532 2 figs.
- 207.—Brown, L. E. Small mammal populations at Silwood Park Field Centre, Berkshire, England. J. Mammal. 35 1954: 161–176 3 figs.
- 208.—Brown, S. G. Dispersal in blue and fin whales. Discovery Reports 26 1954: 355-384 14 figs.
- 209.—Brown, S. G. The movements of fin and blue whalesin Antarctic waters. Norsk Hvalfangsttid. 43 1954; 301–309 3 figs. [Summary of "Discovery" Report.]
- 210.—[Brudastov, A. N.] [Homoplastic replacement of cranial defects in rabbits.] C.R. Acad. Sci. URSS n.s. 94 1954: 161-164 2 figs. [In Russian.]
- 211.—Brunner, G. Das Fuchsloch bei Siegmannsbrunn (Oberfr.) (Eine mediterrane Riss-Würm-Fauna). Neues Jb. Geol. Pal. Abh. 100 1954: 83-118 20 figs.
- 212.—Buchanan, G. D. and Talmage, R. V. The geographical distribution of the armadillo in the United States. Texas J. Sci. 6 1954: 142–150 maps.
- 213.—Buckland, F. J. Notes on native cats. Vict. Nat., Melb. 70 1954: 210–211.
- 214.—Buckley, J. L., Spencer, D. L. and Adams, P. Muskox (Ovibos moschatus) longevity. J. Mammal. 35 1954: 456.
- 215.—Budker, P. Whaling in French overseas territories. Norsk Hvalfangsttid. 48 1954: 320-326.

- 216.—Budker, P. Sur J'étymologie du mot "Rorqual." Mammalia, Paris 18 1954: 257-261.
 - Bue, G. T. see Erickson.
- 217.—[Buinovski, N. A. and Khaveson, Y. I.] [First find of skulls of Pleistocene camels in Siberia]. Bull. Comm. Study Quatern. Period, Moscow (Acad. Sci. U.R.S.S.) 19 1953: 79-81 1 fig. [In Russian.]
- 218.—Bullier, P. Alimentation et acclimatement d'Eléphants de mer (Mirounga leonina L.) en captivité au Parc zoologique de Vincennes. Mammalia, Paris 18 1954: 272–276 1 pl.
- 219.—Burke, J. D. Blood volume in mammals. Physiol, Zoöl, 27 1954; 1–21 10 figs.
- 220.—Burns, K. F. and Farinacci, C. J. Rabies in nonsanguivorous bats of Texas. Science 120 1954: 548.
- 221.—Burns, M. Observations on the development of the fleece and follicle population in Suffolk sheep. J. agric. Sci. 44 1954: 86-99 5 pls. 2 figs.
 - 222.—Burns, M. The development of the fleece and follicle population in Herdwick sheep. J. agric. Sci. 44 1954: 443-464 4 pls. 4 figs.

Burstall, T. see Law.

Burt, A. W. A. see Tanner.

- 223.—Burt, W. H. The subspecies category in mammals. Syst. Zool. 3 1954: 99–104 3 figs.
- 224.—Burton, M. Armadillos and pangolins. Ill. Lond. News 224 1954: 132 3 figs.
- 225.—Burton, M. The colours of the river-horse. Ill. Lond. News 224 1954: 672-673 9 figs.
- 226.—Burton, M. Birth of a Kangaroo. Ill. Lond. News 225 1954: 338 2 figs.
- 227.—Burton, M. Growth rate of young kangaroos. Ill. Lond. News 225 1954: 804.
- 228.—Butler, L. The effect of the coat colour dilution gene on body size in the mouse. Heredity 8 1954: 275–278.
- 229.—Butler, P. M. Mammals (Spurn Peninsula). Naturalist No. 849 1954: 77-78.

- 230.—Butler, R. A. Curiosity in monkeys. Sci. Amer. 190 2 1954: 70-75 figs.
- 231.—Butterfield, R. S. The slow loris as a pet. Malayan Nat. J. 9 1954: 43-49 4 figs.
- 232.—Butterfield, R. T. Traps, live-trapping and marking of raccoons. J. Mammal, 35 1954: 440-442 1 fig.
- 233.—Buttiker, W. Schlingen und Fallen in Süd-Rhodesien. Acta Trop., Basel 11 1954: 58-62 6 figs.
- 234.—Buxton, A. The deer of Epping Forest. Oryx 2 1954: 241-245.
- 235.—Buxton, A. Giant fallow deer. Oryx 2 1954: 392 1 pl.
- 236.—Buxton, A. Epping Forest and its deer. Ctry. Life, Lond. 116 1954: 993–994.
- 237.—Cabrera, A. Los roedores Argentinos de la familia "Caviidae." Pub. Esc. Vet. Fac. Agron. Vet. Univ. Buenos Aires 6 1954: 1-93 4 figs.
- 238.—Cabrera, A. Counter-proposal to certain portions of Dr. T. C. S. Morrison-Scott's application regarding the stabilization of the generic name for the Virginia Deer of America. Bull. Zool. Nomencl. 9 1954: 299–300.
- 239.—Cadeo, G. C. Su un cranio di Canis familiaris proveniente dalla zona archeologica di Luni (La Spezia). Natura, Milano 45 1954: 29–34.
- 240.—Cadeo, G. C. Su un cranio di Canis lupus L. dell' eta del bronzo rinvenuto a Rivarolo Mantovano (Mantova). Atti Soc. ital. Mus. Civ. Stor. Nat. Milano 93 1954: 432-436 1 fig.
- 241.—Cahalane, V. H. Conserving wild life in the National Parks. Proc. 7th Pacif. Sci. Congr. 4 1953: 646-652.
- 242.—Cahalane, V. H. Status of the black-footed ferret. J. Mammal. 35 1954: 418-424.
- 243.—Calaby, J. H. Comments on Gilbert's note-book on marsupials. W. Aust. Nat. 4 1954: 147-148.
- 244.—Caldwell, K. Changes in African big game code. Field 203 1954: 48-49 6 figs.
- 245.—Cameron, A. W. The mammals of southeastern Quebec. Rep. Provancher Soc. nat. Hist. Can. 1950-51 [1952]; 20-86 figs.

- Cameron, M. P. see Wolstenholme.
- 246.—Campana, D. D. Carnivori Quaternari della tecchia e della caverna di Equi nelle Alpi Apuane (Mustelidi, Canidi, Felidi). Palaeont. Ital. 44 2 1954: 1-48 8 pls.
 - Caram, M. see Vrydagh.
- 247.—Carlisle, D. B. On the relationship between mammary, sweat, and sebaceous glands. Quart. J. micr. sci. 95 1 1954: 79-83 4 figs.
 - Carnaby, I. C. see Serventy.
- 248.—Carne, P. H. Roe deer, fallow and sika. Oryx 2 1954: 388-391.
- 249.—Carpenter, C. R. Grouping behaviour of howling monkeys. Arch. néerl. Zool. 10 Suppl. 2 1953: 45–50.
- 250.—Carr, E. B. The vesicula seminalis of the rabbit. Proc. zool. Soc. Lond. 124 1954: 675-683 1 pl. 8 figs.
- 251.—Carrington, R. and Eden, M. Experiments in acclimatisation. Ctry. Life, Lond. 115 1954: 288–289 5 figs.
- 252.—Carter, T. C. A mosaic mouse with an anomalous segregation ratio. J. Genet. 51 1952: 1-6 4 pl. 1fig.
- 253.—Carter, T. C. The genetics of luxate mice. III. Horseshoe kidney, hydronephrosis and lumbar reduction. J. Genet. 51 1953: 441-457 1 pl. 8 figs.
- 254.—Carter, T. C. The genetics of luxate mice. IV. Embryology. J. Genet. 52 1954: 1-35 2 pls. 21 figs.
- 255.—Carter, T. C. A search for chromatid interference in the male house mouse. Z. Indukt.-Abstamm. Vererb-Lehre 86 1954: 210-223 5 figs.
- 256.—Carter, T. C. and Falconer, D. S. Independence of linkage groups I, II, and XI in the house mouse. J. Genet. 51 1953: 373-374.
- 257.—Carter, T. C., Lyon, M. F., and Phillips, R. J. S. Partial sex linkage in the mouse. Nature, Lond. 174 1954: 309-310.
 - Cary, G. R. see Bartholomew.
- 258.—Casselman, W. G. B. and Williams, G. R. Choline deficiency in the guinea pig. Nature, Lond. 173 1954: 210-211.
- 259.—Castellanos, A. Anotações e retificações ao gênero "Glyptodom" Owen e à subfamilia "Glyptodomtinae." An. Acad. bras. Sci. 25 1953: 391—410.

- 260.—Castellanos, A. Descripcion de restos de "Paraglyptodon uquiensis" n.sp. de Uquia (Senador Perez) de Jujuy. Mem. Mus. Entre Rios No. 32 1953: 1-28 2 pls.
- 261.—Castle, W. E. Coat colour inheritance in horses and in other mammals, Genetics 39 1954: 35-44.
- 262.—Cattaneo, L. Particolari nuovi sulla struttura del bulbo olfattivo dei mammiferi. Nota II, R.C. Ist. lombardo Cl. Sci. Mat. Nat. 84 1951: 579-584 2 pls.
- 263.—Cattelain, Une épizootie provoquée par la main de l'homme: la myxomatose. Rev. Doct. Pharm. France 42 21 1954: 7-17.
- 264.—Cave, A. J. E. Richard Owen and the discovery of the parathyroid glands. Science, Medicine and History, Oxford (Oxford Univ. Press) 1953: 217-222 3 figs.
- 265.—Cebullos, B. I. Clave dicotomica para ordenes de mamiferos del Cuzco. Rev. univ., Cuzco 41 1952: 120-125 [N.V.].
- 266.—Celestins, V. S. & Swartz, G. E. The origin and development of the ultimobranchial body in the golden hamster during the first fifteen days of gestation. Trans. Amer. micr. Soc. 73 1954: 322–327.
- 267.—Chace, L. Blackfish bonanza. Nat. Hist., N.Y. 63 1954: 38-40 5 figs.
- 268.—Chacko, P. I. and Mathew, M. J. Rorqual whale near Badagara, Malabar coast. J. Bombay nat. Hist. Soc. 52 1954: 585-586.
- 269.—Chaffee, R. G. Campylocynodon personi, a new Oligocene carnivore from the Beaver Divide, Wyoming. J. Paleont. 28 1954: 43-46 4 figs.
- 270.—Chaigneau, M. and Charlet-Lery, G. Composition des gaz de digestion chez les Ruminants. C.R. Acad. Sci. Paris 239 1954: 308–310.
- 271.—Cabalka, J. L., Costa, R. R. & Hendrickson, G. O. Ecology of the raccoon in Central Iowa. Proc. Iowa Acad. Sci. **60** 1954: 616–620.
- 272.—Chalmers, M. I., Cuthbertson, D. P. and Synge, R. L. M. Ruminal ammonia formation in relation to the

- protein requirement of sheep. I. Duodenal administration and heat processing as factors influencing fate of casein supplements. J. agric. Sci. 44 1954: 254-262 4 figs.
- 273.—Chalmers, M. I. and Synge, R. L. M. Ruminal ammonia formation in relation to the protein requirement of sheep. II. Comparison of casein and herring-meal supplements. J. agric. Sci. 44 1954: 263–269 1 pl. 4 figs.

Chalmers, M. I. see Annison.

- 274.—Chamberlain, J. L. The Block Island meadow mouse *Microtus provectus*. J. Mammal. 35 1954: 587–589.
- 275.—Chance, M. R. A. The suppression of audiogenic hyperexcitement by learning in *Peromyscus maniculatus*. Brit. J. anim. Behav. 2 1954: 31-35.
- 276.—Chandrasekhar, M. S. On the feeding habits of bears. J. Bombay nat. hist. Soc. 51 1954: 934.
- 277.—Chang, M. C. Development of parthenogenetic rabbit blastocysts induced by low temperature storage of unfertilized ova. J. exp. zool. 125 1954: 127-149 15 figs.

Chapman, D. G. see Kenyon.

Charlet-Lery, G. see Chaigneau.

278.—Charnot, Y. De l'évolution des camelidés, apparition du dromedaire au Maroc. Bull. Soc. Sci. nat. Maroc 33 1954: 207–230 3 pls.

Chaudhuri, G. C. see Sharma.

- 279.—Cheng, D. W. and Thomas, B. H. Relationship of time of therapy to teratogeny in maternal avitaminosis E^1 . Proc. Iowa Acad. Sci. 60 1954: 290–299 2 figs.
- 280.—Chiasson, R. B. The phylogenetic significance of rodent cheek pouches. J. Mammal. 35 1954: 425-427.
- 281.—Chiasson, R. B. Occurrence of Zalophus californianus in the Gulf of California. J. Mammal. 35 1954: 596.
- 282.—Chiquoine, A. D. The identification, origin, and migration of the primordial germ cells in the mouse embryo. Anat. Rec. 118 1954: 135-146 6 figs.
- 283.—Chittleborough, R. G. Studies on the ovaries of the humpback whale, Megaptera nodosa (Bonnaterre), on the western Australian coast. Aust. J. Mar. Freshw. Res. 5 1954: 35–63 6 pls. 9 figs.

- 284.—Chitty, D. and Southern, H. N. Control of rats and mice. Oxford (Clarendon Press) 1954. Vol. I Rats. xxxii + 305 4 pls. 18 figs. Vol. II. Rats xvi + 226 4 pls. 12 figs. Vol. III. House Mice xiv + 225 8 pls. 21 figs.
- 285.—Church, B. M., Jacob, F. H. and Thompson, H. V. Surveys of rabbit damage to wheat in England and Wales, 1950–52. Plant Pathology 2 1953: 107–112 1 pl.
- 286.—Cipriani, A. Posizione delle grandi ali dello sfenoide in primati platirini e catarrini (Saggio preliminare). Riv. Anthrop. 40 1953: 148–188 4 pls. 6 figs.

Claringbold, P. J. see Biggers.

Clark, J. G. D. see Fraser and King. Clark, P. J. see Dice.

- 287.—Clarke, R. Open boat whaling in the Azores. The history and present methods of a relic industry. 'Discovery' Rep. 26 1954: 281–354 6 pls.
- 288.—Clarke, R. A great haul of ambergris. Nature, Lond. 174 1954: 155-156 1 fig.
- 289.—Clarke, R. A great haul of ambergris. Norsk Hvalfangsttid. 43 1954: 450-53 1 fig.
- 290.—Clarke, R. Whales and seals as resources of the sea. Norsk Hvalfangsttid. 43 1954: 489-510 5 figs.
- 291.—Clarke, R. Whales and whaling. Advanc. Sci. 11 1954: 305-311.
- 292.—Clarke, R. and Ruud, J. T. International co-operation in whale marking, the voyage of the "Enern" to the Antarctic 1953. Norsk Hvalfangstiid. 43 1954: 128-146 3 figs.

Cleffmann, G. see Danneel.

- 293.—Clegg, E. J. The arterial supply of the seminal vesicle and coagulating gland in the rat, and the effects of its interruption. Proc. Soc. Study Fertility, No. 5 1953: 71–81 3 pls. 1 fig.
- 294.—Clover, M. R. Deer marking devices. Calif. Fish Game 40 1954: 175–181 6 figs.
- 295.—Glover, M. R. A portable deertrap and catch-net. Calif. Fish Game 40 1954: 367-373 4 figs.

- 296.—Cockrum, E. L. Non-geographic variation in cranial measurements of wild-taken *Peromyscus leucopus noveboracensis*. J. Mammal. 35 1954: 367–376.
- 297.—Cohrs, P. and Schulz, L. Cl. Artspezifische Hypertrophie des Kleinhirnwurms bei Säugetieren, verbunden mit partiellen Rindenaplasien. Anat. Anz. 101 1954: 23-36 21 figs.
- 298.—Cole, J. E. Buffalo (*Bison bison*) killed by fire. J. Mammal. 35 1954: 453-454.
- 299.—Collyer, E. The mammals of Hazelborough Woods. J. Northants. nat. Hist. Soc. 33 1954: 227-229.
- 300.—Conaway, C. H. The reproductive cycle of rice rats (*Oryzomys palustris palustris*) in captivity. J. Mammal. 35 1954: 263–266.
- 301.—Condry, W. British Mammals. The polecat in Wales. Oryx 2 1954: 238-240.
- 302.—Connell, J. H. Home range and mobility of brush rabbits in California chaparral. J. Mammal. 35 1954: 392-405 6 figs.
- 303.—Conti. S. Morfologia comparata craniale ed encefalica degli orsi pleistocenici della Liguria. Correlazione con alcune forme attuali (*U. arctos, U. marsicanus, U. horribilis*). Mem. Mus. Stor. nat. Genova No. 1 1954: 1–66 9 pls. 9 figs.
- 304.—Cook, A. H. Some measurements from a three and one-half year old beaver (Castor canadensis). J. Mammal. 35 1954: 452.
- 305.—Cook, E. F. A technique for preventing post-mortem ectoparasite contamination. J. Mammal. 35 1954: 266-267.
- 306.—Cook, H. J. A remarkable new mammal from the Lower Chadron of Nebraska. Amer. Midl. Nat. 52 1954: 388-391 5 figs.
- 307.—Cook, S. F. and Hannon, J. P. Metabolic differences between three strains of *Peromyscus maniculatus*. J. Mammal. 35 1954: 553-560.

Cook, S. F. see Heizer.

308.—Cooley, R. Second record of the hoary bat in Florida. J. Mammal. 35 1954 116-117.

- 309.—Cooper, H. M. Kangaroo Island's wild pigs. Their possible origin. S. Aust. Nat. 28 1954: 57-61 3 figs.
- 310.—Copiey, H. H. J. Allen Turner. J. E. Afr. Ug. nat. Hist. Soc. 22 1954: 111-112 1 pl.
- 311.—Coppini, L. and Muto, R. Dispositivi anatomici di alcune formazioni fibrose del mediastino in alcuni mammiferi domestici. Monit. zool. ital. 61 1954: 172-174.

Corner, W. G. see Pallie.

Costa, R. R. see Cabalka.

312.—Cotterell, Sir R. Three against the grey squirrel. Field 203 1954: 12-13 8 figs.

Couch, L. K. see Johnson.

313.—Coulombre, J. L. and Russell, E. S. Analysis of the pleiotropism at the w-locus in the mouse. J. exp. Zool. 126 1954: 277-295 14 figs.

Counce, S. see Hoecker.

- 314.—Couto, C. de P. On a Notostylopid from the Paleocene of Itaborai. Brazil. Amer. Mus. Novit. No. 1693 1954: 1-5 3 figs.
- 315.—Couturier, M. A. J. L'ours brun *Ursus arctos* L. Grenoble. 1954: xi + 904 226 figs.
- 316.—Cowan, H. H. Weasel v. Rabbit. Ctry. Life, Lond. 116 1954: 997.
- 317.—Cowan, I. McT. La conservacion de la fauna silvestre y el desarrolo hidroelectrico en la Columbia Britanica. Techn. Meeting Internat. Union Protect. Nature, Caracas 1952 [1954]: 298— 301.
- 318.—Cowan, I. McT. The occurrence of the Pleistocene wolf Canis dirus in the Rocky Mountains of Central Alberta. Canad. Fld. Nat. 68 1954: 44.
- 319.—Cowan, I. McT. and Arsenault, M. G. Reproduction and growth in the creeping vole, *Microtis oregoni serpens* Merriam. Canad. J. Zool. 32 1954; 198–208. 2 figs.

Cowan, I. McT. see Robinson.

Cowan, W. M. see Powell.

320.—Crandall, L. S. Duck-billed platypus. Zoo Life, Lond. 9 1954: 73-76 2 figs.

- 321.—Crespo, J. A. Presence of the reddish howling monkey (Alouatta guariba clamitans Cabrera) in Argentina. J. Mammal. 35 1954: 117-118.
 - Crespo, J. A see Llanos.

Cronemiller, F. P. see Robinson.

Crowcroft, Mrs. see Godfrey.

- 322.—Crowcroft, P. The daily cycle of activity in British shrews. Proc. zool. Soc. Lond. 123 1954: 715-729 9 figs.
- 323.—Crowcroft, P. Experiments with shrews. Ctry. Life, Lond. 115 1954: 1314-1315 5 figs.
- 324.—Croweroft, W. P. Mouse research in Suffolk. Trans. Suffolk Nat. Soc. 8 [1954]: 185–187.
- 325.—Crowcroft, W. P. British shrews. Bull. Mamm. Soc. Brit. Is. 1 1954: 10-11.
- 326.—Crusafont Pairo, M. Primer hallazgo de un jirafido fosil en el Meotico del Valles. Mem. Comun. Inst. Geol. Dip. Prov. Barcelona 10 1953; 11-12.
- 327.—Crusafont Pairo, M. El sistema Miocenico en la depresion espanola del Valles-Penedes. Mem. Comun. Inst. Geol. Dip. Prov. Barcelona 10 1953: 13-23.
- 328.—Grusafont Pairo, M. Cuestiones zoogeograficas en la paleomastologia del Neogeno espanol. Mem. Comun. Inst. Geol. Dip. Prov. Barcelona 10 1953: 25-40.
- 329.—Crusafont Pairo, M. Sobre el origen de *Triceromeryx*. Immigrante o autoctono? Consejo Sup. Invest. Cient. Estud. Geol. 20 1953: 509-517 fig. [N.V.]
- 330.—Grusafont Pairo, M. Quelques considerations biologiques sur le Miocene espagnol. Ann. Paleont. 40 1954: 97-103.
- 331.—Crusafont Pairo, M. and Lavocat, R. Schizochoerus, un nuevo genero de Suidos del Pontiense inferior (Vallesiense) del Vallés-Penedes. Notas Comun. Inst. Geol. Min. Espana 36 1954: 81–90 2 figs.
- 332.—Crusz, H. and Fernand, V. S. V. The trematode parasites of the dugong with descriptions of two new monostomes and histopathological changes in the host. J. Parasit. 40 Sect. 1 1954: 499-507 2 pls.

333.—Curri, S. B. and Tischendorf, F. Eine verbesserte Clark-Sandisonsche Kammer zur Lebendbeobachtung am Kaninchenohr. Anat. Anz. 100 1954: 354-360 3 figs.

334.—Curzon, G. Longitudinal distribution of organic component of bone. Nature, Lond. 174 1954: 646-647 1 fig.

Cuthbertson, D. P. see Chalmers.

335.—Daloq, A.-M. Nouvelles données structurales et cytochimiques aur l'œuf des mammifères. Rev. gén. Sci. pur. appl. 61 1954: 19-41 13 figs.

336.—Dalimier, P. Quelques observations au sujet du Mouffon à manchettes. Mammalia, Paris 18 1954: 331-333-1 pl.

Dallemagne, M. J. see Gerebtzoff.

337.—Dalquest, W. W. and Werner, H. J. Histological aspects of the faces of North American bats. J. Mammal. 35 1954: 147-160 1 pl. 1 fig.

338.—Danneel, R. and Cleffmann, G. Die Einwanderung der Pigmentzellen in die Haut und die Haare bei Nagetieren. Biol. Zbl. 73 1954: 414—428 16 figs.

339.—Darling, F. F. Caribou, Reindeer and Moose in Alaska. Oryx 2 1954: 280-285.

Darling, F. F. see Leopold.

340.—Dart, R. A. The adult female lower jaw from Makapansgat. Nature, Lond. 173 1954: 286-287 2 figs.

341.—Dart, R. A. The second, or adult, female mandible of Australopitheus prometheus. Amer. J. phys. Anthrop. 12 1954: 313-344 11 figs.

Dasmann, R. F. see Taber.

342.—Dasmann, W. P. and Blaisdell, J. A. Deer and forage relationship on the Lassen-Washoe interstate winter deer range. Calif. Fish Game 40 1954: 215-234 5 figs.

343.—Dathe, H. Ringelrobbe, Phoca hispida annellata Nilsson, 1820, in der westlichen Ostsee. Säugetierk. Mitt. 2 1954: 33.

344.—Dathe, H. Ringelrobbe, Phoca hispida annellata Nilsson, 1820, in der westlichen Ostee. Säugetierk. Mitt. 2 1954; 81. 345.—Dathe, H. Eine Wildkatze. Felis s. silvestris Schreber, 1777, in Nordwestsachsen. Säugotierk. Mitt. 2 1954: 128.

Davey, J. B. see Sorsby.

David, H. A. see Braden.

346.—Davies, A. W. and Worden, A. N. The liver vitamin A reserves of some British wild animals. Proc. zool. Soc. Lond. 123 1954: 739-746.

347.—Davies, D. V. and Hill, W. C. O. The abdominal portion of the alimentary system in "Hapalemur" and "Lepilemur." Proc. roy. Soc. Edinb. 65B 1954: 182–204 2 pls. 6 figs.

Davies, D. V. see Hill.

348.—Davis, W. B. and Russell, R. J. Aves y mamiferos del Estado de Morelos. Rev. Soc. Mex. Hist. Nat. 14 1953: 77-147.

349.—Davis, W. B. and Russell, R. J. Mammals of the Mexican state of Morelos. J. Mammal. 35 1954: 63-80.

350.—Dawbin, W. H. Maori whaling. Norsk Hvalfangsttid. 43 1954: 433-445 10 figs.

351.—Dawbin, W. H. and Falla, R. A. A contribution to the study of the humpback whale based on observations at New Zealand shore stations. Proc. 7th Pacif. sci. Congr. 4 1953: 373–382 map.

352.—Dearden, L. C. Extra premolars in the river otter. J. Mammal. 35 1954: 125-126.

353.—Dehaut, G. Considérations sur l'histoire évolutive des Vertébrés in ulaires dans la région méditerranéenne occidentale. Bull. Mus. Hist. nat., Paris. 26 (2) 1954: 413-418.

354.—Deinse, A. B. v. The pelvic bones of *Physeter macrocephalus* L. Zool. Meded. 33 1954: 25-32 2 pls.

355.—Dekeyser, P. L. and Villiers, A. Essai sur le peuplement zoologiques terrestre de l'Ouest Africaine. Bull. Inst. franç. Afr. noire 16A 1954: 957-970.

356.—de la Torre, L. Bats from southern Tamaulipas, Mexico. J. Mammal. 35 1954: 113-116.

357.—de la Tour, G. D. The Guanaco. Oryx 2 1954: 273-279 1 fig.

- **358.**—de la Tour, G. D. The Vicuña. Oryx **2** 1954: 347-352 1 pl. 1 fig.
- 359.—de la Tour, G. D. La preservacion de la fauna en region semiarida. II. Las zonas semiaridas del interior del Gran Chaco, pp. 415–421. III. La region semiarida de la Pampa Argentina, pp. 421–431. Techn. Meeting Internat. Union Protect. Nature, Caracas 1952 [1954].
- 360.—de la Tour, G. D. and Finsterbusch, C. A. Preservacion de la fauna en las zonas semiaridas de las Cordilleras Chileno-Argentinas. Techn. Meeting Internat. Union Protect. Nature. Caracas 1952 [1954]: 432–438.
- 361.—Della Serra, O. A seqüência eruptiva dos dentes definitivas nos símios *Platyrrhina* e sua interpretação filogenética. Folia clin. biol. S. Paulo 19 1953: 41-46.
- 362.—DeMeules, D. H. Possible antiadrenalin action of shrew venom. J. Mammal. 35 1954: 425.
- 363.—Denyes, H. A. Habitat restriction and the digging ability of certain pocket mice. J. Mammal. 35 1954; 453.
- 364.—Deol, M. S. The anomalies of the labyrinth of the mutants Varitintwaddler, shaker-2 and jerker in the mouse. J. Genet. 52 1954: 562-588 6 pls. 23 figs.
- 365.—[Deparme, N. K.] [The method of age determination in moles.] Bull. Soc. Nat. Moscow Biol. 59 1954: 10-25 figs. [In Russian.]

Depreux, R. see Olivier.

- 366.—[Derevyanko, I. L. and Zharkov, I. V.] [Winter food supply for wild ungulates in Caucasian game reserve.] Nasimovich, A.A., Ed. Reorg. vert. fauna U.S.S.R. (Biotech. measures) Moscow 1953: 80–93 3 figs. [In Russian.]
- 367.—Dexter, R. W. Notes on nests of the meadow jumping mouse, Zapus hudsonius. J. Mammal. 35 1954: 121.
- 368.—Dexter, R. W. Distribution of the meadow jumping mouse Zapus hudsonius in Ohio. J. Mammal. 35 1954: 233-239.
- 369.—Dice, L. R. Breeding of Peromyscus floridanus in captivity. J. Mammal. 35 1954: 260.

- 370.—Dice, L. R. and Glark, P. J. The statistical concept of home range as applied to the recapture radius of the deermouse (*Peromyscus*). Contr. Lab. Vertebr. Biol. Univ. Mich. No. 62 1953; 1-15.
- 371.—Didier, R. Etude systématique de l'os pénien des mammifères (suite). Rongeurs. Mammalia, Paris 18 1954: 237-256 14 figs.
- 372.—Dieterlen, F. Über den Haarbau des Andenwolfes *Dasycyon hagenbecki* (Krumbiegel, 1949). Säugetierk. Mitt. 2 1954: 26–31 12 figs.
- 373.—Dissel-Scherft, M. C. van and Vervoort, W. Development of the teeth in fetal Balaenoptera physalis (L.) (Cctacea, Mystacoceti) I-II. Proc. Acad. Sci. Amst. 57C 1954: 196-210 12 figs.
- 374.—Dobzhansky, T. Animal breeding under Lysenko. Amer. Nat. 88 1954: 164-166.
- 375.—Dolyak, F. and Leone, C. A. Some standard values of the blood and serum of the cotton rat Sigmoden hispidus texianus. Trans. Kansas Acad. Sci. 56 1953: 242-245.

Donaurov, G. G. see Gavrin.

Donini, I. see Ottaviani.

- 376.—Donovan, D. T. An occurrence of mammoth and other bones at Whatley, Somerset. Proc. Speleol. Soc., Bristol 7 1954: 51-53.
- 377.—Dorr, J. A., Jr. Hypsoparia bozemanensis; a new genus and species of leptarctine mustelid from the late Miocene Madison Valley formation of Montana. Ann. Carnegie Mus. 33 1954: 179-184 1 pl.
- 378.—Dorst, J. Précisions sur un Rhinolophidé rare du Tonkin. Mammalia, Paris 18 1954: 212-215 1 fig.
- 379.—Dorst, J. Décisions de nomenclature au Congrès international de Zoologie de Copenhague. Mammalia, Paris 18 1954: 219-220.
- 380.—Dorst, J. G. H. H. Tate, 1894-1953. Mammalia, Paris 18 1954: 222.
- 381.—Dorst, J. La longévité des Chiroptères. Mammalia, Paris 18 1954: 231-236.

382.—Doutt, J. K. Observations on mammals along the east coast of Hudson Bay and the interior of Ungava. Ann. Carnegie Mus. 33 1954: 235–249.

383.—Doutt, J. K. The swimming of the opossum, *Didelphis marsupialis virginiana*. J. Mammal. 35 1954; 581–583.

384.—Dow, R. L. Walrus skull (Odobenus) from Bluehill Bay, Maine. J. Mammal. 35 1954: 444.

385.—Downey, S. Time for a rest. Field, Lond. 203 1954: 452 1 fig.

386.—Dozier, H. L. Muskrat production and management. Circ. U.S. Fish. Wildl. Serv. No. 18 1953: 1-42 53 figs.

Drake, C. H. see Miller.

Drimmer, F. see Goodwin.

Drummond, F. H. see Agar.

387.—Dry, F. W. and Stephenson, S. K. Presence and absence of the prenatal check in lambs' birtheoats. Nature, Lond. 173 1954: 878-879.

388.—[Dubinin, V. B. and Garutt, V. E.] [The mammoth skeleton found in the delta of the river Lena.] Zool. Zh., Moscow 33 1954: 423-432 9 figs. [In Russian.]

389.—[Dubrovo, I. A.] [On the first discovery of the primitive elephant, Elephas meridionalis Nesti, in northern Siberia]. Bull. Comm. Study Quatern. Period, Moscow (Acad. Sci. U.S.S.R.) 19 1953: 76-79 2 figs. [In Russian.]

390.—Dujarric de la Rivière, R. and Eyquem, A. Les groupes sanguins chez les animaux. (Individualités sanguins et tissulaire). Paris, (Editions Medicales Flammarion) 1953: pp. 407 2 pls. 6 figs.

391.—[Dulkeit, G. D.] [Importance of lynx and wolverine as predators in natural complex of Altaitaiga]. Nasimovich, A.A. Ed. Reorg. vert. fauna U.S.S.R. (Biotech. measures) Moscow 1953: 147–152. [In Russian.]

Dumas, P. C. see Freiburg.

Duncan, A. see Barnes.

392.—Dunlop, G. Rickets in sheep. Nature, Lond. 173 1954: 453 2 figs.

393.—Dunn, L. C. and Gluecksohn-Waeisch, S. A genetical study of the mutation 'fused' in the house mouse, with evidence concerning its allelism with a similar mutation 'kink.' J. Genet. 52 1954: 383-391.

394.—Durand, P. and Mathis, M. Sensibilité de trois rongeurs sauvages tunisiens Mus musculus spretus, Dipodillus campestris et Meriones shawi au Plasmodium berghei Vincke et Lips 1948. C.R. Ass. franç. Av. Sci. 70 1951: 39-45.

395.—Durrant, S. D. and Hansen, R. M. Taxonomy of the chickarees (*Tamiasciurus*) of Utah. J. Mammal. 35 1954: 87-95.

396.—Durrant, S. D. and Hansen, R. M. Distribution patterns and phylogeny of some western ground squirrels. Syst. Zool. 3 1954: 82-85 I fig.

397.—Durrant, S. D. and Hansen, R. M. A new rock squirrel (Citellus variegatus) from the Great Basin with critical comments on related subspecies. Proc. Biol. Soc. Wash. 67 1954: 263–272.

398.—Eadie, W. R. Skin gland activity and pelage descriptions in moles. J. Mammal. 35 1954: 186-196 1 fig.

399.—Eales, N. B. The manus of the Narwhal, Monodon monoceros L. Proc. zool. Soc. Lond. 124 1954: 201-211 6 figs.

400.—Eaton, O. N. Heterosis in the performance of mice. Genetics 38 1954: 609-629 4 figs.

Eaton, O. N. see Yao.

401.—Eayrs, J. T. An apparatus for analysing the pattern of spontaneous activity in laboratory animals. Brit. J. Anim. Behav. 2 1954: 20-24 2 pls. 2 figs.

402.—Eayrs, J. T. Spontaneous activity in the rat. Brit. J. Anim. Behav. 2 1954: 25-30 4 figs.

403.—Eayrs, J. T. The vascularity of the cerebral cortex in normal and cretinous rats. J. Anat., Lond. 88 1954: 164-173 4 figs.

404.—Ebhardt, H. Verhaltensweisen von Islandpferden in einem norddeutschen Freigelände. Säugetierk. Mitt. 2 1954: 145-154 4 figs.

405.—Ecke, D. H. An invasion of Norway rats in southwest Georgia. J. Mammal. 35 1954: 521-525 2 figs.

Eden, M. see Carrington.

406.—Edinger, T. and Kitts, D. B. The foramen ovale. Evolution 8 1954: 389-404 4 figs.

- 407.—Edmond-Blanc, F. Il faut protéger le gorille. Zooleo No. 28 1954: 493-498 figs.
- 408.—Edwards, R. G. Colchicineinduced heteroploidy in early mouse embryos. Nature, Lond. 174 1954: 276–277.
- 409.—Ehrenberg, K. Fossilfunde aus der Dachsteineishöhle. Anz. Akad. Wiss. Wien 90 1953: 14–18.
- 410.—Ehrenberg, K. Ergänzende Bemerkungen zu der Fossilfunden aus der Dachsteineishöhle. Anz. Akad. Wiss. Wien 90 1953: 152–154.
- 411.—Ehrenberg, K. Bericht über Ausgrabungen in der Salzofenhöhle im Toten Gebirge. VII. Beobachtungen und Funde der Salzofen-Expedition 1953. Anz. Akad. Wiss. Wien 90 1953; 273–281.
- 412.—Ehrenbrand, F. Beiträge zur Morphokinese der Nebennierenrinde bei experimenteller Hyperthyreose. Anat. Anz. 101 1954: 41-63 5 pls.
- 413.—Eibl-Eibesfeldt, I. Zur Ethologie des Hamsters (Cricetus cricetus L.). Z. Tierpsychol. 10 1953: 204–254 48 figs.
- 414.—Eichler, W. Ektoparasiten von Zoo-Tieren. II. Haematomyzus, die Elefantenlaus. Zool. Gart., Lpz. 20 1953: 113–121 6 figs.
- **415.—Eigener,** W. Bergtapire. Z Säugetierk. **19** 1954: 178–180.
- 416.—Eiseley, L. C. Fossil man. Sci. Amer. 189 6 1953: 65-72 figs.
- 417.—Eiseley, L. C. The reception of the first missing links. Proc. Amer. phil. Soc. 98 1954: 453–465.
- 418.—Ekblom, T. Studien über subfossile Lemuren von Madagaskar. Bull. geol. Inst. Univ. Upsala 34 1949– 53: 123–190 pls. 1–5 text-figs. 1–2 56 tables.
 - Elias, H. see Gershbein.
- 419. Ellerman, J. R. Die taksonomie van die soogdiere van die Unie van Suid-Afrika. Ann. Univ. Stellenbosch 30A 1 1954; 1–125.
- 420.—Ellerman, J. R. and Morrison-Scott, T. C. S. Ictonyx Kaup, 1835, the correct generic name, and Ictonyx striatus (Perry), 1810, the correct specific name for the African stinkmuishond. J. Mammal. 35 1954: 130– 131.

421.—Ellison, N. F. Otter in North Wirral, Cheshire. Northw. Nat. N.S. 2 1954: 138.

[1954]

- 422.—Ellison, N. F. Bottle-nosed whales in Mersey. Northw. Nat. N.S. 2 1954: 460.
- 423.—Ellison, N. F. Lesser rorqual on Lancashire coast. Northw. Nat. N.S. 2 1954: 460.
- 424.—Eloff, F. C. On the probable significance of an additional pterygoid element found in the dog's skull. S. Afr. J. Sci. 50 1954: 296-298.
- 425.—Elsey, C. A. A case of cannibalism in Canada Lynx (*Lynx canadensis*). J. Mammal. 35 1954: 129.
- 426.—Elton, C. S. Further evidence about the barren-ground grizzly bear in northeast Labrador and Quebec. J. Mammal. 35 1954: 345-357 1 fig.
 - Enders, R. K. see Llewellyn.
- 427.—Engel. Fortpflanzungsbiologie des Rehwilds. Oesterr. Weidwerk 1954: 3-4: 32. [N.V.]
- 428.—Engel, S. Respiratory tissue of the large whales. Nature, Lond. 173 1954: 128-129 1 fig.
- 429.—Ennouchi, E. Sur un récent apport paléontologique. C.R. Soc. Sci. nat. Maroc 20 1954: 71-74 3 figs.
- 430.—Ennouchi, E. La faune néolithiqué de Toulkine (Haut Atlas). C.R. Soc. Sci. nat. Maroc 20 1954: 140-141.
- 431.—Ennouchi, E. Omochoerus maroccanus nov. sp. nouveau Suidé marocain. Bull. Soc. Geol. France (6) 3 1954: 649-656 2 figs.
- 432.—Epstein, H. Le dromadaire dans l'Ancien Orient. Rev. Hist. Sci. 7 1954: 247-268 9 figs.
- 488.—Erdbrink, D. P. On one of the oldest known remains of the common elk, Alces alces L., found recently in the Netherlands. Geol. Mijnb. 16 1954: 301-309 1 fig.
- 484.—Erickson, A. B. Helminth parasites of rabbits of the genus Sylvilagus. J. Wildlife Mgmt. 11 1947: 255— 263.
- 435,—Erickson, A. B. and Bue, G. T. Additional mule deer records for Minnesota. J. Mammal. 35 1954: 457-458.

- 436.—Ernst, R. Die Bedeutung der Wandepidermis (Hyponychium) des Pferdehufes für die Hornbildung. Acta Anat. 22 1954: 15-48 18 figs.
- 437.—Errington, P. L. On the conservation of the lynx in Scandinavia. J. Mammal. 35 1954: 254-255.
- 438.—Errington, P. L. On the hazards of overemphasizing numerical fluctuations in studies of "cyclic" phenomena on muskrat populations. J. Wildlife Mgmt. 18 1954: 67-90 8 figs.
- 439.—Errington, P. L. The special responsiveness of minks to epizootics in muskrat population. Ecol. Monogr. 24 1954: 377-393.
- 440.—Erskine, R. Clearing up rabbits with the long net. Field 204 1954: 171 2 figs.
- 441.—Evans, D. H. L. and Murray, J. G. Histological and functional studies of the fibre composition of the vagus nerve of the rabbit. J. Anat., Lond. 88 1954: 320-337 3 pls. 2 figs.
- 442.—Ewer, R. F. Some adaptive features in the dentition of Hyaenas. Ann. Mag. Nat. Hist. (12) 7 1954: 188– 194 2 pls.
- 443.—Ewer, R. F. The fossil carnivores of the Transvaal caves. The Hyaenidae of Kromdraai. Proc. zool. Soc. Lond. 124 1954: 565-584 3 pls. 11 figs.
 - Eyquem, A. see Dujarric de la Rivière.
- 444.—Falconer, D. S. Selection for large and small size in mice. J. Genet. 51 1953: 470-501 9 figs.
- 445.—Falconer, D. S. Linkage in the mouse: The sex-linked genes and "rough." Z. Indukt-Abstamm Vererb-Lehre 86 1954: 263-268.
- 446.—Falconer, D. S. and Latyszewski, M. The environment in relation to selection for size in mice. J. Genet. 51 1952: 67-80 4 figs.
- 447.—Falconer, D. S. and King, J. W. B. A study of selection limits in the mouse. J. Genet. 51 1953: 561-581 1 pl. 5 figs.
- 448.—Falconer, D. S., Slizynski, B. M. and Auerbach, C. Genetical effects of nitrogen mustard in the house mouse, J. Genet. 51 1952: 81-88 1 pl.
 - Falconer, D. S. see Carter.

- Falkenbach, C. H. see Schultz.
- 449.—Falla, R. A. Southern seals: Population studies and conservation problems. Proc. 7th Pacif. sci. Congr. 4 1953: 706.
 - Falla, R. A. see Dawbin.
 - Farinacci, C. J. see Burns.
- 450.—Fay, F. H. Quantitative experiments on the food consumption of *Parascalops breweri*. J. Mammal. 35 1954: 107-109.
- 451.—[Fedorov, V. K.] [New data on succession of acquired features in mice.] C.R. Acad. Sci. URSS n.s. 94 1954: 953-955. [In Russian.]
- 452.—Fedrigo, G. and Bergamini, L. Osservazioni sulla origine embriologica e sulla natura chimica di "sostanze mucoze" presenti nell'apparato genitale femminile di feti e neonati bovini ed ovini. Monit. zool. ital. 62 1954: 45-52.
- **453.—Fenner, F.** The rabbit plague. Sci. Amer. **190** 2 1954: 30–35 9 figs.
- **454.**—**Fenykovi, J.** In search of giant sable. Field, Lond. **203** 1954: 650-651 5 figs.
- 455.—Ferembach, D. La mandibule et les dents inférieurs des Limnopithéques. C.R. Acad. Sci. Paris 239 1954: 1656-1658.
- 456.—Ferguson, K. A. Prolonged stimulation of wool growth following injections of ox growth hormone. Nature, Lond. 174 1954: 411 1 fig.
- 457.—Ferianc, O. Contribution to the question of geographical races of the common wood shrew mouse Sorex araneus L. in Slovakia and comments to its ecology. Mém. Soc. zool. tchéosl. 16 1952: 218–236. [Czech with English summary.]
- 458.—F., G. L'hybridation chez les mammifères. Nature, Paris No. 3236 1954: 460–462 3 figs.
- 459.—Field, H. Wolves in the Near East. Field, Lond. 203 1954: 406.
- 460.—Filloux, J. C. Les processus intellectuels chez les animaux. I. Les tests d'intelligence. Nature, Paris No. 3225 1954: 28-32 10 figs.
- 461.—Filloux, J. C. Les processus intellectuels chez les animaux. 2. La pensée symbolique. Nature, Paris. No. 3226 1954: 64-67 5 figs.

- 462.—Filloux, J. C. La vie affective des animaux. 2. Les conduits d'angoisse. Nature, Paris No. 3235 1954: 429-432 6 firs.
- 463.—Findlay, J. Cattle for the Northlands. Field, Lond. 203 1954: 693-694 3 figs.
- 464.—Findley, J. S. Tree roosting of the eastern Pipistrelle. J. Mammal. 35 1954: 433.
- 465.—Findley, J. S. Reproduction in two species of *Myotis* in Jackson Hole, Wyoming. J. Mammal. 35 1954: 434.
- 466.—Findley, J. S. Competition as a possible limiting factor in the distribution of *Microtus*. Ecology **35** 1954: 418-420 1 fig.
- 467.—Findley, J. S., Jones, J. K. and Vaughan, T. A. Records of memmals from southwestern Iowa. Trans. Kansas Acad. Sci. 57 1954: 212–213.

Findley, J. S. see Baker.

Findley, J. S. see Jones.

Findley, J. S. see Russell.

468.—Finley, R. B. Notiosorex crawfordi and Antrozous pallidus from southeastern Colorado. J. Mammal. 35 1954: 110–111.

Finsterbusch, C. A. see de la Tour.

Firtion, F. see Theobald.

- 469.—Fischel, W. Intelligenz und Einsicht der Affen. Arch. néerl. Zool. 10 Suppl. 2 1953: 13–23.
- 470.—Fisher, H. D. Delayed implantation in the harbour seal, *Phoca vitulina* L. Nature, Lond. 173 1954: 879-880.

Fisher, K. C. see Ryckman.

- 471.—Fitch, H. S. Seasonal acceptance of bait by small mammals. J. Mammal. 35 1954: 39-47.
- 472.—Fleay, D. Australia's Pouched "Cat." Nat. Hist., N.Y. 63 1954: 86–92 8 figs.
- **473.**—Fleay, D. The Squirrel Glider. Vict. Nat., Melb. **70** 1954: 208–210 2 pls.
- 474.—Fleay, D. Australia's Squirrel Gliders. Anim. Kingd. 57 1954: 187–190 4 figs.
- 475.—Flecker, H. Plea for retention of vernacular name Echidna. N. Qd. Nat. 22 108 1954: 23-24.

- Flerov, K. K. see Vialov.
- 476.—Fletcher, H. O. "Face lift" for museum's giant sloth. Aust. Mus. Mag. 11 1954: 218-221 1 fig.
- 477.—Fletcher, H. O. Giant marsupial remains at Brewarrina, New South Wales, Aust. Mus. Mag. 11 1954: 247-251 figs.
- 478.—Florio, A. Il gyrus cerebellaris nei Felidae. (Considerazioni sul cortex visivo di *Felis domestica* Briss.). Boll. Zool. 20 1953: 17–28 2 pls.
- 479.—Florio, A. Il gyrus ectosagittalis posterior nei Canidae. (Considerazioni sul cortex uditivo di Canis familiaris L.). Boll. Zool. 20 1953; 29–34 1 pl.
- 480.—Florio, A. Il territorio sylviano nei Canidae. (Note di morfologia e di anatomia microscopica). Arch. zool. ital. Napoli 38 1954: 287–322 1 pl.
- 481.—Flux, D. S. Note on variations in the udders of monozygotic cattle twins. N.Z. J. Sci. Tech. 36A 1954: 287.

Folley, S. J. see Richardson.

- **482.**—**Foran**, W. R. Elephants at sea. Field **204** 1954; 172.
- 483.—Forman, B. Walrus at Collieston. Scot. Nat. 66 1954: 56-57 1 fig.
- 484.—[Formosov, A. A.] [Recent literature on paleolithic of Kazakhstan and Central Asia.] Bull. Comm. Study Quatern. Period, Moscow (Acad. Sci. U.S.S.R.) 19 1953: 90–92.
- 485.—Forsthoetel, P. F. A study of the effect of heterozygosis on litter size in the mouse *Mus musculus*. Ohio J. Sci. 54 1954: 135-141.
- 486.—Foster, A. E. C. The British thoroughbred horse. Proc. roy. Instn. G.B. 35 1954: 583-598 3 pls. 1 fig.
- 487.—Foster, M. Wright's studies of effects of maternal age on spotting and polydactyly in the guinea pig. Ann. N.Y. Acad. Sci. 57 1954: 491–493.
- 488.—Frank, F. Beitrag zur Biologie, insbesondere Jugendentwicklung der Schneemaus (*Chionomys nivalis* Mart.). Z. Tierpsychol. 11 1954: 1-9 5 figs.
- 489.—Frank, F. Beiträge zur Biologie der Feldmaus, Microtus arvalis (Pallas). Teil I: Gehegeversuche. Zool. Jb. (Syst.) 82 1954: 354-404 5 figs.

- 490.—Frank, F. Zur Jugendentwicklung der Feldspitzmaus (*Crocidura leucodon* Herm.). Bonn. Zool. Beitr. 5 1954: 173–178.
- 491.—Frank, F. Die Kausalität der Nagetier-Zyklen im Lichte neuer populationsdynamischer Untersuchungen an deutschen Microtinen. Z. Morph. Ökol. 48 1954: 321–356.

Frankie, G. see Vincke.

- 492.—Fraser, A. S. Factors in the genetic determination of fleece structure in sheep. J. Genet. 51 1953: 222-236 10 figs.
- 493.—Fraser, A. S. A note on the growth of the rex and angora coats. J. Genet. 51 1953: 237-242 l pl. 5 figs.
- 494.—Fraser, A. S., Sobey, S. and Spicer, C. C. Mottled, a sex-modified lethal in the house mouse. J. Genet. 51 1953: 217-221 1 pl. 1 fig.

Fraser, A. S. see Nay.

- 495.—Fraser, F. C. and King, J. E. Faunal remains. In Clark, J. G. D. Excavations at Star Carr, an early mesolithic site at Seamer near Scarborough, Yorkshire. Cambridge (Univ. Press) 1954: 70–89 2 pls. 3 figs.
- 496.—Fraser, F. C. and Purves, P. E. Fractured earbones of blue whales. Scot. Nat. 65 1953: 154-156 2 figs.
- 497.—Fraser, F. C. and Purves, P. E. Hearing in Cetaceans. Bull. Brit. Mus. (Nat. Hist.) Zool. 2 1954: 101-114 2 pls.
- 498.—Frechkop, S. Le magot ou singe de Berberie. C.R. Comm. 70th Congr. A.F.A.S., Tunis, May 1951, Fasc. 4: 1-15 4 figs.
- 499.—Frechkop, S. Notes sur les mammifères. XL. Le port de la tête et la forme du crâne chez les Singes (1). Bull. Inst. Roy. Sci. Nat. Belg. 30 12 1954: 1-11 3 figs.
- 500.—Frechkop, S. Mammifères. Explor. Parc nat. Upemba Miss. de Witte No. 14 1954: 1–84 3 pls. 12 figs.
- 501.—Frechkop, S. Les relations génétiques entre les anthropomorphes et les autres singes. Vol. Jub. Victor van Straelen, 1925–1954, Brussels 1954: 1027–1062 21 figs.
- 502.—Frechkop, S. Professor Max Westenhofer on the problem of man's origin. Eugenics Review 46 1 1954: 41-48 2 figs.

503.—Frechkop, S. and others. Animaux protégés au Congo Belge et dans le territoire sous mandat du Ruanda-Urundi ainsi que les espèces dont la protection est assurée en Afrique (y compris Madagascar) par la Convention internationale de Londres du 8 Novembre 1933 pour la protection de la faune et de la flore africaines, avec la législation concernant la chasses, la pêche, la protection de la nature, et les Parcs Nationaux au Congo Belge et dans le Territoire sous mandat du Ruanda-Urundi. Institut des Parcs Nationaux du Congo Belge, Brussels, 4th ed. 1953: pp. 433 figs. maps.

Freeman, J. S. see Wolstenholme.

504.—Freiburg, R. E. and Dumas, P. C. The elephant seal (*Mirounga angustirostris*) in Oregon. J. Mammal. 35 1954: 129.

French, M. H. see Sykes.

- 505.—Friant, M. A propos de la dentition des mammifères les plus anciens. Rev. Stomatol. 51 1950: 358-361 4 figs.
- 506.—Friant, M. Les caracteristiques fondamentales du cerveau des Giraffidae. C.R. Acad. Sci. Paris 235 1952: 978–979 1 fig.
- 507.—Friant, M. Les caracteristiques fondamentales du cerveau des ongulés (Ungulata) périssodactyles et artiodactyles. C.R. Acad. Sci. Paris 238 1954: 516-518 2 figs.
- 508.—Friant, M. Sur la forme du cerveau de l'eléphant (*Loxodonta africana* Blum.), au cours de la vié prénatale. C.R. Acad. Sci. Paris 238 1954: 1534-1535.
- 509.—Friant, M. A propos du pallium cérébral des Carnivores arctoides et du Potamotherium fossile en particulier. C.R. Acad. Sci. Paris 239 1954: 104–105 1 fig.
- 510.—Friant, M. Les principales caractéristiques du cerveau des ordres actuels d'Ongulés (Ungulata sensu lat.); Proboscidea, Hyracoidea, Perissodactyla, Artiodactyla, Sirenia. C.R. Acad. Sci. Paris 239 1954: 1004–1006.
- 511.—Friant, M. Sur l'extension progressive de l'Insula cérébrale, des singes inférieures aux Anthropoïdes et des Anthropoïdes à l'Homme. C.R. Acad. Sci. Paris 239 1954: 1422-1423. 1 fig.

- 512,—Friant, M. Sur les affinités du Plagiaulaz, mammifère mésozoique. Proc. 200l. Soc. Lond. 124 1954: 501– 507 7 figs.
- 513.—Friant, M. Sur les rongeurs fossiles de Lagoa Santa, Minas Geraes, Bresil. L'evolution des molaires du groupe des Echimyinae (Echimyidae). Vidensk. Medd. Dansk nat. Foren. 116 1954: 233–250 7 figs.
- 514.—Friant, M. Le cerveau du Lamantin (Manatus inunguis Natterer). Vjschr. naturf. Ges. Zürich 99 1954: 129-135 6 figs.
- 515.—Friant, M. Le cerveau d'un rongeur, le Cabiai Hydrochoerus capybara Erxl. Acta anat. 21 1954: 239-248 7 figs.
- 516.—Friant, M. Sur la morphologie du troisième sillon arque du cerreau, chez les Ongulés artiodactyles. Acta Anat. 22 1954: 328-330 1 fig.
- 517.—Frick, H. Die Entwicklung und Morphologie des Chondrokraniums von Myotis Kaup. Stuttgart (Georg Thieme) 1954: pp. viii + 102 46 figs.
- 518.—Freili, A. Some remarks on the application of the minimum size regulation to fin whales in the Antarctic. Norsk Hvalfangsttid. 43 1954: 330–338.
- 519.—Fujino, K. On the serological constitution of the sperm and Baired beaked whales (I) Blood groups of the sperm and Baired beaked whales. Sci. Rep. Whales Res. Inst. Tokyo No. 9 1954: 105–120.
- 520.—Fujino, K. On the body proportions of the fin whales Balaenoptera physalus (L.) caught in the northern Pacific Ocean. (1.) Sci. Rep. Whales Res. Inst. Tokyo No. 9 1954: 121-163 7 figs.

Fujino, K. see Omura.

- 521.—Fuller, W. A. The first premolar and the canine tooth in *Bison*. J. Mammal. 35 1954: 454-456 l pl.
- 522.—Gaal, I. Nouvel examen des vestiges de mammifères du Pliocène à Hatvan et à Godollo et la division du Pliocène. Foldt. Kozlon. 83 1953: 263–272 2 figs. [In Hungarian.]
- 523.—Gaal, I. Über einige neuerliche untersuchte pliozzane Säugetierreste aus Hatvan und Godollo. Foldt. Kozlon. 84 1954: 79-81.

- 524.—Gaffrey, G. Partieller Leukismus bei einer Brandmaus Apodemus agrarius (Pallas, 1771). Saugetierk. Mitt. 2 1954: 81.
- 525.—Gaffrey, G. Zur Ernährungsweise des Wildkaninchens, *Oryctolagus* cuniculus (Linné, 1758). Säugetierk. Mitt. 2 1954: 81.
- 526.—Gaffrey, G. Ortsgebundene Scheinjagd bei einer afghanischen Windhündin. Z. Tierpsychol. 11 1954: 144– 146.
- 527.—Gale, L. E., Gibson, M. R. and Scott, P. M. Investigation of the reported toxicity to rats of *Gliricidia* sepium, Jacq. Science 120 1954: 500-501.
- 528.—Gale, L. R. and Pierce, R. A. Occurrence of the coyote in Kentucky. J. Mammal. 35 1954; 256-258.

Gallizioli, S. see Wallmo.

- **529.—Gandal**, C. P. Age determination in mammals. Trans. N.Y. Acad. Sci. (2) **16** 1954: 312–314.
- 530.—Garst, W. E. Black-footed ferret in South Dakota. J. Mammal. 35 1954: 594.

Garutt, V. E. see Dubinin.

531.—Gaselee, J. The grey squirrel campaign. Ctry. Life, Lond. 115 1954: 156-157 4 figs.

Gates, A. see Runner.

- 532.—Gates, A. H. and Beatty, R. A. Independence of delayed fertilization and spontaneous triploidy in mouse embryos. Nature, Lond. 174 1954: 356-357.
- 533.—Gathy, M. P. Le lapin sauvage, ses mœurs et sa nuisance. J. Soc. cent. Agric. Belg. 101 1954: 2-32.
- 534.—Gaughran, G. R. L. A comparative study of the osteology and myology of the cranial and cervical regions of the Shrew, *Blarina Brevicauda*, and the mole, *Scalopus Aquaticus*. Misc. Publ. Mus. Zool. Univ. Mich. 80 1954: 1–82 23 pls.
- 535.—[Gavrin, V. F. and Donaurov, S. S.] [The wolf in Bialovezha gamereserve.] Zool. Zh., Moscow 33 1954 904-924. [In Russian.]

Gawain, G. C. V. see Gilbert.

536.—Gayford, B. A mole with a purpose. Ctry. Life, Lond. 115 1954: 42-44.

- 537.—Gedymin, J. Juvenile and seasonal changes in the hair-a vering of rabbits of fur breeds. Prace Kom. roln. Lesn., Poznan 2 1954: 1-53 14 figs. Polish with English summary.
- 538.—Gee, E. P. Further observations on the Great Indian One-horned Rainweros R. anicomis Linn.) J. Bombay nat. Hist. Soc. 51 1953: 765-772 2 pls.
- 539.—Gee, E. P. Wild life preservation in India: Annual report for 1953 on the Eastern Region. J. Bombay nat. Hist. Soc. 52 1954: 233–240.
- 540.—Gee, E. P. The most famous rhino. Nat. Hist., N.Y. 63 1954: 366-369 4 figs.
- 541.—Gee, E. P. Preserving Indian wild life. Ctry. Life, Lond. 116 1954; 2001–2002 5 figs.
- 542.—Gester, L. de. Etudes sur la structure de l'œuf vierge et les premiers stades du developpement chez le cobaye et le lapin. Arch. Biol. Paris 65 1954: 363-436 l pl. 14 figs.
- 543.—Gehr, F. A wood-chuck who needed tooth-straightening. Nat. Hist., N.Y. 63 1954: 310-311 4 figs.
- 544.—[Geptner, V. G.] [Interspecific variation and distribution of Spermophilopsis leptodactylus Licht, Mammalia, Glires.] Zool. Zh., Moscow 33 1954: 1157-1170. [In Russian.]
- 545.—Gerber, E. Über die Säugetierreste aus den Karlsrube-Schottern bei Bern. Eclog. Geol. Helvet. 46 1953 (1954): 298-300 1 fig.
- 546.—Gerber, R. Die Zweifarbige Fledermaus Vespertilio m. murinus Linné, 1758, für Leipzig und Schandau nachgewiesen. Säugetierk. Mitt. 2 1954: 33.
- 547.—Gerebtzoff, M. A., Philippot, E. and Dallemagne, M. J. Recherches histochimates are less acceptable et choline-esterases. 2. Activité enzymatique dans les musices tents et rapides des mammifères et des oiseaux. Acta anat. 20 1954: 234–257 10 figs.
- 548.—Gergely, J. Histophysiological researches on the genitalia of white mice treated with Secale cornulum alkaloids. (Detailed study of the periods of cestrous). Ann. Biol. hung. 2 1954: 395–403 2 pls.

- 549.—Gershbein, L. L. and Elias, H. Observations of the anatomy of the ratliver. Anat. Rec. 120 1954: 85-97 15 figs.
 - Ghadially, F. N. see Whiteley.
- 550.—Giban, J. Test d'efficacité pratique f'un ratione. Ann. Empayt. 5 1954: 79-85.
 - Gibson, M. R. see Gale.
- 551.—Gilbert, P. F. and Gawain, G. C. V. Same and microscenic effects on maze learning and retention in the albino rat. J. Sci. Labs. Denison Univ. 43 3-5 1953: 61-65.
- 552.—Gilbert, P. W. The premandibular head cavities in the opossum, Didelphys rirginiana.

 J. Morph. 95 1954: 47-75 28 figs.
- 553.—Gill, E. D. Extinct giant kangaroo from the Nepean Peninsula, Victoria. Vict. Nat., Melb. 70 1954: 212-216 2 pls. 3 figs.
- 554.—Gill, E. D. Ecology and distribution of the extinct giant marsupial, "Thylacode." Vict. Nat., Melb. 71 1954: 18–35 12 pls.
- 555.—Gill, E. D. The validity of the Lower Tertiary Possum, Wynyardia bassiana. Aust. J. Sci. 17 1954: 69.
- 556.—Gill, I. Das Entstehen der Drehungsfalten, einer anormalen Bildung an den letzten Molaren der Elefanten. Wiss. Z. Univ. Greifswald. Math.-Nat. R. 3 1954: 557-567 17 figs.
- 557.—Girolamo, A. de. Osservazioni sulle architetture gliali dell'encefalo di Nutria Myopotawas coypus. Monis. zool. ital. 61 Suppl. 1953: 144-146.
- 558.—Giroud, A. and others. Stude de maiformations containes chen le foctus de rat deficient en acide folique. Arch. Anat. micr. Morph. exp. 43 1954; 21-41 9 figs.
- 559.—Glass, B. P. Aberrant coloration in Paradia manageme, Amer. Mid. Nat. 52 1954; 409-402 1 pl.
 - Glauert. L. see Serventy.
- 560.—Glenister, T. W. Observations on the development and radiology of the Père David's Deer foetus (*Haphurus davidiamus*). Proc. Zool. Soc. Lond. 123 1954: 757-763 2 pls. 1 fig.

- 561.—Glimstedt, G. and Lagerstedt, S. Observations on the ultrastructure of isolated mitochondria from normal rat liver. Acta Univ. lund. N.F. 49 3 1954: 1-11 4 pls. 1 fig.
- 562.—Gloor, U. Untersuchungen über das Schieksal ungesättigter Fettsäuren und aliphatischer Kohlenwasserstoffe im Tierkörper. Basel (Apollonia Verlag) 1953: pp. 55.
- 563.—Glover, R. Black Sika Deer. Ctry. Life, Lond. 116 1954: 656, 659.
- 564.—Glover, T. and Mann, T. On the composition of boar semen.

 agric. Sci. 44 1954: 355-360 1 fig.

Glueckson-Waelsch, S. see Dunn.

- 565.—Godfrey, G. K. (Mrs. Crow-croft). Use of radioactive isotopes in small-mammal ecology. Nature, Lond. 174 1954: 951-952.
- 566.—Goehring, H. H. Pipistrellus subflavus obscurus, Myotis keenii, and Eptesicus fuscus fuscus hibernating in a storm sewer in central Minnesota. J. Mammal. 35 1954; 434–435.

Gogstad, A. C. see Brodal.

Goldby, F. see Breathnach.

Goldfarb, N. L. see Korzhuev.

- 567.—Goldie, H. and others. Leukocyte counts in the blood from the tail and the heart of a mouse. Science 119 1964: 353-354.
- 568.—[Golov, B. A.] [Trap for Ellobius talpinus.] Bull. Soc. Nat. Moscow biol. 59 5 1954: 95–96 fig. [In Russian.]
- 569.—Goodall, A. M. and Yang, S. H. The vascular supply of the skin of Ayrshire calves and embryos. J. agric. Sci. 44 1954: 1–4 3 pls. 2 col. figs.
- 570.—Goodpaster, W. W. and Hoffmeister, D. F. Life history of the golden mouse *Peromyscus nuttalli*, in Kentucky. J. Mammal. 35 1954: 16-27 1 pl. 2 figs.
 - Goodpaster, W. W. see Hoffmeister.
- 571.—Goodwin, E. G. M. Lesser horseshoe bat in Shropshire. Oryx 2 1954: 247-248.
- 572.—Goodwin, G. G. Southern records for arctic mammals and a northern record for Alfaro's rice rat. J. Mammal. 35 1954: 258.

- 573.—Goodwin, G. G. A new harvest mouse of the genus *Reithrodontomys* from Tamaulipas, Mexico. Amer. Mus. Novit. No. 1660 1954: 1–3.
- 574.—Goodwin, G. G. A new short-tailed shrew and a new free-tailed bat from Tamaulipas, Mexico. Amer. Mus. Novit. No. 1670 1954: 1-3.
- 575.—Goodwin, G. G. A new short-tailed shrew from western Panama. Amer. Mus. Novit. No. 1677 1954: 1-2.
- 576.—Goodwin, G. G. Mammals from Mexico collected by Marian Martin for the American Museum of Natural History. Amer. Mus. Novit. No. 1689 1954: 1–16.
- 577.—Goodwin, G. G. Mammals in Drimmer F. (ed.). The Animal Kingdom, New York (Doubleday and Co. Inc.) 1954: vol. 1: 1-680 ill. Vol.2: 681-874 ill.)
- 578.—Goodwin, R. F. W. Bloodsugar in foetal and neonatal mammals. Nature, Lond. 173 1954: 777-778.
- 579.—Gopalakrishna, A. Breeding habits of the Indian sheath tailed bat *Taphozous longimanus* (Hardwicke). Curr. Sci. 23 1954: 60-61.
- 580.—Gordon, D. C. Melanism in the varying hare Lepus americanus virginianus. J. Mammal. 35 1954: 122.
- 581.—Gorodiski, A. and Lavocat, R. Première découverte de Mammifères dans le Tertiaire (Lutétien) du Sénégal. C.R. Soc. Geol. France 15 1953: 315-317.
- 582.—Goslin, R. M. Eastern bigeared bat in Ohio. J. Mammal, 35 1954: 430-431.
- 583.—Goto, H. E. Fruit bats. Zoo Life, Lond. 9 1954: 16-18 3 figs.
- 584.—Gould, D. J. and Miesse, M. L. Recovery of a Rickettsia of the Spotted Fever Group from *Microtus pennsylvanicus* from Virginia. Proc. Soc. exp. Biol., N.Y. 85 1954: 558-561.
- 585.—Gould-Marks, L. The great grey kangaroo. Zoo Life, Lond. 9 1954: 55-57 2 figs.

Gowers, W. see Hill.

586.—Gracie, W. McA. The menace of the wild rabbit. Quart. J. For. 46 1952: 166-170.

- 587.—Graham, M. A. Detection of the sex of cat embryos from nuclear morphology in the embryonic membrane. Nature, Lond. 173 1954: 310– 311 2 figs.
- 588.—Graham, M. A. Sex chromatin in cell nuclei of the cat from the early embryo to maturity. Anat. Rec. 119 1954: 469-491 18 figs.
- 589.—Grahn, D. Genetic variation in the response of mice to total body X-irradiation. I. Body weight response of six inbred strains: 39-61 7 figs. II. Organ weight response of six inbred strains: 63-83 7 figs. J. exp. Zool. 125 1954.
- 590.—Gray, A. P. Mammalian hybrids—a checklist with bibliography. Commonwealth Bureau Anim. Breed. Genet. Edinburgh Tech. Comm. 10 1954: pp. x + 144.
- 591.—Gray, F. V., Pilgrim, A. F. and Weller, R. A. Functions of the omasum in the stomach of the sheep. J. exp. Biol. 31 1954: 49-55.
 - Gray, F. V. see Weller.
- 592.—Grazi, S. and Rugani, F. Contributi alla conoscenza del tessuto sottocutaneo dei Vertebrati. Nota 1. Cavia cobaya. Monit. zool. ital. 62 1954: 114–121 1 fig.
- 593.—Gresson, R. A. R. The food of badgers. Irish Nat. J. 11 1954: 203-205.
- 594.—[Grigaryev, P. P.] [On a second litter in moles of Belorussia.] Zool. Zh., Moscow 33 1954: 717-719. [In Russian.]
 - Gromov, I. M. see Vereshchagin.
- 595.—Grozdanić, S. Les problèmes de Darwinisme; La vie instinctive de Macacus cynomolgus. Arch. biol. Sei., Beograd. 2 1950: 127-133.
- 596.—Grüneberg, H. Genetical studies on the skeleton of the mouse. IV. Quasi-continuous variations. J. Genet. 51 1952: 95-114 3 figs.
- 597.—Grüneberg, H. Genetical studies on the skeleton of the mouse. VI. Danforth's short-tail. VII. Congenital hydrocephalus. J. Genet. 51 1953: 317–326 l pl. 5 figs., 327–358 2 pls. 32 figs.
- 598.—Grüneberg, H. The relations of microphthalmia and White in the mouse. J. Genet. 51 1953: 359-362.

- 599.—Grüneberg, H. Genetical studies on the skeleton of the mouse. VIII. Curly-tail. J. Genet. 52 1954: 52-67 11 figs.
- 600.—Grüneberg, H. Genetical studies on the skeleton of the mouse. XII. The development of undulated. J. Genet. 52 1954: 441–455 7 pls. 3 figs.
- 601.—Grüneberg; H. Variation within inbred strains of mice. Nature, Lond. 173 1954: 674-676.
- 602.—Grzimek, B. Les pauvres captifs du zoo. Zooleo No. 23 1953; 201-206 col. pl.
- 603.—Grzimek, B. Über den Potto. Zool. Gart., Lpz. 20 1953: 67-73 9 figs.
- 604.—Grzimek, B. Die Gorillas ausserhalb Afrikas. Zool. Gart., Lpz. 20 1953: 173-185 4 figs.
- 605.—Grzimek, B. Nasenbären auf der Robinsoninsel. Zool. Gart., Lpz. 20 1953: 196–197.
- 606.—Grzimek, B. Tötung eines Menschen durch einen befreundeten Hund. Z. Tierpsychol. 10 1954: 71-76 3 figs.
- 607.—Grzimek, B. Tötung von Menschen durch befreundete Hunde. II. Z. Tierpsychol. 11 1954: 147-149.
- 608.—Guenther, E.-W. Neue Funde von Elefantenmolaren aus Schleswig-Holstein. Schr. naturw. Ver. Schl.-Holst. 27 1954: 15–21 3 figs.
- 609.—Guenther, E. W. Die diluvialen Elefantenzähne aus dem Nord-Ostsee-Kanal. Meyniana, Kiel 2 1954: 34–69 7 figs.
- 610.—Guest, N. J. and Leedal, G. P. Notes on the fauna of Kilimanjaro. Tanganyika Notes and Records 36 1954: 43-49.
- 611.—Gunn, R. M. C. Cyclic changes in spermatogenesis in rams. Rep. Aust. Ass. Advanc. Sci. 28 [1952]: 89–101 12 figs.
 - Gunson, M. M. see Agar.
- 612.—Hafez, E. S. E. Oestrus and some related phenomena in the buffalo. J. agric. Sci. 44 1954; 165–172 4 figs.
- 613.—Hafez, E. S. E. and Anwar, A. Normal haematological values in the buffalo. Nature, Lond. 174 1954: 611-612.

- 614.—Hafez, E. S. E. and Shafei, M. M. Sweating mechanism in the domestic buffalo. Nature, Lond. 174 1954: 1181–1182 2 figs.
- 615.—Hafez, S. The placentome in the buffalo. Acta zool., Stockh. 35 1954: 177-191 7 figs.
- 616.—Hagen, B. Zur Kleinsäugerfauna Siziliens. Bonn. zool. Beitr. 5 1954: 1–15 3 figs.
- 617.—Hager, H. Die Cytoarchitektonik des Bulbus olfactorius des Igels, Erinaceus e. europaeus Linné, 1758. Säugetierk, Mitt. 2 1954; 8–15 6 figs.
- 618.—Halicka, J. Seasonal changes in the number of the chief cell types in the anterior pituitary in hedgehog. Folia morph., Warsz. 2 1951: 7-13. [Polish with English summary.]
- 619.—Hall, E. K. Further experiments on the intrinsic contractility of the embryonic rat heart. Anat. Rec. 118 1954: 175–184 8 figs.
- 620.—Hall, E. R. A new subspecies of pocket mouse from Kansas. Publ. Mus. nat. Hist. Univ. Kansas 7 1954: 587-590.
- 621.—Hall, E. R. and Bee, J. W. Occurrence of the harbor porpoise at Point Barrow, Alaska. J. Mammal. 35 1954: 122-123.
- 622.—Hallander, Å. Hasselmusen i Jönköpings län. Fauna o. flora 49 1954: 97–102 3 figs.
- 623.—Halloran, A. F. and Blanchard, W. E. Carnivores of Yuma County, Arizona. Amer. midl. Nat. 51 1954: 481–487 1 fig.
- 624.—Haltenorth, Th. Erhaltungsdienst (Survival Service). Säugetierk. Mitt. 2 1954: 35–36.
- 625.—Haltenorth, Th. Erhaltungsdienst. Säugetierk. Mitt. 2 1954: 128-130.
- 626.—Hamburgh, M. The embryology of trypan blue induced abnormalities in mice. Anat. Rec. 119 1954: 409-427 24 figs.

Hamilton, W. J. see Layne.

627.—Hammond, J. (ed.). Progress in the physiology of farm animals. I. pp. vii + 392. London (Butterworth's Sci. Pub.). [N.V.]

- 628.—Hancock, J. Monozygotic twins in cattle. Advanc. Genet. 6 1954: 141-181.
- 629.—Handley, C. O. Phenacomys in Minnesota. J. Mammal. 35 1954: 260.
- 630.—Hankó, B. L'origine de la population bovine en Hongrie. Ann. Biol. hung. 2 1954: 215–226. [French summary.]

Hannon, J. P. see Cook.

Hansen, R. see Durrant.

631.—Hansen, R. M. The Belding ground squirrel north of the snake River in Idaho. J. Mammal. 35 1954: 587.

Hansen, R. M. see Durrant.

- 632.—Hanström, B. The neurohypophysis in the series of mammals. Pubbl. Staz. zool. Napoli 24 Suppl. 1954: 18-20.
- 633.—Hanström, B. The hypophysis in a wallaby, two tree-shrews, a marmoset, and an orang-utan. Ark. Zool. 6 1954: 97-154 38 figs.
- 634.—Hanström, B. Further studies on the hypophysis and on the hypothalamic neurosecretory tracts in the monotremats. Acts Univ. Lund. (2) 50 5 1954: 1-13 11 figs.
- 635.—Harder, W. Einige Beobachtungen an gefangenen Waldmäusen, Apodemus sylvaticus (Linné, 1758). Revierverhalten, gegenseitiges Erkennen, Kampverhalten. Säugetierk. Mitt. 2 1954: 72–74.
- 636.—Harder, W. Ein Meckelsches Divertikel bei einem Wildkaninchen, (Oryctolagus cuniculi L.). Anat. Anz. 100 1954: 351-354 3 figs.
- 637.—Haring, F. Ziele und Wege der Tierzüchtung. Z. Säugetierk. 19 1954: 117–151 1 pl. 3 figs.
- 638.—Harman, P. J. Genetically controlled demyelination in the mammalian central nervous system. Aun. N.Y. Acad. Sci. 58 1954: 546-550 3 figs.
- 639.—Harker, K. W., Taylor, J. I. and Rollinson, D. H. L. Studies on the habits of Zebu cattle. I. Preliminary observations on grazing habits. J. agric. Sci. 44 1954: 193–198 1 fig.

Harper, P. V. see Lathrop.

640.—Harris, T. Experimental evidence of reproductive isolation between two subspecies of *Peromyscus maniculatus*. Contr. Lab. Vertebr. Biol. Univ. Mich. 70 1954; 1–13.

- [1994]
- 641.—Harrison, J. L. The wing pouches of the naked bulldog bat. Malay. Nat. J. 9 1954: 66-67.
- 642.—Harrison, J. L. The natural food of some rats and other mammals. Bull. Raffles Mus. 25 1954: 157-165.
- 643.—Harrison, J. L. The moonlight effect on rat breeding. Bull. Raffles Mus. 25 1954: 166-170.

Harrison, J. L. see Tweedie.

Harrison, J. L. see Van der Bijl.

- 644.—Harrison, R. G. The effect of ligation of the vasa efferentia on the rat testis, and the influence of unilateral orchidectomy on the effect of ischaemia on the contralateral testis. Proc. Soc. Study Fertility No. 5 1953: 97–105 3 pls.
- 645.—Harrison, R. J. and Hyett, A. R. The development and growth of the placentomes in the fallow deer (*Dama dama L.*). J. Anat., Lond. 88 1954: 338–355 2 pls. 6 figs.
- 646.—Harrison, R. J., Tomlinson, J. D. W. and Bernstein, L. The caval sphincter in *Phoca vitulina* L. Nature, Lond. 173 1954: 86-87 1 fig.
- 647.—Hartman, L., Shorland, F. B. and McDonald, I. R. C. Occurrence of trans-acids in animal fats. Nature, Lond. 174 1954: 185-186.
- 648.—Haugen, O. L. Longevity of the raccoon in the wild. J. Mammal. 35 1954; 439.
- 649.—Hauschka, T. S. and Brown, E. Influence of maternal age on penetrance of "eyelids open" in newborn mice. Ann. N.Y. Acad. Sci. 57 1954: 465–475
- 650.—Hawkins, T. B. A large tiger. J. Bombay nat. Hist. Soc. 52 1954: 586.
- 651.—Hayden, J. and Kirby, P. Bats in Bishop's Stortford area. Oryx 2 1954: 325-328.
- 652.—Hayman, R. W. A new West African squirrel. Ann. Mag. nat. Hist. (12) 7 1954: 16.
- 653.—Hayman, R. W. Notes on some African bats mainly from the Belgian Congo. Rev. Zool. Bot. Afr. 50 1954: 277-295 map.
- 654.—Hayman, R. W. Pangolins. Zoo Life, Lond. 9 1954: 12–15 3 figs.

- 655.—Hayman, R. W. Mammals of Australasia. Zoo Life, Lond. 9 1954: 44-50 6 figs.
- 656.—Hayman, R. W. Bears. Zoo Life, Lond. 9 1954: 132–141 10 figs.
- 657.—Hazelwood, A. Mammalia (in Yorkshire Naturalists Union, Annual Report, 1953). Naturalist No. 848 1954: 7.

Heck, H. see Tratz.

- 658.—Hediger, H. Operative Fremdkörper-Entfernung aus dem Magen eines Gorillas. Zool. Gart., Lpz. 20 1953: 89-95 4 figs.
- 659.—Hediger, H. Are wild animals in captivity really wild? Sci. Amer. 190 5 1954: 76-80 figs.

Hediger, H. see Block.

660.—Heerdt, P. F. van and Sluiter, J. W. The results of bat banding in the Netherlands in 1954. Natuurh. Maandbl. 43 1954: 85–88.

Heerdt, P. V. van see Sluiter.

- 661.—Heim de Balsac, H. Un genre inedit et inattendu de mammifère (Insectivore Tenrecidae) d'Afrique Occidentale. C.R. Acad. Sci. Paris 239 1954: 102-104 1 fig.
- 662.—Heizer, K. F. and Cook, S. F. Comments on the Piltdown remains. Amer. Anthrop. 56 1954: 92-94.
- 663.—Heller, F. Neue Fundstellen altdiluvialer *Desmana*—Reste in Südwestdeutschland. Neues Jb. Geol. Pal. Monatsh. 10 1954; 465–475 2 figs.
- 664.—Hemming, F. Report on the status of new names published in Oken, [1815-1816] "Lehrbuch der Naturgeschichte." Bull. zool. Nom. 9 1954; 193-207.
- 665.—Hemming, F. Report on the question of the generic name to be used for the Virginia Deer of North America and the Fallow Deer of Europe. Bull. zool. Nom. 9 1954: 293-297.

Hemmings, W. A. see Batty.

666.—Henderson, M. Foetal regression in rabbits: experimental studies of histolysis and phagocytosis. Proc. roy. Soc. 142B 1954: 88-112 4 pls. 2 figs.

Hendrickson, G. O. see Cabalka.

Hendrickson, G. O. see Kline.

- 667.—Hendrickson, J. R. Breeding of the tree shrew. Nature, Lond. 174 1954: 794-795.
 - Heptner, V. G. see Geptner.
- 668.—Herdman, H. F. P. Whale marking in the Antarctic. Trident 16 1954: 21-23. See Coll. Repr. nat. Inst. Oceanogr. 2 73 1954:.
- 669.—Herlant, M. Influence des oestrogènes chez le Murin (Myotis myotis) hibernant. Bull. Acad. Belg. Cl. Sci. (5) 40 1954: 408-415 2 figs.
- 670.—Herold, W. Beobachtungen über den Witterungseinfluss auf den Massenwechsel der Feldmaus. Z. Säugetierk. 19 1954: 86–107 7 figs.
- 671.—Herold, W. Über eine nicht gravid gewesene Ratte, die Mäuse säugt. Z. Tierpsychol. 11 1954: 138–140 3 figs.
- 672.—Herre, W. Tierreste aus steinzeitlichen Fundstellen des Satrupholmer Moores in Schleswig-Holstein. Schr. naturw. Ver. Schl.-Holst. 24 1949: 53–58.
- 673.—Herre, W. Wie sah der Auerochse aus? Kosmos 49 11 1953; 504-507 3 figs.
- 674.—Hershkovitz, P. Mammals of Northern Colombia, preliminary report No. 7: Tapirs (genus *Tapirus*) with a systematic review of American species. Proc. U.S. Nat. Mus. 103 1954: 465–496 4 figs.
- 675.—Hershkovitz, P. What the groundhog undergoes to make a holiday. Bull. Chicago nat. Hist. Mus. 25 1954: 3-4.
- 676.—Herter, K., Ohm-Kettner, I. D. and others. Über die Aufzucht und das Verhalten zweier Baummarder (Martes martes L.). Z. Tierpsychol. 11 1954: 113-137 19 figs.
- 677.—Hesketh, G. E. Lesser horseshoe bat in Shropshire. Oryx 2 1954:
- 678.—Hesketh, G. E. Notes on Denbighshire bats. Part II. Proc. Chester Soc. nat. Sci. [5] 1954: 100–108 3 pls.
- 679.—Hess, A. Reactions of mammalian fetal tissues to injury. I. Surgical technique. Anat. Rec. 119 1954: 35-51.

- 680.—Hess, A. Reactions of mammalian fetal tissues to injury. II. Skin. Anat. Rec. 119 1954: 435–447 10 figs.
- 681.—Hess, A. Reactions of mammalian fetal tissues to injury. III. Skeletal muscle. Anat Rec. 120 1954: 583-597 15 figs.
- 682.—Hess, L. An anteater named Teddy. Nat. Hist., N.Y. 63 1954: 8-15 14 figs.
- 683.—Hesse, P. R. The identification of the spoor and dung of East African Mammals. J. E. Afr. Ug. nat. Hist. Soc. 22 1954: 107-1104 pls.
- 684.—Hewer, H. R. and Neal, E. G. Filming badgers at night. Discovery 15 1954: 121-124 4 figs.
- 685.—Hewitt, W. A histochemical study of fat absorption in the small intestine of the rat. Quart. J. micr. Sci. 95 1954: 153-157 1 pl.
- 686.—Hibbard, C. W. A new Pliocene vertebrate fauna from Oklahoma. Pap. Mich. Acad. Sci. 39 1954: 339–359 5 figs.
- 687.—Hibbard, C. W. A new Synaptomys, an addition to the Borchers interglacial (Yarmouth?) fauna. J. Mammal. 35 1954: 249-252 1 fig.
- 688.—Hibbard, C. W. Second contribution to the Rexroad fauna. Trans. Kansas Acad. Sci. 57 1954: 221–237 3 figs.
 - Hibiya, T. see Nishiwaki.
 - Hild, W. see Zetler.
- 689.—Hildebrand, M. Comparative morphology of the body skeleton in recent Canidae. Univ. Calif. Publ. zool. 52 1954: 399-470 4 pls. 30 figs.
- 690.—Hildebrand, M. Incisor tooth wear in the sea otter. J. Mammal, 35 1954: 595.
 - Hill, J. E. see Laurie.
- 691.—Hill, W. C. O. Appendicitis in gibbons. Proc. zool. Soc. Lond. 124 1954; 13-16 2 pls.
- 692.—Hill, W. C. O. Ontogenetic changes in the mesogastric viscera of the Colobidae. Proc. zool. Soc. Lond. 124 1954: 163–183 3 pls. 10 figs.
- 693.—Hill, W. C. O. Report of the Society's Prosector for the year 1953. Proc. zool, Soc. Lond. 124 1954; 303-311.

694.—Hill, W. C. O. and Davies, D. V. The reproductive organs in "Hapalemur" and "Lepilemur." Proc. roy. Soc. Edinb. 65B 1954: 251-270 4 pls. 4 figs.

695.—Hill, W. C. O. and Rewell, R. E. The caecum of monotremes and marsupials. Trans. zool. Soc. Lond. 28 1954: 185-240 8 pls. 3 figs.

696.—Hill, W. C. O., Barker, W., Stockley, C. H., Pitman, C. R. S., Offermann, P. B., Rushby, G. G., and Gowers, W. The elephant in East Central Africa. A monograph. London (Rowland Ward Ltd.) 1953; 1–150 1 pl.

Hill, W. C. O. see Davies.

697.—Hilzheimer, M. Zur Geschichte der märkischen Säugetierwelt. Z. Säugetierk. 18 1953; 182–187.

698.—Hindle, E. The whaling industry. J. roy. Soc. Arts 100 1952: 132-146 7 figs.

699.—Hirasaka, K. Basking habit of the Japanese bear. J. Mammal. 35 1954: 128.

700.—Hitchcock, H. B. Felled tree kills beaver (Castor canadensis). J. Mammal. 35 1954: 452.

701.—H., J. J. Report on mammals. Rep. Bryanston Sch. nat. Hist. Soc. 1953 [1954]: 4-5.

702.—Höbel, E. Vergleichende und experimentelle Untersuchungen über den Aschengehalt der Speicheldrüsen. Z. mikr. anat. Forsch. 60 1954: 33-64 18 figs.

703.—Hodge, L. A word for the Dingo. Vict. Nat., Melb. 70 1954: 207.

704.—Hoecker, G., Counce, S. and Smith, P. The antigens determined by the H-2 locus: a rhesus-like system in the mouse. Proc. Nat. Acad. Sci. Wash. 40 1954: 1040-1051.

705.—Hoehne, L. and Rosenfeld, G. Estados de hematologia comparada. II. Dados hematologicas do cachorro do mato, Cerdocyon thous azarae (Wied, 1826). Mem. Inst. Butantan 25 1954: 55-65.

Hoehne, L. see Rosenfeld.

706.—Hofer, H. Über Gehirn und Schädel von Megaladapis edwardsi G. Grandidier (Lemuroidea), nebst Bemerkungen über einige airorhynche Säugerschädel und die Stirnhöhlenfrage. Z. wiss. Zool. 157 1954: 220-284 6 figs.

707.—Hoffman, R. A. and Kirk-patrick, C. M. Red fox weights and reproduction in Tippecanoe County, Indiana. J. Mammal. 35 1954: 504-509.

708.—Hoffman, A. Répertoire analytique des espèces animales nuisibles aux cultures en France (Métropole et départments d'Outre-Mer) ayant présenté d'intéressantes particularités en 1952. Ann. Épiphyt. 4 1953: 423–433.

709.—Hoffmann, G. Über die Lunge des Bergkänguruhs (*Macropus robustus* Gould). Zool. Gart., Lpz. 20 1953: 159– 163 3 figs.

Hoffmann, G. see Schwarze.

710.—Hoffmeister, D. F. Zoogeographical relationships of the mammals of Illinois. Trans. Ill. Acad. Sci. 46 1953: 212-215 I fig.

711.—Hoffmeister, D. F. Distribution of some Illinois mammals. Nat. Hist. Misc. No. 128 1954; 1-4.

712.—Hoffmeister, D. F. Observations on mammals in Southeastern Arizona. Nat. Hist. Misc. No. 129 1954: 1.

713.—Hoffmeister, D. F. and Goodpaster, W. W. The mammals of the Huachuca Mountains, Southeastern Arizona. Illinois biol. Monogr. 24 1 1954: 1-152 27 figs.

Hoffmeister, D. F. see Goodpaster.

Hoffmeister, D. F. see Van Gelder.

714.—Hoffstetter, R. Phylogénie des Édentés Xénarthres. Bull. Mus. Hist. nat., Paris 26 (2) 1954: 433–438 1 fig.

715.—Hoffstetter, R. Les Gravigrades cuirassés du Déséadien de Patagonie (note préliminaire). Mammalia, Paris 18 1954: 159–169 3 figs.

Hoffstetter, R. see Arambourg.

Hoiberg, A. J. see Sealander.

716.—Hoier, R. Le Léopard dans le Parc National Albert. Zooleo No. 28 1954: 471-474 figs.

717.—Holabird, C. and others. The Brookfield Zoo, 1934–1954, Brookfield Ill. (Chicago Zool. Soc.). 1954 pp. 79 frontis. text illus.

718.—Holdenried, R. A new live-catch rodent trap and comparison with two other traps. J. Mammal. 35 1954: 267-268.

719.—Holdsworth, M. Effect of goats on Great Island, Three Kings: The permanent Quadrats resurveyed. Rec. Auckland [N.Z.] Inst. 4 1951: 113-121 12 pls.

Hollyfield, J. P. see Hopwood.

30

720.—Homma, K. Metabolism of testis. Bull. Naniwa Univ. 2B 1952: 7-9

721.—Honjin, R. On the ganglia and nerves of the lower respiratory tract of the mouse. J. Morph. 95 1954: 263–287 2 figs.

722.—**Hoogerwerf, A.** Nature protection in Indonesia. Oryx **2** 1954: 221–227 2 figs.

Hoogstraal, H. see Wassif.

723.—Hooijer, D. A. Pleistocene vertebrates from Celebes. VIII. Dentition and skeleton of *Celebochoerus* heekereni Hooijer. Zool. Verh. No. 24 1954: 1–46 6 pls.

724.—Hooijer, D. A. A pygmy Stegodon from the middle Pleistocene of Eastern Java. Zool. Meded., Leiden 33 1954: 91-102 1 pl.

725.—Hooijer, D. A. Pleistocene vertebrates from Celebes. XI. Molars and a tusked mandible of Archidiskodon celebensis Hooijer. Zool. Meded., Leiden 33 1954: 103-120 2 pls.

726.—Hooper, E. T. A synopsis of the Cricetine rodent genus *Nelsonia*. Occ. Pap. Mus. Zool. Univ. Mich. 558 1954: 1-12 1 fig.

727.—Hooper, J. H. D. A study of cave-dwelling bats in Devon. Bull. Mamm. Soc. Brit. Is. 2 1954: 6-13.

728.—Hoover, R. L. Seven fetuses in western fox squirrel (*Sciurus niger* rufiventer). J. Mammal. 35 1954: 447-448.

729.—Hopwood, A. T. Notes on the recent and fossil mammalian faunas of Africa. Proc. Linn. Soc. Lond. 165 1954: 46-49.

730.—Hopwood, A. T. and Hollyfield, J. P. An annotated bibliography of the fossil mammals of Africa (1742–1950). Fossil Mammals of Africa, British Museum (Natural History) 8 1954: 1–194.

731.—Hopwood, A. T. and Lepersonne, J. Présence de formations d'âge miocène inférieur dans le fossé tectonique du Lac Albert et de la Basse Semliki (Congo belge). Ann. Soc. Geol. Belg. 77 1953: 83-113 2 pls. 6 figs.

732.—Horner, B. E. Arboreal adaptations of *Peromyscus* with special reference to use of the tail. Contr. Lab. Vertebr. Biol. Univ. Mich. No. 61 1954: 1–84 7 pls.

733.—Hosley, N. W. Fluctuations of the United States big game population during the last decade. Proc. 7th Pacif. sci. Congr. 4 1953: 620–626.

734.—House, E. L. A comparison of weight changes in pregnant and non-pregnant female rats. Anat. Rec. 118 1954: 737-744 6 figs.

735.—Howard, P. A.N.A.R.E. bird banding and seal marking. Vict. Nat., Melb. 71 1954: 73-82 2 figs.

736.—Howell, J. C. Populations and home ranges of small mammals on an overgrown field. J. Mammal. 35 1954: 177-186 2 figs.

737.—Hrachovec, J. Sur la variation de composition du muscle et du foie au cours du développement du Lapin. C.R. Acad. Sci. Paris 238 1954: 306–308.

738.—Hubbard, W. D. Wild dog of Africa. Nat. Hist., N.Y. **63** 1954: 454-455 figs.

739.—Hubrecht Laboratory. Concise catalogue of the Central Embryological Collection of the Hubrecht Laboratory, Utrecht, 1953: pp. 44. [Mammals pp. 26-36.]

Hudson, J. R. see Ritchie.

740.—Huey, L. M. A new form of Perognathus formosus from Baja California, Mexico. Trans. San Diego Soc. nat. Hist. 12 1954: 1-2.

741.—Huey, L. M. Second record of Tadarida molossa from San Diego, California. J. Mammal. 35 1954: 435-436.

742.—Huey, L. M. Choeronycteris mexicana from southern California and Baja California, Mexico. J. Mammal. 35 1954: 436–437.

743.—Hughes, A. R. Habits of hyaenas. S. Afr. J. Sci. **51** 1954: 156–158 2 figs.

744.—Hughes, A. R. Hyaenas versus Australopithecines as agents of bone accumulation. Amer. J. Phys. Anthrop. 12 1954: 467–486 7 figs.

745.—Humber, R. D. Pine martens in the fells. Field 204 1954: 345 2 figs.

- 746.—Hunter, G. L., Adams, C. E. and Rowson, L. E. Successful interbreed transfer of ova in sheep. Nature, Lond. 174 1954: 890.
- 747.—Hurrell, H. G. Fourth report on mammals. Rep. Devon. Ass. Adv. Sci. 85 1953: 226-228.
- 748.—Hurrell, H. G. Fifth report on mammals. Rep. Devon. Ass. Adv. Sci. 36 1954: 302-303.
- 749.—Hürzeler, J. Contribution a l'odontologie et à la phylogénèse du genre *Phopithecus* Gervais. Ann. Paleont. 40 1954; 5-63 41 figs.
- 750.—Husson, A.-M. On a melanistic specimen of the Long-tailed field mouse Apodemus sylvaticus sylvaticus (L.). Mammalia, Paris 18 1954: 329-330.
- 751.—Husson, A. M. A preliminary note on the bats hibernating in the casemates of the town of Luxembourg. Arch. Inst. Luxemb. Sci. nat. phys. math. N.S. 21 1954: 65-70 3 figs.
- 752.—Husson, A. M. On Vampyrodes caracciolae (Thomas) and some other bats from the island of Tobago (British West Indies). Zool. Meded. Leiden 33 1954: 63-67.
- 753.—Husson, A. M. and Sluys, G. K. van der. De eerste vondst van Marmota marmota primigenia (Kaup 1839), de alpenmarmot, in het laat-Pleistoceen van Nederland. Natuurh. Maandbl. 43 1954: 51-64 1 pl. [English summary.]
- 754.—Hutchinson, G. E. and Ripley, S. D. Gene dispersal and the ethology of the Rhinocerotidae. Evolution 8 1954: 178-179.
- 755.—Hutchison, H. G. and Mabon, R. M. Studies on the environmental physiology of cattle in Tanganyika. I. Preliminary observations on the seasonal diurnal variations in the rectal temperature of local zebu cattle. J. agric. Sci. 44 1954: 121-128 2 figs.

Hyett, A. R. see Harrison.

- **756.—Illingworth, F.** Ox of the Arctic. Ctry. Life, Lond. **115** 1954: 514–515 2 figs.
- 757.—Imaizumi, Y. Taxonomic studies on Japanese Myotis with descriptions of three new forms (Mammalia: Chiroptera). Bull. nat. Sci. Mus., Tokyo N.S. 1 1954: 40-58 4 pls. 2 figs.

- 758.—Imaizumi, Y. New species and subspecies of *Sorex* from Japan (Mammalia: Insectivora). Bull. nat. Sci. Mus., Tokyo N.S. 1 1954: 94–102 2 pls. 13 figs.
- **759.—Ingles**, L. G. The little ploughman. Nat. Hist., N.Y. **63** 3 1954: 134-139 5 figs.
- 760.—Inukai, T. The damage of the hare on the reforestation as observed at the Izu Peninsula, Shizuoka Prefecture. Jap. J. appl. Zool. 19 1954: 83-85 4 figs. [Japanese with English summary.]
- 761.—Irwin, J. W. and others. Microscopical observations of the pulmonary arterioles, capillaries, and venules of living guinea pigs and rabbits. Anat. Rec. 119 1954: 391–4079 figs.
- 762.—Ishida, K. Morphology and cytochemistry of ovaries of domestic animals. Tohoku J. agric. Res. 4 1954: 197-210 1 pl.
- 763.—[Ismagilov, M. I.] [The ecology of dzeren in Barse-Kelmes Island.] Bull. Soc. Nat. Moscow biol. 59 (6) 1954: 3–93 figs. [In Russian.]
- 764.—Issel, W. Wiederfundzahlen beringter Fledermäuse. Säugetierk. Mitt. 2 1954: 127.
- 765.—Isshiki, O. On the Globidium in the mucous membrane of small intestine of a goat (a case hitherto unrecorded in Japan). Sci. Rep. Fac. Agric. Naniwa Univ. No. 1 1950: 153–156 2 figs.
- **766.—Ivy**, R. H. Snaring of game by natives. Afr. Wild Life **8** 1954: 283–287 **3** figs.
- 767.—Izbirak, R. and Yalçinlar, I. Les vertébrés du Miocéne Supérieur au Nord de Kayeri (Turquie). Bull. geol. Soc. Turk. 3 1951: 153–157 1 geol. map. [Fr. résumé.]
 - Iziri, S. see Yabe.
- 768.—Jackson, H. H. T. Wolverine (Gulo luscus) specimens from Wisconsin. J. Mammal. 35 1954: 254.
 - Jacob, F. H. see Church.
- 769.—Jaczewski, Z. The effect of changes in length of daylight on the growth of anthers in the deer (*Cervus elaphus* L.) Fol. Biol. Kraków 2 1954: 133–143 6 figs. [Polish with English summary.]

- 770.—Jaeger, P. Les aspects actuels du problème de Chéiroptérogamie. Bull. Inst. franc. Afr. Noire 16A 1954: 796-821 13 figs.
- 771.—Jaffe, J. J. Diurnal mitotic periodicity in regenerating rat liver. Anat. Rec. 120 1954: 935–954 2 figs.
- 772.—Jahn, G. Bergersen, B. and Vangstein, E. Int. Whal. Statist. 31 1954: 1-71.
- 773.—Jain, G., Bergersen, B. and Vangstein, E. Int. Whal. Statist. 32 1954: 1-86.
- 774.—Jany, E. Die Schwimmfähigkeit von Mäusen (Muridae). Säugetierk, Mitt. 2 1954: 75–78 3 figs.
- 775.—Jennov, J. G. En Undersogelse af moskusoksens Vilkaar i Nordost-gronland er nu mere paakrævet end nogensinde. Nat. Verd. Kbh. 37 1953: 282-285.
- 776.—J. C. Whaling activity on the Chilean coast. Norsk Hvalfangsttid. 43 1954: 267-272 3 figs.
- 777.—Jirsik, J. Tchor stepni (plavy), Mustela (Putorius) eversmanni Lesson v severozapadnich Cechach. Acta Mus. Nation. Prag 121 1952: 59-63 3 figs.
- 778.—Johaert, A. J. Le lion. Zooleo No. 25 1954: 311-324 col. pl. figs.
- 779.—Jobaert, A. J. Essai de contribution à la zoogéographique du Congo Belge. Les mammifères de la Province du Kasai à l'exception des Primates, des Chiropteres, des Rongeurs et leur repartition. Zooleo No. 28 1954: 475–481 figs.
- 780.—Jobaert, A. J. L'hippopotame. Zooleo No. 29 1954: 525-537 figs.
- 781.—Johnsen, P. Birds and mammals of Peary Land in North Greenland, including notes from Northeast Greenland. Medd. Gronland 128 6 1953: 1-140 14 figs. [Mammals: 91-132.]
- 782.—Johnson, D. H. A new marsupial of the genus Antechinus from northern Australia. Proc. Biol. Soc. Wash. 67 1954: 77–80.
 - Johnson, D. H. see Miller.
- 783.—Johnson, M. L. Fall and winter record of silver-haired bat for Washington State. Murrelet 31 1953; 32.
- 784.—Johnson, M. L. and Couch, L. K. Determination of the abundance of cougar. J. Mammal. 35 1954: 255-256.

- 785.—Johnson, N. K. New mammal records for Nevada. J. Mammal. 35 1954: 577-578.
- 786.—Johnston, H. L. and Oliff, W. D. The cestrous cycle of female *Rattus* (*Mastomys*) natalensis (Smith) as observed in the laboratory. Proc. zool. Soc. Lond. 124 1954; 605-613.
- 787.—Johnstone, G. Deer from Asia. Field. 203 1954: 977.
 - Jones, A. D. see Serventy.
- 788.—Jones, J. K. Distribution of some Nebraskan mammals. Publ. Mus. Nat. Hist. Univ. Kansas 7 1954: 479-487.
- 789.—Jones, J. K. and Findley, J. S. Geographic distribution of the short-tailed shrew, *Blarina brevicauda*, in the Great Plains. Trans. Kansas Acad. Sci. 57 1954; 208-211 1 fig.
- 790.—Jones, J. K. and Loomis, R. B. Records of the short tailed shrew and least shrew from Colorado. J. Mammal. 35 1954: 110.
 - Jones, J. K. see Findley.
- 791.—Jones, J. L. The Rabbit: for and against. Ctry Life, Lond. 116 1954: 486-487 4 figs.
- 792.—Jorg, E. Die Schichtenfolge der Fossilfundstelle Hüwenegg (Hegan) (Pontische Mergel und Tuffite der Oberen Süsswassermolasse), Jb. Mitt. Oberrh. Geol. Ver. 35 1953: 67–87 2 pls. 1 fig.
- 793.—Joseph, J. Nuclear population changes in degenerating posterior columns of rabbit's spinal cord. Acta anat. 21 1954: 356–365 l pl.
- 794.—Joubert, D. M. Breeding for beef in tropical and sub-tropical climates with special reference to the continent of Africa. Colon. Pl. Anim. Prod. 4 1954; 1-13 4 pls. 4 figs.
- 795.—Jusko, J. Sexual dimorphism on bison's (Bison bonasus) skeleton. Folia morph., Warszawa 4 1953: 1–30. [Polish with English rés.]
- 796.—Kadambi, K. Intelligence of the Indian elephant. J. Bombay nat. Hist. Soc. 52 1954: 590-594.
- 797.—Kahmann, H. and E. La musaraigne de Corse, Mammalia, Paris 18 1954: 129–158 6 figs.

- 798.—Kaiser, H. E. Eine Schädelanomalie eines dituvialen *Elephas* primigenius. Neues Jb. Geol. Pal. Monatsh. 11 1954; 509–511 2 figs.
- 799.—Kaiser, H. E. Zwei Halswirbel eines tertiären Cerviden, Amphitragulus mit eigenartigen Deformierungen. Anat. Anz. 101 1954: 131-132 6 figs.
- 800.—[Kalabukhov, N. I. and Pryakhin, V. A.] [Some ecological and physiological characteristics in *Meriones tamariscinus* Pall. and *Pallasiomys meridianus* Pall.] Zool. Zh., Moscow 33 1954; 889-903 5 diagms. [In Russian.]
- 801.—Kalela, O. Changes in the geographic distribution of Finnish birds and mammals in relation to recent changes in climate. Fennia, Helsinki 75 1952: 38-52 3 figs.
- 802.—Kalela, O. Über den Revierbesitz bei Vögeln und Säugetieren als populationsökologischer Faktor. Ann. 2001. Soc. 2001. bot. Vanamo 16 2 1954: 1-48.
- 803.—Kalin, J. Eine neue Untersuchungsmethode zur morphologie des Primatenbeckens. Verh. schweiz. naturf. Ges. 133 1953; 104-108.
- 804.—Kalter, H. The inheritance of susceptibility to the teratogenic action of cortisone in mice. Genetics 39 1954: 185-196.
- 805.—Kanagasuntheram, R. Observations on the anatomy of the hoolock gibbon—contd. Ceylon J. Sci. 56 1954: 69-122 17 figs.
- 806.—Kano. K. Mitotic features of monocytes occurring in the peritoneal fluid of rats. J. Fac. Sci. Hokkaido Univ. Zool. 11 1953: 495-501 13 figs.

Karaerova, G. P. see Rall.

- 807.—[Karlov, N. N.] [Occurrence of remains of Quaternary mammals, found near Dnepopetrovsk]. Bull. Comm. Study Quatern. Period, Moscow (Acad. Sci. U.S.S.R.) 18 1953: 98–99 1 fig.
- 808.—Karolewicz, L. The brown fat tissue of a hedgehog. Folia morph. Warszawa 4 1953: 40-58 6 figs. [Polish with English rés.]
- 809.—Katarki, H. V. and Kulkarny, H. L. Control of field rats and bandicoots. Poona agric. Coll. Mag. 41 1950: 49-51.

- 810.—Kayser, C. La défense d'énergie des mammifères hibernants pendant toute la durée de l'hibernation. Recherches faites sur le spermophile (Citellus citellus). Arch. Sci. physiol. 6 1952: 193-212 8 figs.
- 811.—Kean, R. I. and Pracy, L. Effects of the Australian opossum (*Trichosurus vulpevula*) Kerr on indigenous vegetation in New Zealand. Proc. 7th Pacif. sci. Congr. 4 1953: 696-705.
- 812.—Keilbach, R. Vergleichendanatomische Studien über die Säugernase mit besonderer Berüchsichtigung des Knorpelskelettes. Wiss. Z. Univ. Greifswald. Math. nat. R. 3 1954: 201– 244 87 figs.
- 813.—Keimer, L. Jardins Zoologiques d'Egypte. Cahiers d'Hist. Egypt. Ser. 6 2 1954: 80-159 2 pls. 35 figs.
- 814.—Kelley, D. R. and Wood, A. E. The Eocene mammals from the Lysite member, Wind River formation of Wyoming. J. Paleont. 28 1954: 337-366 15 figs.
- 815.—Kemna, A. Über eine Ruckkreuzung eines Löwen-Tiger-Bastards mit einen Löwen in der zweiten Generation und tierarztliche Beobachtungen bei der Aufzucht der empfindlichen Jungtiere. Zool. Gart., Lpz. 20 1953: 122-126 6 figs.
- 816.—Kennerly, T. E., Jr. Local differentiation in the pocket gopher (Geomys personatus) in Southern Texas. Texas J. Sci. 6 1954: 297-329 16 figs.
- 817.—Kenyon, K. W., Scheffer, V. B. and Chapman, D. G. A population study of the Alaska fur-seal herd. Spec. sci. Rep. U.S. Fish Wildl. Serv. Wildl. No. 12 1954: 1-77 15 figs.
- 818.—Keys, C. E. Phyletic relationships among some rodents with special consideration of Sigmodon based on embryological data. Trans. Kentucky Acad. Sci. 15 1-2 1954: 1-11.
- 819.—Khajuria, H. Taxonomic studies on some Indian Chiroptera. Rec. Indian Mus. 50 1953: 113-128.
- 820.—Khajuria, H. Catalogue of mammals in Zoological Survey of India. I. Primates: Hominoidea. Rec. Indian Mus. 50 1953: 129-145.

821.—Khajuria, H. Taxonomic status of the Celebes ashy-black monkey —a remarkable case of convergence. Rec. Indian Mus. 50 1953: 301–305 1 pl.

822.—Khalil, F. and Abdel-Messeih, G. Water content of tissues of some desert reptiles and mammals. J. exp. Zool. 125 1954: 407-414 1 fig.

Khan, A. W. see Latif.

823.—[Khaveson, Y. I.] [Wild onehumped camel from the deposits of lake Sevan (Armenia)]. C.R. Acad. Sci. URSS n.s. 98 1954: 475–478 1 pl. [In Russian.]

824.—Kilham, L. Cow-pasture nests of Cryptotis parva parva. J. Mammal. 35 1954: 252.

825.—Kilham, L. Territorial behaviour of red squirrel, J. Mammal, 35 1954; 252–253.

Kimura, S. see Nishiwaki.

826.—King, J. A. Closed social groups among domestic dogs. Proc. Amer. phil. Soc. 98 1954: 327-336 4 figs.

827.—King, J. E. Mammal bones from Khirokitia and Erimi. Appendix III from Khirokitia (P. Dikaios). Oxford Univ. Press 1954: 431–437 1 fig.

828.—King, J. E. The Otariid seals of the Pacific coast of America. Bull. Brit. Mus. (Nat. Hist.) Zool. 2 1954: 309-337 2 pls. 3 figs.

King, J. E. see Fraser.

King, J. W. B. see Falconer.

829.—Kirby, A. Observations on the blood supply of the bull testis. Brit. Vet. J. 109 1953: 464-472 4 pls.

Kirkby, P. see Hayden.

Kirkpatrick, C. M. see Hoffman.

830.—Kirkpatrick, K. M. Aboriginal methods employed in killing and capturing game. J. Bombay nat. Hist. Soc. 52 1954: 285-300 6 figs.

831.—Kitchener, H. J. A naked bulldog bat. Malay. Nat. J. 8 1954: 165-166 1 fig.

832.—Kitchener, H. J. A further note on the naked bulldog bat. Malay. Nat. J. 9 1954: 26-28.

833.—Kitchener, H. J. A freak antler. Malay. Nat. J. 9 1954: 33 2 figs.

834.—Kitchener, H. J. Hair. Malay. Nat. J. 9 1954: 57-61 2 pls. 835.—Kitchener, H. J. Malformation in antlers of the Malayan Sambar, J. Bombay nat. Hist. Soc. 52 1954: 588-589 1 fig.

836.—Kitchener, H. J. A mystery solved. Field 203 1954: 314.

Kitts, D. B. see Edinger.

Kiyanova, V. S. see Rall.

837.—Kladetzky, J. Mitteilung über den Tod eines Elefanten im Zoologischen Garten Köln. Zool. Gart., Lpz. 20 1953: 198.

838.—Kladetzky, J. Über Morphologie und Lage der Löwen- und Giraffenhypophyse. Anat. Anz. 100 1954: 202–216 9 figs.

839.—Klapperstuck, J. Der Sumpfbiber (Nutria). Neue Brehm-Bucherei, Wittenberg Lutherstadt 1954: 55 28 figs.

840.—Klatt, B. Das Säugetiergrosshirn als zoologisches Problem. Zool. Anz. 153 1954: 1-15 4 figs.

841.—Klemmer, K. Hermelin und Wiesel. Natur u. Volk **84** 1954: 62–67 3 figs.

842.—Klemmer, K. Fledermäuse und ihre Wanderungen im Rhein-Main-Gebiet. Natur u. Volk 84 1954: 413–421 7 figs.

843.—Klemmer, K. and Krampitz, H. E. Zur Kenntnis der Säugetierfauna Siziliens. Senckenbergiana Biol. 35 1954: 121–135 2 figs.

844.—Kline, P. D. and Hendrickson, G. O. Autumnal decimation of Mearns cottontail, Decatur County, Iowa, 1952. Proc. Iowa Acad. Sci. 61 1954: 524-527.

845.—Kluge, R. Über Vorkommen und Frequenz überzähliger Zähne bei den anthropoiden Affen mit besonderer Berücksichtigung der "Distomolaren" im Sinne Bolks. Wiss. Z. Univ. Greifswald. Math.-Nat. R. 3 1954: 533-556 figs.

846.—Knepp, T. H. A two-headed pony fetus. Proc. Pa. Acad. Sci. 28 1954: 303-304 1 fig.

847.—Knigg, K. M. The effect of acute starvation on the adrenal cortex of the hamster. Anat. Rec. 120 1954: 555-582 20 figs.

848.—Knight, M. Dormice and their, diet. Oryx 2 1954: 330-331.

- 849.—Knoop, I. Untersuchungen über das Farben-und Formensehen bei Goldhamstern (Mesocricetus auratus Waterh.). mit Hilfe der Dressurmethode. Zool. Beitr., Berl. N.F. 1 1954: 219–239 7 figs.
- 850.—[Knorre, E. P.] [Catching, breeding and training of elks.] Nasimovich, A.A. Ed. Reorg. vert. fauna U.S.S.R. (Biotech. measures) Moscow 1953: 191–200. [In Russian.]
- 851.—Koby, F.-E. Lésions pathologiques aux sinus frontaux d'un ours des cavernes. Eclog. Geol. Helvet. 46 1953 (1954): 295-297 1 fig.
- 852.—Koch, L. L. de The intraglomerular tissues of the carotid body. Acta anat. 21 1954: 101-116.
- 853.—Koegel, A. Vom Öffnen von Türen durch Tiere. Z. Tierpsychol. 11 1954: 495–496.
- 854.—Koenigswald, G. H. R. von. The Australopithecinae and *Pithecanthropus*. III. Proc. K. Akad. Amst. 57B 1954: 85-91 1 fig.
- 855.—Koenigswald, G. H. R. von. Status of Szechuanopithecus from the Pleistocene of China. Nature, Lond. 173 1954: 643-644.
- 856.—Koenigswald, G. H. R. von. Pithecanthropus, Meganthropus and the Australopithecinae. Nature, Lond. 173 1954: 795-797.
- 857.—Kolb, A. Biologische Beobachtungen an Fledermäusen. Säugetierk. Mitt. 2 1954: 15-25 10 figs.

Kolesnikov, I. M. see Yakovlev.

- 858.—Kolk, H. H. v. d. Hoe de rattenbestrijding in de noordoostpolder verliep. Rat en Muis 1 1954: 12–13.
- 859.—Korn, W. Zur systematischen Stellung von *Paidopithex rhenanus* Pohlig. Naturwissenschaften 41 1954: 192–193.
- 860.—[Korzhuev, R. A. and Goldfarb, 'N. L.] [Some ecologic-physiological features of blood in white and common hare and in domestic rabbit.] Zool. Zh., Moscow 33 1954: 1384–1389. [In Russian.]
- 861.—[Kostyan, E. Y.] [New data on reproduction in polar bears.] Zool. Zh., Moscow 33 1954: 207-215 3 figs. [In Russian.]

- 862.—Kough, R. H. Attack on a human being by a rabid insectivorous bat. J. Amer. med Ass. 155 1954: 441– 446.
- 863.—[Kozhevnikov, V. V.] [Twelve winter seasons of wolf control in the region of Mordov Game Reserve.] Nasimovich, A.A. Ed. Reorg. vert. fauna U.S.S.R. (Biotech. measures) Moscow 1953: 136–139 fig. [In Russian.]
- 864.—[Kozlov, V. V.] [Some results in wolf control in state game reserves.] Nasimovich, A.A. Ed. Reorg, vert. fauna U.S.S.R. (Biotech. measures) Moscow 1953: 105–116 4 figs. [In Russian.]
- 865.—[Kozlov, V. V.] [Influence of game protection on mammals of the Meshehersk lowland.] Zool. Zh., Moscow 33 1954: 925-943 3 figs. [In Russian.]
- 866.—Kramer, G. Über relatives Wachstum bei Bartenwalen. Zool. Anz. 152 1954: 58-64 5 figs.

Krampitz, H. E. see Klemmer.

- 867.—[Krasovski, V. P.] [Artificial shelters for musk-rats and beavers in flood period.] Nasimovich, A.A. Ed. Reorg. vert. fauna U.S.S.R. (Biotech. measures) Moscow 1953: 65–69 2 figs. [In Russian.]
- 868.—[Krasovski, V. P.] [Observations on breeding of desman in captivity.] Zool. Zh., Moscow 33 1954: 180–183 2 figs. [In Russian.]
- 869.—Kratochvil, J. and Rosicky, B. Eine neue Rasse von Sorex alpinus aus CSR. Mém. Soc. zool. tchéosl. 16 1952; 51–65 2 figs. [Czech with German summary.]

Krause, N. P. see Stellar.

- 870.—Kretzoi, M. Quaternary geology and the vertebrate fauna. Acta Geol. Hung. 2 1953: 67-77.
- 871.—Kretzoi, M. Ostrich and camel remains from the central Danube basin. Acta Geol. Hung. 2 1954: 231-241 3 pls.
- 872.—Kretzoi, M. Le plus ancien vestige fossile de mammifère en Hongrie. Földt. Közlon. 83 1953; 273-277. [Hungarian with French summary.]
- 873.—Kretzoi, M. Marmot—remains from Debrecen. Földt. Közlon. 84 1954: 75-77. [Hungarian with English summary.]

- 36
- 874.—[Krilova, K. T., Shilova, E. S. and Shilov, M. N.] [Peculiarities in ecology of *Rhombomys opimus* (Licht.) in the winter period and in the conditions of Northern Prearal.] Bull. Soc. Nat. Moscow Biol. 59 1954: 3-14 6 figs. [In Russian.]
- 875.—[Kriltzov, A. I.] [Diurnal activity of voles and lemmings in northern Kazakhstan.] Zool. Zh., Moscow 33 1954: 197-206 4 figs. [In Russian.]
- 876.—Krog, J. Storing of food items in the winter nest of the Alaskan ground squirrel, Citellus undulatus. J. Mammal, 35 1954: 586.
- 877.—Krott, P. Das Wiederfinden eines auf einem Transport entsprungenen Vielfrasses. Z. Tierpsychol. 10 1953: 254-268 9 figs.
- 878.—Krott, P. Über einen Versuch, zwei Elche als Zugtiere zu benützen. Z. Tierpsychol. 11 1954: 304-318 17 figs.
- 879.—Kruidenier, F. J. A seal host of the acanthocephalan *Corynosoma*: Correction. J. Parasit. 40 1954; 363-364
- 880.—Krumbiegel, I. Biologie der Säugetier. Ein Handbuch. Krefeld (Verlag GMBH) 1954: 4-5, 145-240 89 figs.; 6-7, 241-355 104 figs.
- 881.—Krumbiegel, I. Areal und Populationsgrüsse bei Inseltieren. Z. Morph. Ökol. 43 1954: 63-81 2 figs.
- 882.—Krutzsch, P. H. North American jumping mice (Genus Zapus). Publ. Mus. Nat. Hist. Univ. Kansas 7 1954: 349–472 47 figs.
- 883.—Krutzsch, P. H. A key to the bats of Western North America, north of Mexico. Nat. Hist. Misc. Chicago 133 1954: 1-62 figs.
- 884.—Krutzsch, P. H. Notes on the habits of the bat *Myotis californicus*. J. Mammal. 35 1954: 539-545 2 figs.
 - Krutzsch, P. H. see Vaughan.
- 885.—Krysiak, K. Ligamentum nuchae of *Bison bonasus*. Folia morph., Warsz. 2 1951: 271–282 4 figs.
- 886.—Kühlhorn, F. Beobachtungen an einem gefangenen Hamster (*Cricetus* cricetus L.). Zool. Gart., Lpz. 20 1953: 193-194.

- 887.—Kühlhorn, F. Säugetierkundliche Studien aus Süd-Mattogrosso. 2. Edentata, Rodentia. Säugetierk. Mitt. 2 1954: 66-72 1 fig.
- 888.—Kühlhorn, F. Gefügegesetzliche Untersuchungen an Neuweltaffen (Cebus apella L. und Alouatia caraya Humboldt). Z. Säugetierk, 20 1954: 13-36.
- 889.—Kuhlhorn, J. Kleine Irrtümer. Z. Säugetierk, 18 1953; 188–189.
- 890.—Kuhlhorn, J. Der Gang des Gibbons. Z. Säugetierk. 19 1954: 180.
- 891.—Kühn, E. Simultanvergleich gesehener Mengen beim Rhesusaffen. Z. Tierpsychol. 10 1953; 268-296 18 figs.
- 892.—Kühn, E. Zum Wachstum männlicher Borstengürteltiere, (*Chäeto*phractus villosus Fisch.). Zool. Gart., Lpz. 20 1953: 82–85 3 figs.
- 893.—Kuhn-Schnyder, E. Der Ursprung der Säugetier. Vjschr. naturf. Ges. Zürich 99 1954; 165-197 16 figs.
 - Kulik, I. L. see Tupikova.
 - Kulkarny, H. L. see Katarki.
- 894.—Kuns, M. L. and Tashian, R. E. Notes on mammals from northern Chiapas, Mexico. J. Mammal. 35 1954: 100-103.
- 895.—Künzl, H. Zur Gefrassigkeit des Maulwurfs. Zool. Gart., Lpz. 20 1954: 314-315.
- 896.—Kuroda, N. The present status of the protection of birds and mammals in Japan. Proc. 7th Pacif. sci. Congr. 4 1953: 719-727.
- 897.—Kurten, B. The Chinese Hipparion fauna. Comment. Biol., Helsingfors 13 4 1952: 1–82 30 figs.
- 898.—Kurten, B. On the variation and population dynamics of fossil and recent mammal populations. Acta zool. fenn. 76 1953; 1-122 37 figs.
- 898A.—Kurten, B. Observations on allometry in mammalian dentitions; interpretation and evolutionary significance. Acta zool, fenn. 85 1954: 1-13 4 figs.
- 898B.—Kurten, B. The type collection of Ictitherium robustum (Gervais, ex Nordmann) and the radiation of the Ictitheres. Acta zool, fenn. 86 1954: 1-26 14 figs.

- 899.—Kurten, B. Population dynamics—a new method in paleontology. J. Paleont. 28 1954: 286-292 3 figs.
- 900.—[Kuznetzov, B. A.] [Contribution to the fauna of Lithuanian mammals.] Bull. Soc. Nat. Moscow (Biol.) 59 (4) 1954: 7-16. [In Russian.]
- 901.—Lachiver, F. Etude biochimique de la fonction thyroidiénne d'un hibernant: La marmotte (*Marmota L.*). C.R. Socs. sav. Paris & Dép. No. 77 1954: 133–138 2 figs.
- 902.—Lack, D. The natural regulation of animal numbers. Oxford (Clarendon Press) 1954 pp. viii + 343 frontis (col.) 52 figs.
- 903.—Ladman, A. J. Mitotic activity in the anterior pituitary of the pregnant mouse. Anat. Rec. 120 1954: 395-407 10 figs.

Lagerstedt, S. see Glimstedt.

- 904.—[Lakoza, I. I.] [Camel breeding.] Moscow, 1953 1-311 ill. [In Russian.]
- 905.—Lamb, F. B. The fisherman's porpoise. Nat. Hist., N.Y. 63 1954: 231-232.
- 906.—Lancaster, D. G. A check list of the mammals of Northern Rhodesia. Lusaka (Game Dept., N. Rhodesia) 1953: vii + 56.
- 907.—Lang, E. M. Ueber Fang und Eingewöhnung Afrikanischer Elefanten im Jahre 1952. Zool. Gart., Lpz. 20 1954: 294–306 4 figs.

Lanski, L. M. see Littmann.

- 908.—Lapage, G. Myxomatosis in rabbits in Great Britain. Nature, Lond. 173 1954: 856.
- 909.—Larsell, O. The development of the cerebellum of the pig. Anat. Rec. 118 1954: 73–107 23 figs.

Laser, H. see Lutwak-Mann.

- 910.—Lastours, de. Sur les sondrages acoustiques réalisables par les cheiroptères. P.V. Soc. Sci. phys. nat. Bordeaux 1946-48 [1952] 60-62.
- 911.—Lathrop, K. A. and Harper, P. V. Long-term recovery of metabolic products from rats. Science 119 1954: 447-448 1 fig.
- 912.—Latif, A. and Khan, A. W. Zinc phosphate as a raticide. Proc. 4th Pakistan sci. Conf. pt. 3 1952: 75.

913.—Latimer, H. B. Growth of the hypophysis, thyroid and suprarenals in the fetal dog. Anat. Rec. 120 1954: 495-514 6 figs.

Latyszewski, M. see Falconer.

- 914.—Laurie, E. M. O. and Hill, J. E. List of land mammals of New Guinea, Celebes and adjacent islands, 1758— 1952. Brit. Mus. (Nat. Hist.) 1954: 1-175 3 pls. 1 map.
- 915.—Lavocat, R. Sur diverses découvertes récentes de gisements de Vertébrés africains et leur conséquences géologiques. C.R. Soc. Geol. France 14 1953: 284–286.
- 916.—Lavocat, R. J. M. Possibilité et nécessité d'une classification unique pour les mammifères fossils et actuels. C.R. Congr. Geol. Int. Alger 19 1952 (1954): 23–24.

Lavocat, R. see Crusafont Pairo, M.

Lavocat, R. see Gorodiski.

- 917.—Law, M. E. Lingual proprioception in pig, dog and cat. Nature, Lond. 174 1954: 1107–1108.
- 918.—Law, P. G. & Burstall, T. Heard Island. Interim Rep. Aust. Nat. Antarct. Res. Exped. No. 7 1953: 1–32 12 pls.
- 919.—Lawrence, B. and Schevill, W. E. *Tursiops* as an experimental subject. J. Mammal. 35 1954: 225–232.
- 920.—Laws, R. M. Giant ovaries of a blue whale. Nature, Lond. 173 1954: 1003 1 fig.
- 921.—Layne, J. N. The os clitoridis of some North American Sciuridae. J. Mammal. 35 1954: 357-366 2 figs.
- 922.—Layne, J. N. The biology of the red squirrel, Tamiasciurus hudsonicus loquax (Bangs), in Central New York. Ecol. Monogr. 24 1954: 227-267 9 figs.
- 923.—Layne, J. N. and Benton, A. H. Some speeds of small mammals. J. Mammal. 35 1954: 103-104.
- 924.—Layne, J. N. and Hamilton, W. J. The young of the woodland jumping mouse, Napaeozapus insignis (Miller). Amer. Midl. Nat. 52 1954: 242-247 1 fig.
- 925.—Leakey, L. S. B. H. J. Allen Turner. J. E. Afr. Ug. nat. Hist. Soc. 22 1954: 111.

- 926.—Leakey, L. S. B. The giant animals of prehistoric Tanganyika. Ill. Lond. News 224 1954: 1047 3 figs.
- 927.—Lebrument, J. Motricité des réservoirs gastriques chez les ruminants. Ann. Inst. nat. Agron. 40 [1954]: 1-75 37 graphs.
- 928.—Lechleitner, R. R. Age criteria in mink, Mustela vison. J. Mammal. 35 1954; 496-503 2 figs.
- 929.—Lechleitner, R. R. Least weasel in Glacier National Park. J. Mammal. 35 1954: 594.
- 930.—Lee, J. A. Range of Peromyscus eremicus eremicus in Nevada. J. Mammal. 35 1954: 450.

Leedal, G. P. see Guest.

- 931.—Leeuwen, L. van. On the characters of Sorex exiguus van den Brink as compared with those of Sorex minutus L. Proc. Acad. Sci. Amst. 576 1954; 332–338.
- 932.—Legouix, J.-P., Petter, F. and Wisner, A. Etude de l'audition chez des mammifères à bulles tympaniques hypertrophiées. Mammalia, Paris 18 1954: 262-271 5 figs.

Legouix, J.-P. see Wisner.

- 933.—Le Gros Clark, W. E. History of the Primates. An introduction to the study of fossil man. 4th edn. London, Brit. Mus. (Nat. Hist.) 1954: 1-119 1 pl. 40 figs.
- 934.—Le Gros Clark, W. E. The antiquity of *Homo sapiens* in particular and of the Hominidae in general. Sci. Progr. 42 1954: 379-395.
- 935.—Le Gros Clark, W. E. Reason and fallacy in the study of fossil man. Advanc. Sci. 11 1954: 280-292 figs.
- 936.—Le Gros Clark, W. E. Prof. F. Wood Jones, F.R.S. Nature, Lond. 174 1954: 772-773.
- 937.—Lehmann, E. v. Zur Kleinsäuger-Fauna Furstentums Liechtenstein. Bonn. 2001. Beitr. 5 1954: 17-31 figs.
- 938.—Lehmann, U. Die Fauna des "Vogelherds" bei Stetten ob Lontal (Württemberg). Neues Jb. Geol. Pal. Abh. 99 1954: 33–146 4 pls. 7 figs.

Lejeune, J. see Turpin.

Leleup, N. see Bouillon.

- 939.—Lemke, K. Morphologie und Homologie des Kaureliefs der Backzähne der Insektivoren. Wiss. Z. Univ. Greifswald 3 1954: 17-47 32 figs.
- 940.—Lensink, C. J. Occurrence of Microtus xanthognathus in Alaska. J. Mammal. 35 1954: 259-260.
- 941.—Lensink, C. J. Deformed jaw in an Alaskan brown bear (*Ursus*). J. Mammal, 35 1954; 438-439.

Leonard, R. G. see Sealander.

942.—Leonardi, P. Les mammifères nains du Pléistocène Mediterranéen. Ann. Paleont. 40 1954: 189-201 7 figs.

Leone, C. A. see Dolyak.

- 943.—Leone, E. Ergothioneine in the equine ampullar secretion. Nature, Lond. 174 1954: 404–405.
- 944.—Leopold, A. S. Dichotomous forking in the antiers of white-tailed deer. J. Mammal. 35 1954: 599-600 1 fig.
- 945.—Leopold, A. S. and Darling, F. F. Wildlife in Alaska, an ecological reconnaissance. New York (Ronald Press Co.) 1953: pp. ix + 129 16 pls. text illust.

Lepersonne, J. see Hopwood.

- 946.—Leutscher, A. The edible dormouse in Britain. Discovery, Lond. 15 1954: 70-71 1 fig.
- 947.—Levan, A. Colchicine-induced C-mitosis in two mice ascites tumours. Hereditas 40 1954: 1-64 13 figs.
- 948.—Lewis, C. B. Whales in Jamaican waters. Nat. Hist. Notes nat. Hist. Soc. Jamaica No. 65 1954: 75.
- 949.—Lewis, C. B. The bat fauna of the St. Clair cave. Nat. Hist. Notes nat. Hist. Soc. Jamaica No. 68 1954: 148-146 fig.
- 950.—Lewis, F. The rehabilitation of the koala in Victoria. Vict. Nat., Melb. 70 1954: 197-200 3 pls.

Lewis, Y. S. see Smith.

Libersa, Cl. see Olivier.

- 951.—Lieb, J. R. and Wilber, C. G. Some hematological studies on the Alaskan ground squirrel. Trans. Amer. micr. Soc. 73 1954: 412-415.
- 952.—[Likhachev, G. N.] [Reproduction and populations of Muscardinus avellanarius.] Zool Zh., Moscow 33 1954: 1171-1182. [In Russian.]

- 953.—Lindahl, P. E. and Nilsson, A. On the occurrence of sperm antagglutin in the female rabbit. Ark. Zool. 7 1954: 223–226.
- 954.—Lindemann, W. Zur Rassenfrage und Fortpflanzungsbiologie des karpatischen Braunbären, Ursus arctos arctos Linné, 1758. Säugetierk. Mitt. 2 1954: 1-7 2 figs.

Lindenlaub, E. see Precht.

Lingaas, P. see Bjarnason.

- 955.—Linke, W. Der Rothirsch. Neue Brehm-Bucherei, Wittenberg-Lutherstadt 1954: 94 52 figs.
- 956.—Linn, I. Some Norwegian small mammal faunas; a study based on trappings in West and North Norway. Oikos 5 1954: 1-24 4 figs.
- 957.—Lipkow, J. Über das Seitenorgan des Goldhamsters Mesocricetus auratus auratus Waterh. Z. Morph. Ökol. 42 1954: 333-372 16 figs.
- 958.—Lisowski, F. P. The vascularization of the ovary in the rat. Proc. Soc. Study Fertility No. 5 1953: 37-54 8 figs.
- 959.—Littmann, R. A., Lanski, L. M. and Rhine, R. J. Studies of individual and paired interactional problem solving behavior of rats (*Mus norvegicus albinus*). Behavior 7 1954: 189-206 1 fig.
- 960.—Liu, T. T. Hybridization between Peromyscus municulatus oreas and P. m. gracilis. J. Mammal. 35 1954: 448-449.
- 961.—Liu, T. T. Monozygotic twinning in *Peromyscus maniculatus*. J. Mammal. 35 1954: 449-450.
- 962.—Lianos, A. C. and Crespo, J. A. Ecologia de la Vizcacha (*Lagostomus maximus maximus* Blainv.) en el nordeste de la provincia de Entre Rios. Rev. Invest. Agric. Buenos Aires 6 1952: 289-378, 10 pls.
- 963.—Liewellyn, L. M. and Enders, R. K. Trans-uterine migration in the raccoon. J. Mammal. 35 1954: 439.
- 984.—Llewellyn, L. M. and Enders, R. K. Ovulation in the raccoon. J. Mammal, 35 1944: 440.

Loaring, W. H. see Serventy.

965.—Lockey, R. M. The Atlantic grey seal. Oryx 2 1954: 384-387 map.

- 966.—Lockley, R. M. The North Atlantic grey seal. Bull. Mammal. Soc. Brit. Is. 1 1954: 13-14.
- 967.—Lockley, R. M. The seals and the curragh. Introducing the natural history of the grey seal of the North Atlantic. London (J. & M. Dent) 1964 pp. vii + 149 frontis. 6 pls. text illust.
- 968.—Lockley, R. M. The observation of mammals. Field. 203 1954: 1020 4 figs.
- 969.—Lockley, R. M. Myxomatosis a factual survey. Field. 204 1954: 1174-1175 4 figs.

Loomis, R. B. see Jones.

- 970.—Lopane, F. Sull'età del riempimento della grotta del Pippi (Uliveto-Pisa). Mem. Soc. tosc. Sci. nat. 56A 1949: 18-20.
- 971.—Louvel, M. Quelques observations sur le "Fosa." Bull. Acad. Malgache N.S. 31 1954: 45-46 1 fig.

Lovelock, J. E. see Smith.

- 972.—Lowes, R. H. G. The giant armadillo. Zoo Life, Lond. 9 1954: 97-98, 1 fig.
- 973.—Lucas, D. R. Retinal dystrophy in the Irish Setter. I. Histology. J. exp. Zool. 126 1954: 537-551. 13 figs.
- 974.—Ludwig, K. S. Das Verhalten der Thymonukleinsäure (DNA) während der Befruchtung und den ersten Segmentationsstadien bei der Ratte und dem Goldhamster. Arch. Biol., Paris 65 1954: 135-178 1 pl. 8 figs.
- 975. [Lukyantchenko, A. A.] [Changes in northern border of the range of Mesocricetus raddei nigriculus Nehr., 1898.] Zool. Zh., Moscow 33 1954: 218— 220 1 fig. [In Russian.]
- 976.—Lund, H. M. The walrus and its visits to the Norwegian coast since 1900. Norsk Hvalfangsttid. 43 1954: 639-646 1 fig.
- 977.—Lund, H. M-K. The walrus (Odobaenus rosmarus (L.)) off the coast of Norway in the past and after the year 1900, together with some observations on its migrations and "cruising speeds." Astarte 8 1954: 1-12 2 figs.
- 978.—Lundy, W. E. Howlers. Nat. Hist., N.Y. 63 1954: 128-133 6 figs.

- 979.—Lundy, W. E. Mr. Coati. Nat. Hist., N.Y. 63 1954: 274-279 figs.
- 980.—Luttschwager, J. Studien an vorgeschichtlichen Wirbeltieren Schleswig-Holsteins. Schr. naturw. Ver. Schl.-Holst. 27 1954: 22–33 1 fig.
- 981.—Lutwak-Mann, C. Note on the chemical composition of bovine follicular fluid. J. agric. Sci. 44 1954: 477-480 1 fig.
- 982.—Lutwak-Mann, C. and Laser, H. Bicarbonate content of the blastocyst fluid and carbonic anhydrase in the pregnant rabbit uterus. Nature, Lond. 178 1954: 268–269 I fig.
- 983.—Lyman, C. P. Activity, food consumption and hoarding in hibernators. J. Mammal. 35 1954: 545-552.
- 984.—Lyon, M. F. Absence of otoliths in the mouse: an effect of the pallid mutant. J. Genet. 51 1953: 638-650 5 figs.
- 985.—Lyon, M. F. Stage of action of the litter-size effect on absence of otoliths in mice. Z. indukt. Abstamm.u. VererbLehre 86 1954: 289-292. 1 fig.

Lyon, M. F. see Carter.

986.—Maberley, C. T. A. "An animated fir-cone"—the pangolin. Afr. Wild Life 8 1954: 280–282 2 figs.

Mahon, R. M. see Hutchison.

- 987.—McCarley, W. H. Fluctuations and structure of *Peromyscus gossypinus* populations in eastern Texas. J. Mammal. 35 1954: 526-532.
- 988.—McCarley, W. H. Natural hybridization in the *Peromyscus leucopus* species group of mice. Evolution 8 1954: 314-323 3 figs.
- 989.—McCarthy, F. D. Buffalo hunting in Arnhem Land. Aust. Mus. Mag. 11 1954: 252-256 4 figs.
- 990.—Macchiarello, A. Reservoirs and vectors of plague. J. trop. Med. (Hyg.) 57 1954: 3-8, 45-48, 65-69, 87-94, 116-121, 139-146, 158-171, 191-197, 220-224, 238-243, 275-279, 294-298.
- 991.—McClellan, J. An otter catch on the Gila River in southwestern New Mexico. J. Mammal. 35 1954: 443-444.
- 992.—McClung, R. M. The unpredictable Platypuses. Anim. Kingd. 57 1954: 110-111 1 fig.

- 993.—McDiarmid, A. and Austwick, P. K. C. Occurrence of Haplosporangium parvum in the lungs of the mole (Talpa europaea). Nature, Lond. 174, 1954: 843-844 1 fig.
 - McDonald, I. R. C. see Hartman.
- 994.—Macdonald, J. R. A new Pseudaelurus from the lower Snake Creek fauna of Nebraska. J. Paleont. 28 1954: 67-69 1 fig.
- 995.—MacDonald, S. D. Report on biological investigations at Mould Bay, Prince Patrick Island, N.W.T., 1952. Bull. nat. Mus. Can. No. 132 1954: 214— 238
- 996.—McEwen, E. H. A sporadic occurrence of an Alaskan fur seal. J. Mammal. 35 1954: 444.
- 997.—McKenna, M. C. Gray Bull mammals from the Knight formation in Moffat County, Colorado. J. Mammal. 35 1954: 581.
- 998.—Mackenzie, B. A. Green algal growth on gray seals. J. Mammal. 35 1954: 595-596.
- 999.—Mackerras, I. M. Animal reservoirs of infection in Australia. Proc. roy. Soc. Viet. 65 1954: 1-23.
- 1000.—McKerrow, M. J. The lactation cycle of *Elephantulus myurus jamesoni* (Chubb). Phil. Trans. 238B 1954: 62-98 1 pl. 10 figs.
- 1001.—Mackintosh, N. A. Whales in the Pacific sector of the Southern Ocean. Proc. 7th. Pacif. sci. Congr. 4 1953: 369– 370.
- 1002.—McLaren, A. and Michie, D. Are inbred strains suitable for bioassay? Nature, Lond. 173 1954: 686-687.
- 1003.—McLaren, A. and Michie, E. Transmigration of unborn mice. Nature, Lond. 174 1954: 844.
- 1004.—McLean, D. D. Mountain lions in California. Calif. Fish Game 40 1954: 147-166 1 fig.
- 1005.—MacMillan, E. W. The effects of interruption of the vasal and inferior epididymal arteries on the cauda epididymis and testis. Proc. Soc. Study Fertility No. 5 1953: 12-19 2 pls. 1 fig.
- 1006.—McMillan, J. F. Some observations on moose in Yellowstone Park. Amer. Midl. Nat. 52 1954; 392—399 1 fig.

- 1007.—McMinn, R. M. H. The rate of renewal of intestinal epithelium in the cat. J. Anat., Lond. 88 1954: 527-532 1 pl.
- 1008.—McNab, B. K. A new record of Mustela erminea and Sorex merriami. J. Mammal. 35 1954: 430.
- 1009.—Macy, R. W. and Biggs, J. A. Epizootic in eastern Oregon muskrats associated with massive infection of Hymenolepis ondatrae Rider and Macy. J. Parasit. 39 1953: 570.
- 1010.—Mahaley, M. S. Experimental evidence on the body temperatures of hibernating bats. J. Elisha Mitchell sci. Soc. 70 1954: 122-123.
- 1011.—Makino, S. Chromosome numbers of some American rodents. Misc. Rep. Yamashina Inst. Orn. Zool. No. 3 1953: 86.
- 1012.—Makino, S. and Yosida, T. H. Breeding experiments of white rats and mice. III. Notes on the abnormal characters found in some inbred strains of white rats and mice. Misc. Rep. Yamashina Inst. Orn. Zool. No. 4 1954: 141-145 6 figs. [Japanese with English summary.]
- 1013.—Makino, S. and others. A strain of Wistar albinos producing a large litter. Misc. Rep. Yamashina Inst. Orn. Zool. No. 3 1953; 129-132 1 fig. [Japanese with English résumé.]
- 1014.—Málaga-Alba, A. Vampire bat as a carrier of rabies. Amer. J. publ. Hlth. 44 1954: 909-918 1 fig.
- 1015.—Maluquer de Motes, J. Nuevo hallazgo de *Ureus spelaeus* en Cataluna. Mem. Comun. Inst. Geol. Dip. Prov. Barcelona 10 1953: 51.
- 1016.—Maldonado-Koerdell, M. Mamiferos recientes y fosiles de Mexico. Ciencia, Mex. 13 1953: 79-84.
- 1017.—Maldonado-Koerdell, M. Segundo hallazgo de sirenidos fosiles en Mexico. Ciencia, Mex. 13 1953: 146–148 l fig.

Manly, B. M. see Barnett.

1018.—Mann, P. H. Four cases of posterior reduplication in the albino Norway rat. J. Tenn. Acad. Sci. 29 1954: 9–11 2 pls.

- 1019.—Mann, T. On the presence and role of inosital and certain other substances in the seminal vesicle secretion of the boar. Proc. roy. Soc. 142B 1954: 21-32 2 figs.
 - Mann, T. see Glover.
- 1020.—Mannell, W. A. and Rossiter, R. J. Wallerian degeneration in the rat. The effect of age on the concentration of nucleic acid and phospholipid in intact and sectioned nerves. J. exp. Biol. 31 1954: 198-207 6 figs.
- 1021.—Manuel, C. G. Philippine wildlife problems. Proc. 7th Pacif. sci. Congr. 4 1953: 683-691 [Mammals: 687-689].
- 1022.—Manville, R. H. Malocelusion in the rat. J. Mammal. 35 1954: 427.
- 1023.—Manzer, J. I. Observations on the gray whale. J. Mammal. 35 1954: 444-445.
- 1024.—[Manziī, S. F.] [A case of the presence of radio-intermedium bone in both carpus of Equus hemionus.] Rep. Acad. Sci. Ukr. 11933: 33–354 figs. [In Ukrainian with Russian summary.]
- 1025.—Maqsood, M. and Parsons, U. Influence of continuous light or darkness on sexual development in the male rabbit. Experientia 10 1954: 188–189.
- 1026.—Margolis, L. List of the parasites recorded from sea mammals caught off the west coast of North America. J. Fish. Res. Bd. Can. 11 1954: 267-283.
- 1027.—Marietan, I. Les fauves du Valais en 1946. Bull. murith. No. 63 1946: 102-120.
- 1028.—Marietan, I. Histoire des fauves du Valais en 1947. Bull. murith. No. 64 1947: 103-132.
- 1029.—Marietan, I. Le loup d'Eischoll. Bull. Murith. No. 65 [1945]: 146-148 1 fig.
- 1030.—Markman, H. C. Fossil mammals. Mus. Pictorial., Denver No. 4 1952: 1-62 figs.
- 1031.—Marples, R. R. Note on the type specimen of the Maori rat. Trans. roy. Soc. N.Z. 82 1954: 703-704.

Marshall, S. B. M. see Annison.

Marshall, W. A. see Abrams.

1032.—Martin, B. F. Serous cells in Brunner's glands of the rabbit. Nature, Lond. 174 1954: 1195–1196.

42

- 1033.—Martin, M. and P. S. Notes on the capture of tropical bats at Cuevo el Pachon, Tamaulipas. J. Mammal. 35 1954: 584-585.
- 1034.—Martinho, J. As reaccoes das racas bovinas selectas da Europa nos climos tropicais e subtropicais. Bol. Soc. Estud. colon. Moçambique 15 52 1947: 49-72 5 figs.
- 1035.—Martino, L. and Terio, B. Ricerche e considerazioni su alcuni problemi di morfo-funzionalita dell'innervazione periferica. Arch. Zool. (ital.) Napoli 39 1954: 295-310 3 pls.
- 1036.—Masachs Alavedra, V. and Villalta Comella, J. D. de. Aportacion al conocimiento de la cronologia de las terrazas fluviales del N.E. de Espana. Un valioso documento paleontologico. Mem. Comun. Inst. Geol. Dip. Prov. Barcelona 10 1953: 73-77 4 figs.
- 1037.—Massart, C. Contributo allo studio della struttura del clitoride in Rhinolophus ferrum equinum. Mem. Soc. tosc. Sci. nat. 54 1947: 18-41 10 figs.
- 1038.—Massart, C. Lo sviluppo dell' utero e della vagina nei chirotteri (Rhinolophus ferrum equinum). Mem. Soc. tosc. Sci. nat. 54 1947: 87-135 20 figs.
- 1039.—Massart, C. Contributo allo studio dello sviluppo della borsa faringea nei Chirotteri (*Rhinolophus ferrum* equinum). Mem. Soc. tosc. Sci. nat. 57B 1950: 7-11.
- 1040.—Massart, C. Ipotesi sulle fuzione della borsa faringea in *Rhino*lophus ferrum equinum). Mem. Soc. tose. Sci. nat. 57B 1950: 12-15.

Masserman, J. H. see Pechtel.

1041.—Matheson, C. The wild goat in Wales. Rep. W. Wales Fld. Soc. No. 16 1954: 13-16 figs.

Mathew, M. J. see Chacko.

Mathis, M. see Durand.

1042.—Matschinski, M. La nage des étres aquatiques et les limites mécaniques de l'évolution. Nature, Paris No. 3236 1954: 454-458 10 figs.

- 1043.—Matson, J. R. Observations on the dormant phase of a female black bear. J. Mammal. 35 1954: 28-35 1 pl.
- 1044.—Matthes, H. W. Beiträge zur Kenntnis der Hyaenodontidae (Creodonta). Paläont. Z. 28 1954: 45– 55 1 pl. 4 figs.
- 1045.—Matthews, L. H. The hibernation of animals. Discovery 15 1954: 437-442 4 figs.
- 1046.—Matthews, L. H. Research on the mammals of Africa. Nature, Lond. 174 1954: 670-671.
- 1047.—Matthey, R. Un nouveau type de chromosomes sexuels chez un mammifère. Experientia 10 1954: 18 2 figs.
- 1048.—Matthey, R. Nouvelles données sur les formules chromosomiques des Muridae. Experientia 10 1954: 66-67.
- 1049.—Matthey, R. Un cas nouveau de chromosomes sexuels multiples dans le genre *Gerbillus* (Rodentia-Muridae-Gerbillinae). Experientia 10 1954: 464—465 6 figs.
- 1050,—Matthey, R. Nouvelles recherches sur les chromosomes des Muridae. Caryologia 6 1954: 1-44 115 fiss.
- 1051.—Matthey, R. Les chromosomes de *Macroscelides rozeti* Duvernoy (Mammalia-Insectivora). Existe-t-il une série polyploide chez les Macroscelidae. Rev. suisse Zool. 61 1954: 669-677 11 figs.
- 1052.—Matthey, R. Chromosomes et systematique des Canidés. Mammalia, Paris 18 1954: 225-230 14 figs.
- 1053.—May, R. M. La greffe bréphoplastique intraoculaire du cervelet chez la souris. Arch. Anat. micr. Morph. exp. 43 1954: 42-57 11 figs.
- 1054,—Mayer, G. and others. Etude de la basophile cytoplasmique des cellules trophoblastiques du rat par les méthodes histochimiques et le microscope électronique. Arch. Anat. micr. Morph. exp. 42 1954: 319–333 10 figs.
- 1055.—Mayer, J. and Zighera, C. Y. The multiple etiology of obesity: production of two types of obesity in littermate mice. Science 119 1954: 96-97.

- 1056.—Mayer, W. V. and Roche, E. T. Developmental patterns in the Barrow Ground Squirrel, Spermophilus undulutus barrowensis. Growth 18 1954: 53-69 14 figs.
- 1057.—Measroch, V. Growth and reproduction in the females of two species of gerbil, Tatera brantsi (A. Smith) and Tatera afra (Gray). Proc. zool. Soc. Lond. 124 1954: 631-658 13 figs.
- 1058.—Meester, J. Research on the mammals of South Africa. Nature, Lond. 174 1954: 1149-1150.
- 1059.—Meester, J. On the status of the shrew, genus *Mysorex*. Ann. Mag. nat. Hist. (12) 7 1954: 947-950.
- 1060.—Meinertz, T. The superficial facialis musculature of the Greenland musk-ox, Ovibos moscatus. Medd. Grønland 107 1954: 1-60 24 figs.
- 1061.—Mellor, J. E. M. The mammals of Herefordshire. In Herefordshire. Cent. Vol. Woolhope Nat. Fld. Club 1954: 94—103 3 maps.

Menon, K. V. P. see Nirula.

- 1062.—Merfield, F. G. The Gorilla of the French Cameroons. Zoo Life, Lond. 9 1954: 84-94 10 figs.
- 1063.—Mertens, R. Uber asymmetrische Zeichnungen bei wildelebenden Säugern. Säugetierk. Mitt. 2 1954: 32-33.
- 1064.—Merthyr, Lord. The rabbit problem. Quart. J. For. 46 1952: 147–152.
- 1065.—[Mertz, P. A.] [The wolf in Voronezh Province, ecology and organization of control.] Nasimovich, A.A. Ed. Reorg. vert. fauna U.S.S.R. (Biotech. measures) Moscow 1953: 117–135 3 figs. [In Russian.]
- 1066.—Meyer, R. de. Les organites epithelio-neuro-vasculaires de la base du cœur chez le Cynocéphale. Arch. Biol., Paris 65 1954: 315-338 1 pl.
- 1067.—Meyer-Holzapfel, M. Lernversuche mit Riegelkasten bei zwei Gibbons. Arch. néerl. Zool. 10 Suppl. 2 1953: 79-91 2 figs.

Meyer-Lohmann, J. see Aschoff.

Michie, D. see McLaren.

Miesse, M. L. see Gould.

Mikiewiczowa, Z. see Bilewicz.

- Millen, J. W. see Woollam.
- 1068.—Miller, G. S. Jr. and Johnson, D. H. Bibliography of Gerrit Smith Miller, Jr. J. Mammal. 35 1954: 329– 344.
- 1069.—Miller, L. S. The present status of systematic Mammalogy in Iowa with some notes on recent Mammal collecting within the State. Proc. Iowa Acad. Sci. 61 1954: 556-560.
- 1070.—Miller, N. G. and Drake, C. H. Infectious diseases in native wild animals of the Columbia Basin, Washington. Northw. Sci. 28 1954: 135–156.
- 1071.—Miller, R. S. Food habits of the wood-mouse Apodemus sylvaticus (Linné, 1758), and the bank vole, Clethrionomys glareolus (Schreber, 1780), in Wytham Woods, Berkshire. Säugetierk. Mitt. 2 1954: 109-114.
- 1072.—Minner, J. L. The old man of the ice floes. Ctry. Life, Lond. 116 1954: 416-418 6 figs.
- 1073.—Mitchison, N. A. The effect on the offspring of maternal immunization in mice. J. Genet. 51 1953: 406–420.
- 1074.—Miyazaki, I. Survey of whaleing operations from land stations in waters adjacent to Japan in 1953. Norsk Hvalfangsttid. 43 1954: 181–192 7 figs.
- 1075.—Mohr, E. Kleine Beobachtungen am Kopenhagener Okapi. Zool. Gart., Lpz. 20 1953: 73-76 4 figs.
- 1076.—Mohr, E. Die Leipziger Wisentzucht. In Schneider (K. M.) Vom Leipziger Zoo, Leipzig (Geest & Portig) 1953 pp. 65-71 7 figs.
- 1077.—Mohr, E. Die freilebenden Nagetiere Deutschlands und der Nachbarländer, Jena (Gustav Fischer), 3rd edit. 1954 pp. ix + 212 200 figs.
- 1078.—Möhres, F. P. Über die Ultraschallorientierung der Hufeisennasen (Chiroptera-Rhinolophinae). Z. vergl. Physiol. 34 1953: 547-588 16 figs.
- 1079.—Moir, R. J., Somers, M., Sharman, G. and Waring, H. Ruminant-like digestion in a marsupial. Nature, Lond. 173 1954: 269–270.

Moll, J. see Bartheld.

- 1080.—Montagu, M. F. A. The Pittdown nasal turbinate and bone implement: some questions. Science 119 1954: 884—886.
- 1081.—Montagu, M. F. A. The direction and position of the mental foramen in the great apes and man. Amer. J. Phys. Anthrop. 12 1954: 503-518.
- 1082.—Moog, F. and others. Growth and cytochemistry of the adrenal gland of the mouse from birth to maturity. Anat. Rec. 120 1954: 873-891 17 figs.
- 1083.—Moore, C. B. Ways of mammals in fact and fancy. New York (Ronald Press) 1953: xi + 273.
- 1084.—Moore, J. C. Want to see a Florida manatee? Anim, Kingd. 57 1954: 11-13 1 fig.
- 1085.—Moran, P. A. P. The statistical analysis of the Canadian lynx cycle. II. Synchronization and Meteorology. Aust. J. Zool. 1 1953: 291-298.
- 1086.—Moran, R. J. Trapping and marking squirrels on a refuge in southern Illinois. Trans. Ill. Acad. Sci. 46 1953: 258-262 1 fig.
- 1087.—Morgan, W. C. Jr. A new erooked tail mutation involving distinctive pleiotropism. J. Genet. 52 1954: 354-373 2 pis. 6 figs.
- 1088.—Moricard, R. Observation of in vitro fertilization in the rabbit. Nature, Lond. 173 1954: 1140 1 fig.
- Nature, London T. 1089. [Morozova-Turova, L. G.] [Pitymys subterraneus and Vespertilio murinus in Bialowiezha. Bull. Soc. Nat. Moscow 59 5 1954: 93-94. [In Russian.]
- 1090.—Morris, K. R. S. The relationship of mammals to their forest habitat. Bull. Mammal. Soc. Brit. Is. 2 1954; 2-6.
- 1091.—Morris, W. J. An Eocene fauna from the Cathedral Bluffs tongue of the Washakie Basin, Wyoming. J. Paleont. 28 1954: 195–203 2 pls. 1 fig.
- 1092.—Morrison, P. R., Ryser, F. A. and Strecker, R. L. Growth and the development of temperature regulation in the tundra redback vole. J. Mammal. 35 1954; 376-386 3 figs.
- 1093.—Morrison-Scott, T. C. S. Dr. G. H. H. Tate. Nature, Lond, 173 1954: 190.

- 1094.—Morrison-Scott, T. C. S. Proposed use of the plenary powers for the purpose of stabilizing the name of the Virginia Deer. Bull. Zool. Nomencl. 9 1954: 298.
 - Morrison-Scott, T. C. S. see Ellerman.
 - Mosier, H. D. see Richter.
- 1095.—Mosimann, W. Systématisation des ramifications du nerf vague dans le plexus solaire chez le rat blanc. Rev. suisse Zool. 61 1954: 323-334 3 figs.
- 1096.—Moss, S., Wrenn, T. R. and Sykes, J. F. Some histological and histochemical observations of the bovine ovary during the estrous cycle. Anat. Rec. 120 1954: 409-433 22 figs.
- 1097.—Moul, E. T. Preliminary report on land animals at Onotoa Atoll, Gilbert Islands. Atoll Res. Bull. No. 28 1954; 1–28 (Mammals pp. 2–3.).
- 1098.—Moustafa, V. S. Additional information on the skull of *Prozeuglodon isis* and the morphological history of the Archaeoceti. Proc. Egypt. Acad. Sci. 9 1954: 80-88 1 pl. 1 fig.
- 1099.—Mouta, F. Possibilidade de existência de Préhominideos no sul de Angola (Leba, Humpatu). An. Inst. Med. trop., Lisboa 10 4 fasc. 2 1953: 2905-2911 l fig.
- 1100.—Muir, A. R. The development ventricular part of the conducting tissue in the heart of the sheep. J. Anat., Lond. 88 1954: 381-391 4 pls. 1 fig.
 - Mullen, J. T. see Sullivan.
 - Müller, C. see Bloch.
- 1101.—Müller, H. Zur Fortpflanzungsbiologie des Hermelins (*Mustella erminea* L.). Rev. suisse Zool. 61 1954: 451–453.
- 1102.—Muller, J. Observations on the orbital region of the skull of the Mystacoceti. Zool. Meded. 32 1954: 279–290 3 figs.
- 1103.—Müller-Using, D. Simpsons Neuordnung der Mammalia in ihrer Bedeutung für die deutsche Säugetierkunde. Säugetierk. Mitt. 2 1954: 102– 109.
- 1104.—Müller-Using, D. Beitrage zur Oekologie der *Marmota m. marmota* (L.). Z. Säugetierk. 19 1954: 166-177 4 pls. 2 figs.

- 1105.—[Muratov, M. V.] [Miocene and Pliocene history of development of the Crimean Peninsula.] Bull. Soc. Nat. Moscow Geol. 29 1954: 3-20 5 figs. [In Russian.]
- 1106.—Murie, O. J. Progress in management of large mammals with special reference to the wapiti in Jackson Hole. Proc. 7th Pacif. sci. Congr. 4 1953: 666–669.
- 1107.—Murray, I. M. A second record of the water shrew in Skye. Scot. Nat. 66 1954: 56.

Murray, J. G. see Evans.

- 1108.—Murray, P. D. F. The fusion of parallel long bones and the formation of secondary cartilage. Aust. J. Zool. 2 1954: 364-380 4 pis.
- 1109.—Murray, R. W. The place of the Australopithecinae among human fossils. Proc. Ind. Acad. Sci. 63 1954: 47-53.
- 1110.—Musacchia, X. J. Cannibalism and other observations of captive ground squirrels. J. Mammal. 35 1954: 445-447.
- 1111.—Musil, R. Die Grotte Nr. 16 im Öden Tal im Mähr. Karst. Čas. moravsk. Mus. 38 1953: 87-100 6 figs. [Czech with German summary.]
- 1112.—Musil, R. Der Fund eines Mammutskelettes in Jezov bei Gaya. Čas. moravsk. Mus. 39 1954: 212–216 2 figs. [German summary.]

Muto, R. see Coppini.

- 1113.—Nachtsheim, H. Die Toten der Säugetiergesellschaft 1939–1951. Z. Säugetierk. 19 1954: 38–44.
- 1114.—Nachtsheim, H. Der Modellversuch am Tier in seiner Bedeutung für das Verständnis menschlicher Erbleiden. Experientia 10 1954: 317-326 3 figs.
- 1115.—Narkiewicz, O. The anthropomorphology of splenial muscle. Folia morph. Warszawa 4 1953: 219–240 10 figs. [Polish with English rés.]
- 1116.—Nath, B. On a collection of Mammals from Assam (India) with special reference to the Rodents. Rec. Indian Mus. 50 1953: 271–285.
- 1117.—Natuschke, G. Zur Verbreitung der Fledermäuse in der Oberlausitz. Abh. Naturkundemus-Görlitz 34 1954: 73-83 map.

- 1118.—[Naumov, N. P.] [Types of rodent populations and their ecological significance.] Zool. Zh., Moscow 33. 1954: 268-289 6 figs. [In Russian.]
- 1119.—Nay, T. and Fraser, A. S. Growth of the mouse coat. III. Patterns of hair growth. Aust. J. biol. Sci. 7 1954: 361-367 9 figs.
- 1120.—Neal, E. G. The behaviour and reproductive cycle of the badger. Bull. Mammal. Soc. Brit. Is. 1 1954: 11-13.
 - Neal, E. G. see Hewer.
- 1121.—Negumi, A. List of desert animals seen or collected during the periods shown. Bull. zool. Soc. Egypt No. 8 1949: 20-21.
- 1122.—Neseni, R. Uber den Einfluss von Follikelhormon auf den Tierkörper. Z. Säugetierk. 19 1954: 160–165.
- 1123.—Nettelblad, S. C. Die Lobierung und innere Topographie der Säugerleber, nebst Beitragen zur Kenntnis der Leberentwicklung beim Goldhamster (*Cricetus auratus*). Acta anat. Suppl. 20 1954: 1–251 103 figs.
- 1124.—Neubaur, F. Ziehende Fledermäuse. Säugetierk, Mitt. 2 1954: 31.
- 1125.—Nicholson, A. J. Food of a beaked whale. J. Mammal. 35 1954: 124.
- 1126.—Nicholson, B. D. The African elephant (*Loxodonta africana*). Afr. wild Life 8 1954: 190–197 3 figs., 313–332 4 figs.

Nieuwenhoven, P. J. van see Wilde.

Nilsson, A. see Lindahl.

- 1127.—Niort, P. L. Ossements de mammifères extraits des alluvions de la Loire. C.R. Socs. sav. Paris & Dép. No. 76 1952: 107-118 6 figs.
- 1128.—Nirula, K. K., Antony, J. and Menon, K. P. V. The flying fox (Pteropus edwardsii)—A pest of coconut palm in India. Indian Coconut J. 711-76 3 figs.
- 1129.—Nishiwaki, M., Hibiya, T. and Kimura, S. On the sexual maturity of the sei whale of the Bonin waters. Sci. Rep. Whales Res. Inst. Tokyo No. 9 1954: 165-177 11 figs.

1130.—Nishiwaki, M. and Yagi, T. On the age-determination method of the toothed whale by the study of the tooth. Proc. Japan Acad. 30 1954: 399-404 5 figs.

1131.—Nobis, G. Zur Kenntnis der ur- und frühgeschichtlichen Rinder Nord- und Mitteldeutschlands. Z. Tierzucht. Zuchtungsbiol. 63 1954: 155-194 4 figs. 19 diagrams.

1132.—Noronha, R. P. More notes on the Indian Buffalo. J. Bombay nat. hist. Soc. 52 1954: 202-204.

1133.—Norris, C. E. The future of wild life in Ceylon. Ctry. Life, Lond. 116 1954: 890-892 7 figs. .

Norris, K. S. see Reeder.

1134.—Nouvel, J. Spirochétoses des animaux sauvages. Mammalia, Paris 18 1954: 112-123.

1135.—Nouvel, J. Les spirochétoses des animaux sauvages. (2e partie). Mammalia, Paris 18 1954: 277-286.

Nouvel, J. see Urbain.

1136.—[Novikov, G. A.] [Game animals and birds of economic importance in the forest zone.] Anim. World U.S.S.R. (ed L. V. Arnoldi) 4 1953: 651–661. [In Russian.]

Novikov, G. A. see Vinogradov.

Nunn, W. J. see Winter.

Oakley, C. L. see Batty.

1137.—Oakley, K. P. Dawn of man in South Africa. Proc. roy. Instn. G.B. 35 1954: 641-657 4 figs.

1138.—Oakley, K. P. Evidence of fire in South African cave deposits. Nature, Lond. 174 1954: 261-262.

1139.—Oakley, K. P. The dating of the Australopithecinae of Africa. Amer. J. Phys. Anthrop. 12 1954: 9-28 2 pls.

Oakley, K. P. see Weiner.

1140.—Oberfeld, H. A research on the structure of the buccinator muscle of a dog. Folia morph., Warszawa 4 1953: 245-256 2 figs. [Polish with English rés.]

1141.—Oboussier, H. Zur Kenntnis der Hypophyse von Sarcophilus ursinus Harris. Zool. Anz. 152 1954: 147-153 5 figs.

1142.—[Obrutchev, V. A.] [Find of mammoth bones in Southern Siberia.] Bull. Acad. Sci. URSS geol. 2 1954: 142– 143. Offermann, P. B. see Hill.

1143.—Ogawa, T. On the musculature of the sinus venosus and its continuation with the so-called conducting system of the whale's heart. Sci. Rep. Whales Res. Inst. Tokyo No. 9 1954: 11-35 7 figs.

1144.—Ogilvie, C. S. The behaviour of seladang (*Bibos gaurus*). Malay. Nat. J. 9 1954; 1-10 4 pls.

Ohm-Kettner, I.-D. see Herter.

1145.—Ohnesorge, K. Ludwig Heck †, 1860-1951. Z. Säugetierk. 19 1954: 48-56 l pl.

Oliff, W. D. see Johnston.

1146.—Oliver, J. The extinct bluebuck (*Ozanna leucophaea* Pallas). Afr. wild Life 8 1954: 232-235 2 figs.

1147.—Olivier, G. and Depreux, R. L'omoplate du Semnopithèque. Mammalia, Paris 18 1954: 181-211 6 figs.

1148.—Olivier, G. and Libersa, Cl. L'os coxal et la bassin du Semnopithèque. Mammalia, Paris 18 1954: 287-328 10 figs.

1149.—Omura, H. and Fujino, K. Sei whales in the adjacent waters of Japan. II. Further studies on the external characters. Sci. Rep. Whales Res. Inst. Tokyo. No. 9 1954: 89–103 10 figs.

Ormsbee, J. B. S. see Wood.

1150.—0rr, R. T. Natural history of the pallid bat, Antrozous pallidus (Le Conte). Proc. Calif. Acad. Sci. (4) 28 1954: 165-246 28 figs.

1151.—Osmaston, H. A. Kalinzu Forest fruit bats. J. E. Afr. nat. Hist. Soc. 22 1953: 74–75.

1152.—Ottaviani, G. and Donini, I. II sistema linfatico della talpa. (*Talpa europaea*). Arch. zool. ital. Napoli 38 1954: 419–440 2 pls.

1153.—Owen, J. S. A field key to the genera of Sudan rodents. Sudan Notes & Records 34 1953: 104-113.

1154.—Owen, O. S. Merriam's life zone concept and the distribution of certain small mammals in central New York. J. Mammal. 35 1954: 579-581.

Oyaert, W. see Bouckaert.

Øynes, P. see Ruud.

- 1155.—Packard, R. L. Notes on the defensive behaviour of gray and fox squirrels while moving their young. Trans. Kansas Acad. Sci. 57 1954: 471-472.
- 1156.—Pacit, J. Dürfen die Seitendrüsen als spezifisch-taxonomisches Merkmal der Clethrionomys-Arten aufgefasst werden (Rodentia)? Zool. Anz., Lpzg. 153 1954: 321-322.
- 1157.—Pales, L. and Wernert, P. Un mandibule pathologique de grand bovide du loess d'Achenheim (Bas-Rhin). Ann. Paleont. Paris 39 1953: 21–26 2 pis.
- 1158.—Palet y Barba, D. Nota paleontologica sobre el cuaternario del Valles. Mem. Comun. Inst. Geol. Dip. Prov. Barcelona 10 1953: 79-80.
- 1159.—Pallie, W., Corner, G. W. and Weddell, G. Nerve terminations in the myometrium of the rabbit. Anat. Rec. 118 1954: 789-811 12 figs.
- 1160.—Palmer, H. Late Pleistocene material from the Des Moines area. Proc. Iowa Acad. Sci. 60 1954: 399-402 4 pls.
- 1161.—Palmer, H. A. A review of the Interstate Park, Wisconsin, bison find. Proc. Iowa Acad. Sci. 61 1954: 313-319 2 pls.
- 1162.—Palmer, R. S. The Mammal Guide. Mammals of North America north of Mexico. New York (Doubleday & Co.) 1954: 383 40 col. pls. figs.
- 1163.—Palmer, T. S. C. H. Merriam. Auk 71 1954: 130-136 l pl.
- 1164.—Panouse, J. B. Les Hamada Sud-Morocaines. Résultat de la Mission d'Etudé 1951 de l'Institut Scientifique Chérifien et du Centre des Recherches Sahariennes. Zoologie I. Mammifères, oiseaux, reptiles, batraciens, myriapodes, crustacés, solifuges. Trav. Inst. sci. Chérifien. Sér. Gén. No. 2 1954: Mammals 173-174.
- 1165.—Papp, A. and Thenius, E. Vösendorf—ein Lebensbild aus dem Pannon des Wiener Beckens. Ein Beitrag zur Geologie und Paläontologie der unterpliozänen Congerienschichten des südlichen Wiener Beckens. Mitt. Geol. Ges. Wien 46 1954: 1–109 15 pls. [Mammals: 51–81.]

- 1166.—Paque, A. Coexistence d'une faune de toundra et d'outillage acheuler dans les alluvions anciennes du plateau de Yassincourt (Meuse). C.R. Soc. Geol. France 6 1954: 122-124.
- 1167.—Park, H. The heart and its vessels in some New World bats. Trans. Kansas Acad. Sci. 57 1954: 197-199 4 figs.
 - Parke, W. N. see Penner.
 - Parkes, A. S. see Smith.
- 1168.—Parry, H. J. A comparative study of the umbilical sphineter. Proc. 2001. Soc. Lond. 124 1954: 595-604 3 pls. 3 figs.
 - Parsons, U. see Magsood.
- 1169.—Pascual, R. Sobre nuevos restos de Sirenidos del Mesopotamiense. Rev. Asoc. Geol. Argentina 8 1953: 163— 181 2 pls. 1 fig.
- 1170.—Patchell, M. R. Direct effect of climate on cattle. I. Some observations on the skin temperature, body temperature, respiration rate and pulse rate of dairy stock under normal temperature conditions: 1-9. II. Measurements of skin temperature in cattle: 10-14. N.Z. J. Sci. Tech. 36A 1 1954.
- 1171.—Patte, E. Remarques sur quelques Daims fossiles. Bull. Soc. Geol. France (6) 3 1954: 657-665 3 figs.
- 1172.—Paulian, R. Une femelle mélanisante de *Propithecus Verreauxi* coronatus. Nat. Malgache 5 1953: 105.
- 1173.—Paulian, P. Sur quelques variations de la date de mise bas de PEI/phant de mer (Mirounga leonina). Mammalia, Paris 18 1954: 375-379.
- 1174.—[Pavlovski, E. N. & Pervomaiski, G. S.] [Inheritance in change of coat in rabbits.] C.R. Acad. Sci. URSS ns. 95 1954: 653-656 1 col. pl. [In Russian.]
- 1175.—Pearson, O. P. Shrews. Sci. Amer. 191 2 1954: 66-70 figs.
 - Pearson, P. B. see Van Reen.
- 1176.—Pearson, P. G. Mammals of Gulf Hammock, Levy County, Florida. Amer. midl. Nat. 51 1954: 468-480 1 fig.
- 1177.—Pechtel, C. and Masserman, J. H. The osmatic responses of normal and neurotic monkeys. Ann. N.Y. Acad. Sci. 58 1954: 256–260 1 fig.

1178.—Pedersen, A. Om moskusoksen og rensdyret på Grønland. Nat. Verd., Kbh. 37 1953: 240-246.

Peeters, E. see Vincke.

- 1179.—Penner, L. R. and Parke, W. N. Notoedric mange in the bobcat, Lynx rufus. J. Mammal. 35 1954: 458.
- 1180.—Penner, L. R. Dirofilaria scapiceps from snowshoe hare in Connecticut. J. Mammal. 35 1954: 458-459.
- 1181.—Penner, L. R. A note on Macracanthorhynchus ingens in a Connecticut raccoon. J. Mammal 35 1954: 459.
- 1182.—Pepper, F. J. The epithelial repair of skin wounds in the guinea pig with special reference to the participation of melanocytes. J. Morph. 95 1954: 471-499 21 figs.
- 1183.—Perry, J. S. Some observations on growth and tusk weight in male and female African elephants. Proc. zool. Soc. Lond. 124 1954: 97-104 1 pl. 2 figs.
- 1184.—Perry, R. Red deer in Scotland. Oryx 2 1954: 246.
- 1185.—Perry, R. Red deer in Scotland. Oryx 2 1954: 392-393.

Pervomaiski, G. S. see Pavlovski.

- 1186.—Petelska, A. The levator scapulae muscle in man and in apes. Folia morph., Warszawa 4 1953: 117-134 8 figs. [Polish with English rés.]
- 1187.—Petelski, M. The anthropomorphology of the suboccipital muscles. Folia morph., Warszawa 4 1953: 135–170 24 figs. [Polish with English rés.]
- 1188.—Peterson, L. A. and Berg, E. D. Black-footed ferrets used in ceremonial objects by Montana Indians. J. Mammal. 35 1954: 593-594.
- 1189.—Peterson, R. L. Notes on the eastern distribution of *Eutamias mini-mus*. Contr. R. Ont. Mus. Zool. 37 1953: 1–4 1 fig.
- 1190.—Peterson, R. L. and Reynolds, J. K. Taxonomic status of the European hare in Ontario. Contr. R. Ont. Mus. Zool. 38 1954: 1–7 1 fig.
- 1191.—Petroniyevic, Z. M. Beiträge zur Kenntnis fossiler überreste Mastodontidea in Serbien. Ann. Geol. Penin. Balkan. 20 1952: 75–86 figs.

- 1192.—Petter, F. Note sur la systématique de quelques rongeurs désertiques. Spec. Publ. res. Counc. Israel No. 2 1953; 307–309.
- 1193.—Petter, F. La systématique des formes de la souris d'après E. et H. Schwarz. Mammalia, Paris 18 1954: 124-126.
- 1194.—Petter, F. Nouvelle note biologique sur le Hérisson du désert. Mammalia, Paris 18 1954: 220–221.
- 1195.—Petter, F. Remarques biologiques sur des rats épineux du genre Acomys. Répartition au Sahara. Mammalia, Paris 18 1954: 389-396 3 figs.
- 1196.—Petter, F. Méthode rapide de conservation des cadavres de petits Mammifères sur les lieux de collecte. Mammalia, Paris 18 1954: 422-423.

Petter, F. see Legouix.

Petter, F. see Vrydagh.

Petter, F. see Wisner.

- 1197.—Petter-Rousseaux, A. La periodicité sexuelle et les variations des genitalia femelles chez un Prosimien malgache, *Cheirogaleus major* (E. Geoffroy). C.R. Acad. Sci. Paris 239 1954: 1083–1085 4 figs.
- 1198.—Petzsch, H. Einige neue Beobachtungen an tauchenden Elbe-Bibern, *Castor fiber albicus* Matschie, 1909, in Gefangenschaft. Säugetierk. Mitt. 2 1954: 79-80.
- 1199.—Petzsch, H. Über zwei jungsteinzeitliche Tierkleinplastiken-Bärender Schweinedarstellungen?—aus Ton von Scheiplitz/Stossen bei Weissenfels vom Standpunkt des Zoologen. Wiss. Z. Martin-Luther Univ. Math. Nat. R. 3 1954: 681-690 7 figs.

Philippot, E. see Gerebtzoff.

Phillips, D. S. M. see Bassett.

1200.—Phillips, R. J. S. Jimpy, a new totally sex-linked gene in the house mouse. Z. indukt. Abstamm.-u. Vererb Lehre 86 1954: 322–326.

Phillips, R. J. S. see Carter.

- 1201.—Phillips, R. W. Dairy-cattle improvement in Asia and the Americas. Proc. 7th Pac. Sci. Congr. 6 1953: 209-922
- 1202.—Phillips, W. W. A. Longevity of the Ceylon ruddy mongoose (Herpestes smithi zeylanicus) in captivity. J. Bombay nat. Hist. Soc. 52 1954: 587.

1203.—Phythian-Adams, E. G. Record sambar for the Nilgiris. J. Bombay nat. Hist. Soc. 52 1954: 588.

Pierce, R. A. see Gale.

1204.—Pieters, D. Deer from P. Panaitan. Penggemar Alam 34 1-2 1954: 25-35. [English summary.]

1205.—Pietsch, L. R. White-tailed deer populations in Illinois. Nat. Hist. Survey Div. Illinois, Biol. Notes 34 1954: 1-22 17 figs.

1206.—Pike, G. Whaling on the British Columbia coast. Proc. 7th Pacif. Sci. Congr. 4 1953: 370-373.

1207.—Pike, G. C. Whaling on the coast of British Columbia. Norsk Hvalfangsttid. 43 1954: 117-127 3 figs.

Pilgrim, A. F. see Gray.

1208.—Pilkington, R. Damaged antlers. Ctry. Life, Lond. 115 1954: 523 photo.

1209.—Pillai, N. G. Death of wild elephants, from suspected food-poisoning, in Travancore—Cochin State. J. Bombay nat. Hist. Soc. 52 1954: 206—207.

1210.—Pillay, B. S. Albino sambar. J. Bombay nat. Hist. Soc. 51 1954: 935.

1211.—Pilters, H. Untersuchungen über angeborene Verhaltensweisen bei Tylopoden, unter besonderer Berücksichtigung der neuweltlichen Formen. Z. Tierpsychol. 11 1954: 213–303 49 figs.

1212.—Pincher, M. C. The effect of low temperature on animals. Discovery 15 1954: 443–454 figs.

1213.—Pirlot, P. L. Pourcentages de jeunes et périodes de reproduction chez quelques Rongeurs du Congo Belge. Misc. Zool. H. Schouteden, Ann. Mus. Roy. Congo Belge (N.S.) Sci. Zool. 1 1954: 41–46.

1214.—Pirlot, P. Sobre la distribucion de los *Hipparion*. Mem. Comun. Inst. Geol. Dip. Prov. Barcelona 10 1953: 81-82.

1215.—Pirlot, P. Recensement des populations animales, spécialement des mammifères. Proc. 3rd. Internat. Conf. Protect. Fauna & Flora Africa, Brussels [1954]: 384-387.

1216.—Pitman, C. R. S. African genets and mongooses. Zoo Life, Lond. 9 1954: 9-12 4 figs.

1217.—Pitman, C. R. S. The influence of the Belgian Congo on the distribution of Uganda's Primates and some of their characteristics. Misc. Zool. H. Schouteden, Ann. Mus. Roy. Congo Belge (N.S.) Sci. Zool. 1 1954: 47-55.

Pitman, C. R. S. see Hill.

1218.—Pitt, F. The future of Woburn. Field. **203** 1954: 1172–1173 6 figs.

1219.—Pitt, F. North to the grey seal. Field. 204 1954: 830-831 5 figs.

1220.—Piveteau, J. L'homme et la singe de Piltdown. Nature, Paris No. 3225 1954: 1-5 5 figs.

1221.—Pohle, M. Max Hilzheimer †, 1877–1946. Z. Säugetierk. 19 1954: 66–82 1 pl.

1222.—Polder, E. A check list of Mammals of present occurrence in Iowa with notes on new additions and distribution since 1937. Proc. Iowa Acad. Sci. 60 1954: 716-724.

1223.—Poll, M. Les animaux de la grande forêt congolaise. Nat. belges 34 1953: 84-104 map.

1224.—Poll, M. Manifestation d'hommage H. Schouteden. Säugetierk. Mitt. 2 1954: 132 1 fig.

1225.—Ponsford, P. J. and Whyley, G. A. The golden hamster. J. med. Lab. Tech. 12 1954: 142–145.

1226.—Popović, V. L'hibernation artificielle du spermophile (Citellus citellus). Arch. biol. Nauk 4 1952: 37-43. [French résumé.]

Popović, V. see Vidovic.

1227.—[Ponugaeva, A. G.] [Olfactory analizer and the grubbing activity of rodents in connection with food.] Zool. Zh., Moscow 33 1954: 869-875. [In Russian.]

Portenko, L. A. see Vinogradov.

1228.—Powell, T. P. S. and Cowan, W. M. The connexions of the midline and intralaminar nuclei of the thalamus of the rat. J. Anat., Lond. 88 1954; 307—319 3 pls. 6 figs.

1229.—Powell, T. P. S. and Cowan, W. M. The origin of the mamillo-thalamic tract in the rat. J. Anat., Lond. 88 1954: 489–497 I pl. 5 figs.

1230.—Power, J. M. Panther killed by domestic buffaloes. J. Bombay nat. Hist. Soc. 52 1954: 201. 1231.—[Poyarkov, V. S.] [Biotechnical measures for increasing productivity in beaver inhabited reserves of Voronezh game reserve.] Nasimovich A.A., Ed. Reorg. vert. fauna U.S.S.R. (Biotech. measures) Moscow 1953: 46-64 9 figs. [In Russian.]

Pracy, L. see Kean.

1232.—Prakash, I. Swimming and locomotion of captive hedgehogs. J. Bombay nat. hist. Soc. 52 1954: 584-585.

1233.—Prasad, M. R. N. Natural History of the South Indian Gerbille Tatera indica cuvieri (Waterhouse). J. Bombay nat. Hist. Soc. 52 1954: 184– 189.

1234.—Prasad, M. R. N. Food of the Indian gerbille *Tatera indica cuvieri* (Waterhouse). J. Bombay nat. Hist. Soc. 52 1954: 321–325 I histogram.

1235.—Prasad, M. R. N. The male genital tract of two genera of Indian squirrels. J. Mammal. 35 1954: 471-485 1 pl. 4 figs.

1236.—Precht, H. and Lindenlaub, E. Über das Heimfindevermögen von Säugetieren. I. Versuche an Katzen. Z. Tierpsychol. 11 1954: 485–494 2 figs.

1237.—Prell, H. Gehörnte Esel, gehörnte Schweine und gehörnte Hyänen im klassischen Altertum. Z. Säugetierk. 19 1954: 108-116.

1238.—Prell, H. Gehörnte Hyänen an indischen Fürstenhöfen. (Ein Beitrag zur Tierkunde des Altertumes). Rec. Indian Mus. 51 1954: 67-109.

1239.—Preuss, F. Die Tunica albuginea penis und ihre Trabekel bei Pferd und Rind. Anat. Anz. 101 1954: 64– 83 9 figs.

1240.—Prigogine, A. Deux nouvelles races d'Aethosciurus ruwenzorii Schwann du Congo Belge. Misc. Zool. H. Schouteden, Ann. Mus. Roy. Congo Belge (N.S.) Sci. Zool. 1 1954: 69-73 1 fig.

1241.—Pruitt, W. O. Aging in the masked shrew Sorex cinereus cinereus Kerr. J. Mammal. 35 1954: 35–39 1 fig.

1242.—Pruitt, W. O. Notes on a litter of young masked shrews. J. Mammal. 35 1954: 109–110.

1243.—Pruitt, W. O. Rutting behaviour of the whitetail deer (Odocoileus virginianus). J. Mammal. 35 1954: 129-130.

1244.—Pruitt, W. O. Notes on Colorado *Phenacomys* and pikas. J. Mammal, 35 1954; 450–452.

1245.—Pruitt, W. O. Notes on the shorttail shrew (Blarina brevicauda kirtlandi) in Northern Lower Michigan. Amer. Midl. Nat. 52 1954: 236-241.

1246.—Pruitt, W. O. Additional animal remains from under Sleeping Bear Dune, Leelanan County, Michigan. Pap. Mich. Acad. Sci. 39 1954: 253-256.

Pryakhin, V. A. see Kalabukhov.

Purves, P. E. see Fraser.

1247.—Quartier, A. A. Quelques remarques au sujet des chevreuils du Jura. Mammalia, Paris 18 1954: 380-388 1 fig.

1248.—Quast, J. C. Rodent habitat preferences on foothill pastures in California. J. Mammal. 35 1954: 515— 521.

1249.—Quay, W. B. The Meibomiam glands of voles and lemmings (Microtinae). Misc. Publ. Mus. Zool. Univ. Mich. No. 82 1954: 1–17 3 pls. 3 figs.

1250.—Quay, W. B. The anatomy of the diastemal palate in microtine rodents. Misc. Publ. Mus. Zool. Univ. Mich. No. 86 1954: 1-41 4 pls. 12 figs.

1251.—Quay, W. B. The blood cells of Cetacea with particular reference to the Beluga *Delphinapterus leucas* Pallas, 1776. Säugetierk. Mitt. 2 1954: 49-54 3 figs.

1252.—Quay, W. B. The dorsal holocrine skin gland of the kangaroo rat (*Dipodomys*). Anat. Rec. 119 1954: 161-175 8 figs.

1253.—Quay, W. B. and Reeder, W. G. The hemorrhagic and hemopoietic nodules in the alar and interfemoral membranes of *Pizonyx vivesi* (Chiroptera). J. Morph. 94 1954: 439-471 22 figs.

r¹.254.—Rainey, D. G. and Stains, H. J. Early seasonal record of the red bat in Kansas. Trans. Kansas Acad. Sci. 57 1954: 85.

1255.—[Rall, Y. M. and Karaerova, G. P.] [New data on distribution and damage caused by *Scirtopoda telum* in Rostov province.] Zool. Zh., Moscow 33 1954: 1184–1185. [In Russian.]

1256.—[Rall, Y. M., Kiyanova, V. S. and Strelina, T. D.] [Observations on rodents in the irrigation area of Rostov Province.] Zool. Zh., Moscow 33 1954: 1390-1395 2 figs. [In Russian.]

1257.—Rammer, W. Beobachtungen an einem Feldhasen in der Grossstadtwohnung. Zool. Gart., Lpz. 20 1954: 282–293.

1258.—Rankin, J. An interesting whale. Nat. Hist. Notes nat. Hist. Soc. Jamaica No. 64 1954; 51–54 figs.

1259.—Rankin, J. J. An investigation of the innervation of the thymus gland of the common mouse, *Mus musculus*. Quart. J. micr. sci. 95 1954: 217-230 2 pls. 2 figs.

1260.—Rappaport, A. M. and others. Subdivision of hexagonal liver lobules into a structural and functional unit. Anat. Rec. 119 1954: 11-33 11 figs.

1261.—[Raskatov, G. I.] [Problems concerning Quaternary fauna, flora and paleolithic of eastern Carpathians, Pre-Carpathians and Trans-Carpathians.] Bull. Comm. Study Quatern. Period, Moscow (Acad. Sci. U.S.S.R.) 18 1953: 64–75. [In Russian.]

1262.—Rausch, R. On the land mammals of St. Lawrence Island, Alaska. Murrelet 34 1953: 18-26.

1263.—Rayment, T. Australia's Bandicoots. Vict. Nat., Melb. **70** 1954: 194–196 1 pl.

1264.—Raynaud, A. and A. Transformation sous l'influence d'une hormone oestrogène, des ébauches mammaires à cordon primaire unique, du foetus de Souris, en ébauches à bourgeons multiples ou a deux cordons mammaires primaires. C.R. Acad. Sci. Paris 239 1954: 191–193 1 fig.

1265.—Raynaud, A. and A. Essai d'interprétation du mode de formation des ébauches mammaires à bourgeons multiples ou à deux cordons mammaires, chez le foetus de souris traités par une hormone oestrogène. C.R. Acad.

1266.—Reed, C. A. Some fossorial mammals from the Tertiary of western North America. J. Paleont. 28 1954: 102-111 8 figs.

1267.—Reed, C. A. Identity of the Pleistocene mole from Gibraltar. J. Mammal. 35 1954: 583.

1268.—Reeder, W. G. and Norris, K. S. Distribution, type locality, and habits of the fish-eating bat, *Pizonyx vivesi*. J. Mammal. 35 1954: 81-87 1 pl. 1 fig.

Reeder, W. G. see Quay.

1269.—Reinwaldt, E. Storre skogsmusen (Apodemus flavicollis Melch.) pa Gotland. Fauna og Flora 49 1954: 254–256 l fig.

1270.—Reith, C. Problems of a rabbit population. Ctry. Life, Lond. 116 1954: 1497-1498.

1271.—Remane, A. Structure and relationships of Meganthropus africanus. Amer. J. Phys. Anthrop. 12 1954: 123–129 3 figs.

1272.—Rendel, J. M. White heifer disease in a herd of dairy shorthorns. J. Genet. 51 1952: 89-94.

1273.—Rendel, J. M. The use of regressions to increase heritability. Aust. J. biol. Sci. 7 1954: 368-378 5 figs.

1274.—Rensch, B. and Altevogt, R. Zähmung und Dressurleistungen indischer Arbeitselefanten. Z. Tierpsychol. 11 1954: 497-510 16 figs.

1275.—Reventlow, A. Remarks on American black bears. Zool. Gart., Lpz. 20 1953: 185–186.

1276.—Reventlow, A. The kodiak bear cub "Ursula." Zool. Gart., Lpz. 20 1954: 279-282 2 figs.

Rewell, R. E. see Osman Hill.

1277.—Reynolds, H. C. The opossum. Sci. Amer. **188** 6 1953: 88–94 figs.

1278.—Reynolds, J. The epidermal melanocytes of mice. J. Anat., Lond. 88 1954: 45–58 2 pls. 2 figs.

Reynolds, J. K. see Peterson.

Rhine, R. J. see Littmann.

1279.—Rhode, C. E. When giant bears go fishing. Nat. geogr. Mag. **106** 1954: 195-206 figs.

1280.—Richard, C. Il Ghiro gigante del Pleistocene di Sicilia (*Leithia melitensis* Leith Adams.) Palacont. Ital. 44 3 1954: 1-53 3 pls. 5 figs.

1281.—Richard, L. Observations complémentaires faites sur la dentition d'une tête osseuse de zèbre, Equus (Pecudoquagga) boehmi of. zambeziensis Prazak Ç du Muséum d'Histoire naturelle de Rouen. Mammalia, Paris 18 1954: 397-403 1 fig.

- 1282.—Richardson, F. Nevada mammal records. J. Mammal. 35 1954: 578–579.
- 1283.—Richardson, K. C. and Folley, S. J. Synthetic activity of a single epithelial cell of the lactating goat udder. Nature, Lond. 174 1954: 828-829.
- 1284.—Richter, C. P. Domestication of the Norway rat and its implication for the study of genetics in man. Amer. J. Human Genet. 4 1952: 273-285.
- 1285.—Richter, C. P. and Mosier, H. D. Maximum sodium chloride intake and thirst in domesticated and wild Norway rats. Amer. J. Physiol. 176 1954: 213-222.
- 1286.—Richter, H. Zur Kenntnis mittelsachsischer Soriciden. Z. Säugetierk. 18 1953: 171–181 1 fig.
- 1287.—Rieck, W. Die Bestände des Muffelwildes, *Ovis musimon* Pallas, 1811, im Bundesgebeit. Säugetierk. Mitt. 2 1954: 54–60 1 fig.
- 1288.—Riedel, A. Resti di animali olocenici rinvenuti presso Oderso (Treviso). Bol. Soc. venez. Stor. nat. 5 1950: 72-75 1 pl.
- 1289.—Rifaat, O. A revised map of the fifth chromosome of the domestic rabbit. Heredity 8 1954: 107-117.
- 1290.—Rifaat, O. M. White spotting in mice and rabbits. Genetica 27 1954: 286–292.
- 1291.—Riney, T. Antler growth and shedding in a captive group of fallow deer (Dama dama) in New Zealand. Trans. roy. Soc. N.Z. 82 1954: 569-578 4 figs.
 - Rinjard, J. see Urbain.
- 1292.—Rinker, G. C. The comparative myology of the mammalian genera Sigmodon, Oryzomys, Neotoma, and Peromyscus (Cricetinae), with remarks on their intergeneric relationships. Misc. Publ. Zool. Univ. Mich. No. 83 1954: 1–124 18 figs.
 - Ripley, S. D. see Hutchinson.
- 1293.—Ritchie, J. N., Hudson, J. R. and Thompson, H. V. Myxomatosis. Vet. Rec. 66 1954: 796-804.
 - Rivero, L. H. see Aguayo.
- 1294.—Robertson, R. A. and Shadle, A. R. Osteologic criteria of age in beavers. J. Mammal. 35 1954: 197– 203 1 fig.

- 1295.—Robins, J. P. Ovulation and pregnancy corporea lutea in the ovaries of the humpback whale. Nature, Lond. 173 1954: 201–203 4 figs.
- 1296.—Robinson, C. S. and Cronemiller, F. P. Notes on the habitat of the desert bighorn in the San Gabriel Mountains of California. Calif. Fish. Game 40 1954: 267–271 1 fig.
- 1297.—Robinson, D. J. and Cowan, I. McT. An introduced population of the Gray Squirrel (Sciurus carolinensis Gmelin) in British Columbia. Canad. J. Zool. 32 4954: 261–282.
- 1298.—Robinson, J. T. The Australopithecine occiput. Nature, Lond. 174 1954: 262-263.
- 1299.—Robinson, J. T. Nuchal crests in Australopithecines. Nature, Lond. 174 1954: 1197-1198.
- 1300.—Robinson, J. T. Prehominid dentition and hominid evolution. Evolution 8 1954: 324-334 3 figs.
- 1301.—Robinson, J. T. The genera and species of the Australopithecinae. Amer. J. Phys. Anthrop. 12 1954: 181–200 7 figs.
- 1302.—Robinson, K. W. Heat tolerance of Australian monotremes and marsupials. Aust. J. biol. Sci. 7 1954: 348–360 1 fig.
 - Roche, E. T. see Mayer.
- 1303.—Roche, J. Préparation des pièces ostéologiques. Mammalia, Paris 18 1954: 420-422.
- 1304.—Rodeck, H. G. Uniformity of common names of mammals. J. Mammal. 35 1954: 142-144.
- 1305.—Rodhain, J. Le Thamnomys surdaster surdaster, animal de laboratoire. Misc. Zool. H. Schouteden, Ann. Mus. Roy. Congo Belge (N.S.) Sci. Zool. 174-76 l fig.
- istructie op ware grootte van de wolharige neushoorn (Coelodonta antiquitatis Blumenbach). Levende Nat. 57 1954: 51-54 2 figs.
- 1307.—Rokitansky, G. von. Zweiter Fundnachweis von Myotis bechsteini (Leisler, 1818) für Österreich. Säugetierk. Mitt. 2 1954: 128.

1308.—Rollinson, D. H. L. A study of the distribution of acid and alkaline phosphatase in the genital tract of the Zebu bull (*Bos indicus*). J. agric. Sci. 45 1954: 173-178 2 pls.

Rollinson, D. H. L. see Harker.

1309.—Roonwal, M. L. Correct name, authorship and date of Blyth's Vole, Pitymys (Phaiomys) leucurus Blyth, occurring in Ladak, Kashmir. (Mammalia, Rodentia, family Muridae). J. zool. Soc. India 5 1953: 41-43.

1310.—Rosen, M. D. and Sarnat, B. G. A comparison of the volume of the left and right maxillary sinuses in dogs. Anat. Rec. 120 1954: 65-71 4 figs.

1311.—Rosenfeld, G. and Hoehne, L. Studies on comparative hematology—
I. Hematologic data of Myrmecophaga
t. tridactyla L. 1758 (Tamanduá-Baudeira) aud Tamandua t. tetradactyla L., 1758 (Tamanduá-Mirim). Mem. Inst. Butantan 25 1953: 41-51 14 figs.

1312.—Rosenfeld, G. and Hoehne, L. Estudos de hematologia comparada. III. Dados hemametricos do cão domestico. Mem. Inst. Butantan 25 1954: 67-76.

Rosenfeld, G. see Hoehne.

1313.—Rosevear, D. R. Extension of range of the angwantibo. Nature, Lond. 174 1954: 190.

Rosicky, B. see Kratochvil.

1314.—[Roskin, G. I.] [The erythrocytes of man and mammals.] Adv. mod. Biol., Moscow 37 1954: 325-340 6 figs. [In Russian.]

Rossiter, R. J. see Mannell.

1315.—Rothschild, Lord and Barnes, H. Constituents of bull seminal plasma. J. exp. Biol. 31 1954; 561-572 2 figs.

1316.—Rotter, P. Notes on the mammal fauna of the Palestinian coastal region and surroundings. Bull. Mus. Hist. nat. Serbe (B) Nos. 5–6 1953: 487–492. [English summary.]

Rowson, L. E. A. see Beatty.

Rowson, L. E. see Hunter.

1317.—Rudel, A. La faune quaternaire des terrasses de l'allier a Pont-du-Chateau. Rev. Sci. nat. Auvergne N.S. Nos. 1–2 1953: 43–47.

Rugani, F. see Grazi.

1318.—Runner, M. N. and Gates, A. Conception in prepuberal mice following artificially induced ovulation and mating. Nature, Lond. 174 1954: 222–223.

1319.—Rusconi, C. Las piezas "Tipos" del Museo de Mendoza. Rev. Mus. Hist. nat. Mendoza 7 1954; 82–155. [Mammals: 137–139.]

Rushby, G. G. see Hill.

1320.—Ruska, H. Elektronenmikroskopischer Beitrag zur Histologie des Skelettmuskels kleiner Säugetiere. Z. Naturf. 9B 5 1954: 358–371 28 figs.

Russell, E. S. see Coulombre.

1321.—Russell, L. S. Evidence of tooth structure on the relationships of the early groups of Carnivora. Evolution 8 1954: 166-171 7 figs.

1322.—Russell, L. S. Mammalian fauna of the Kishenehn Formation, Southeastern British Columbia. Bull. nat. Mus. Can. No. 132 1954: 92-109 2 pls. 17 figs.

1323.—Russell, R. J. A multiple catch of *Cratogeomys*. J. Mammal. 35 1954: 121-122.

1324.—Russell, R. J. and Findley, J. S. Swimming ability of the grass-hopper mouse. J. Mammal. 35 1954: 118-119.

Russell, R. J. see Davis.

1325.—Russell, Sir T. Desert fauna. Bull. zool. Soc. Egypt No. 8 1949: 5–8.

1326.—Ruth, F. S. Wolverine seen in Squaw Valley, California. J. Mammal. 35 1954: 594-595.

1327.—Rutherford, W. H. A record of the ringtail (*Bassariscus astutus*) in Colorado. J. Mammal. 35 1954: 442-443.

1328.—Ruud, J. T. Observations on the use of size limits in the regulation of whaling. Norsk Hvalfangsttid. 43 1954: 192–198.

1329.—Ruud, J. T. and Øynes, P. International co-operation in whale marking: the second period of the voyage of the "Enern" to the Antarctic 1953, and the trials with whale marks conducted on board floating factories in the season 1954. Norsk Hvalfangsttid. 43 1954: 383-393 1 fig.

Ruud, J. T. see Clarke.

1330.—Ryckman, R. E., Fisher, K. C. and Ames, C. T. An apparatus for collection of ecto-parasites from mammals. Calif. Fish Game 40 1954: 75-76 1 fig.

Ryser, F. A. see Morrison.

1331.—Ryziewicz, Z. Restes du bœuf musqué fossile (Ovibos pallantis Ham. Smith) de la sablière près de Milowice en Haute Silesie. C.R. Soc. Sci. Wrocław 3 1953: 95.

1332.—Ryziewicz, Z. Research on fossil musk-oxen from the area of Poland. Bull. Inst. Geol. Warsaw 5 1954: 177-252 20 pls. [Polish with English summary.]

1333.—Saban, R. Phylogénie des Insectivores. Bull. Mus. Hist. nat., Paris 26 (2) 1954: 419-432.

1334.—Sachs, L. The chromosomal constancy of the normal mammalian uterus. Heredity 8 1954: 117-124.

1335.—Sage, B. L. The slow worm and the red squirrel in south Hertfordshire. Trans. Herts. Nat. Hist. Soc. 24 1954: 78.

1336.—Sanborn, C. C. April record of silver-haired bat in Oregon. Murrelet 34 1953: 32.

1337.—Sanborn, C. C. Mammals from the Departments of Cuzco and Puno, Peru. Publ. Mus. Hist. Nat. "Javier Prado," Lima, Zool. (A) No. 12 1953: 1-8.

1338.—Sanborn, C. C. Mammals from Mindanao, Philippine Islands, collected by the Danish Philippine Expedition 1951-1952. Vidensk. Medd. dansk naturh. Foren. Kbh. 115 1953: 283-288 1 pl.

1339.—Sanborn, C. C. Bats from Chimantá-Tepuí with remarks on *Choeroniscus*. Fieldiana Zool. 34 1954; 289–293.

1340.—Sanborn, C. C. Weights, measurements and color of the Chilean forest puma. J. Mammal. 35 1954: 126-128.

1341.—Sanborn, C. C. Bats of the United States. Pub. Health Rep. 69 1954: 17-28 16 figs.

1342.—Sanderson, G. C. Recent status of the Beaver in Iowa. Proc. Iowa Acad. Sci. 60 1954: 746-753 1 fig. 1343.—Sanderson, G. C. and Speaker, E. B. Results of Iowa's first deer season in recent years. Proc. Iowa Acad. Sci. 61 1954: 615-630 2 figs.

Santapau, S. J. see Ali.

1344.—Santiago Carrara, I. Observaciones sobre el estada actual de las poblaciones de Pinnipedos de la Argentina. Eva Peron, Argentina 1954: 1-16 ilhust.

1345.—Sarajas, H. S. S. Observations on the electrocardiographic alterations in the hibernating hedgehog. Acta Physiol. scand. 32 1954: 28-38 3 figs.

Sarnat, B. G. see Rosen.

1346.—Sather, J. H. The dentition method of aging muskrats. Nat. Hist. Misc. No. 130 1954: 1-3 2 figs.

1347.—Sather, S. H. The life history, habits and economic status of the Great Plains muskrat. Abstr. doct. Diss. Univ. Neb. 1953: 297–299.

Sato, T. see Sugiyama.

Sattee, V. S. see Sharma.

1348.—Satyamurti, S. T. The Chinkara or Indian gazelle. Bull. Pr. Wales Mus. W. India No. 3 1954: 82–84 1 pl.

1349.—Sauerzopf, F. Liste der bisher im Burgenland aufgefundenen freilebenden Säugetiere. Burgenland. Heimatblatt. 16 1954: 8-14.

1350.—Scharlemann, E. Materialen zur Kenntnis und zur Erhaltung des ukrain, Bibers. Z. Säugetierk. 18 1953: 146–162.

1351.—Scharrer, E. Neurosecretion and anterior pituitary in the dog. Experientia 10 1954: 264–266.

1352.—Schaub, S. La trigonodontie des rongeurs simplicidentés. Ann. Paleont., Paris 39 1953: 29-31 57 figs.

1353.—Scheffer, V. B. Measurements and stomach contents of eleven Delphinids. Murrelet 34 1953: 27-30 1 fig.

1354.—Scheffer, V. B. Conserving the Alaska fur seals. Proc. 7th Pacif. sci. Congr. 4 1953: 615-620.

Scheffer, V. B. see Kenyon.

1355.—Schevill, W. E. Sight records of the grey grampus, *Grampus griseus* (Cuvier). J. Mammal. 35 1954: 123-124.

Schevill, W. E. see Lawrence.

- 1356.—Schiller, E. L. Unusual walrus mortality on St. Lawrence Island, Alaska. J. Mammal. 35 1954: 203-210 1 pl. 1 fig.
- 1357.—Schmidt, F. Beobachtungen bei der Aufzucht von Hermelinen, Mustela erminea aestiva Kerr, 1792. Säugetierk. Mitt. 2 1954: 166–174 3 figs.
- 1358.—Schmidt, P. Über den Wert der Bekampfung der Feldmaus. Neue Ergebnisse der Erforschung von Mäusekalamitäten. Schweiz. Naturschutz 20 1954: 33-38 1 fig.
- 1359.—Schmidt, W. J. and Sprankel, H. Bildet sich im Stratum corneum des Rinderhornes Röhrchenstruktur aus? Z. Morph. Ökol. 42 1954: 449-470 16 figs.
- 1360.—Schmidt-Nielsen, B. Water conservation in small desert rodents. Biology of Deserts, Lond. 1954: 173– 181 5 figs.
- 1361.—Schmidt-Nielsen, K. Heat regulation in small and large desert mammals. Biology of Deserts, Lond. 1954: 182–187 3 figs.
- 1362.—Schneider, K. M. Von der Fleckung junger Löwen. Zool. Gart., Lpz. 20 1953: 127-150 33 figs.
- 1363.—Schneider, K. M. Dr. Oskar Heinroth †, 1871–1945. Z. Säugetierk. 19 1954: 57–65 1 pl.
- 1364.—Schnorf, A. Un crâne de Bison priscus. Bull. Labs. Univ. Lausanne No. 112 1954: 5-6 1 pl.
- 1365.—Schnorf, A. Sur deux Elans trouvés dans des tourbières. Bull. Soc. vaud. Sci. nat. 66 1954: 55-58 2 figs.
- **1366.—Schnorf,** A. Un crâne de *Bison priscus*. Bull. Soc. vaud. Sci. nat. **66** 1954: 59-61 **3** figs.
- 1367.—Schnorf, A. Sur deux Elans trouvés dans des tourbières. Bull. Labs. Univ. Lausanne No. 112 1954: 1–4 2 figs.

Schnorrenberg, B. see Schua.

- 1368.—Schorger, A. W. The elk in early Wisconsin. Trans. Wisconsin Acad. Sci. 43 1954: 5-23 1 fig.
- 1369.—Schua, L. and Schnorrenberg, B. Beobachtungen über das Auftreten von Winterschlaf bei Goldhamstern, Mesocricetus auratus (Waterhouse, 1839) und über gewisse Wetterabhängigkeit derselben. Säugetierk. Mitt. 2 1954: 163–166.

- 1370.—Schubel, A. Ein Beitrag zur Morphologie des Wolfsschädels. Wiss, Z. Univ. Greifswald. Math.-Nat. R. 3 1954: 439–456 8 figs.
- 1371.—Schultz, A. H. Bemerkungen zur Variabilität und Systematik der Schimpansen. Säugetierk. Mitt. 2 1954: 159-163 3 figs.
- 1372.—Schultz, A. H. Studien über die Wirbelzahlen und die Korperproportionen von Halbaffen. Vjschr. naturf. Ges. Zürich 99 1954: 39–75 5 figs.
- 1373.—Schultz, C. B. and Falkenbach, C. H. Desmatochoerinae, a new subfamily of Oreodonts. Contribution to the revision of the Oreodonts (Merycoidodontidae), No. 6. Bull. Amer. Mus. Nat. Hist. 105 1954: 143–256 25 figs.

Schultz, L. C. see Cohrs.

- 1374.—Schultz, V. Status of the spotted skunk, common skunk and woodchuck in Tennessee. J. Tenn. Acad. Sci. 29 1954; 305–314 2 figs.
- 1375.—Schultz, V. Status of the bobcat in Tennessee. J. Tenn. Acad. Sci. 29 1954: 66-72 1 fig.
- 1376.—Schultz, V. Status of the beaver and otter in Tennessee. J. Tenn. Acad. Sci. 29 1954: 73-81.
- 1377.—Schulze, W. Einige interessante Krankheitsfälle bei Bären. Zool. Gart., Lpz. 20 1953: 101–108 2 figs.
- 1378.—Schütz, H. Das Verhalten des Hodens und Nebenhodens beim Igel (*Erinac. europ.* et rom. L.) während des Oestrus. Anat. Anz. 101 1954: 84–94.
- 1379.—Schwangart, F. Übersicht und Beschreibung der Hauskatzenrassen (Standards). Z. Säugetierk. 20 1954: 1–12 3 pls. 1 fig.
- 1380.—Schwartz, A. Observations on the Big Pine Key cotton rat. J. Mammal. 35 1954: 260-263.
- 1381.—Schwartz, A. Oldfield mice, Peromyscus polionotus of South Carolina. J. Mammal. 35 1954; 561-569.
- 1382.—Schwartz, A. A second record of Myotis subulatus leibi in North Carolina. J. Elisha Mitchell Sci. Soc. 70 1954: 222.

- 1383.—Schwarz, E. Miscellaneous records of African primates. Rev. zool. Bot. Afr. 49 1954; 328–336.
- 1384.—Schwarze, E. and Hoffmann, G. Beiträge zur Anatomie des Sumpfbiblers (Myccastor coppus Mol.). 2. Das Skelett des Beckengürtels. Zool. Anz., Lpz. 153 1954: 288–292 5 figs.
 - 1385.—Schwetz, J. Sur quelques rongeurs sauvages et une musaraigne du Congo, hôtes naturels de deux schistosomes. Bull. Inst. colon. belge 24 1953: 1452–1463 10 figs.
 - 1386.—Schwetz, J. Sur quelques rongeurs sanvages du Katanga. Zooleo No. 27 1954: 415–420 figs.

Scott, P. M. see Gale.

- 1387.—Sealander, G. A. New mammal records for Arkansas. J. Mammal. 35 1954: 430.
- 1388.—Sealander, J. A. and Hoiberg, A. J. Occurrence of the Seminole bat in Arkansas. J. Mammal. 35 1954; 584.
- 1389.—Sealander, J. A. and Leonard, R. G. Use of crayfish for cleaning skeletal material. J. Mammal. 35 1954: 428-429.
- 1390.—Searle, A. G. Inherited macrocytic anaemias of the house mouse. IV. The alleviating effect of blood injections. J. Genet. 51 1952: 187-190 1 fig.
- 1391.—Searle, A. G. Genetical studies on the skeleton of the mouse. IX. Causes of skeletal variation within pure lines. X. Rarer variants in the A and C57BL pure lines. J. Genet. 52 1954: 68-102 15 figs, 103-110 10 figs.
- 1392.—Searle, A. G. Genetical studies on the skeleton of the mouse. XI. The influence of diet on variation within pure lines. J. Genet. 52 1954: 413-424 4 figs.
- 1393.—Searle, A. G. The influence of maternal age on development of the skeleton of the mouse. Ann. N.Y. Acad. Sci. 57 1954: 558-563 2 figs.

Seite, R. see Stahl.

1394.—Senyurek, M. S. A study of the pulp cavities and roots of the lower premolars and molars of Prosimii, Ceboidea and Cercopithecoidea. Belleten, Ankara 17 1953: 321–365 56 figs.

- 1395.—Senyurek, M. S. List of mammalian fossils of Pontian age in the Vilayet of Kayseri. Rev. Fac. Lang. Hist. Geogr. Univ. Ankara 11 1953: 171– 176 10 figs.
- 1396.—Senyurek, S. A study of the remains of Samotherium found at Taskinpasa. Rev. Fac. Lang. Hist. Geogr. Univ. Ankara 12 1954: 1-2, 1-32 10 figs.
- 1397.—Sera, G. L. La posizione zoologica del genere mammale miocenico Desmostylus. Arch. zool. ital. Napoli 38 1954: 485-506 4 figs.
- 1398.—Sera, G. L. Posizione zoologica dei Pyrotherii. Monit. zool, ital. 62 1954: 42-44.
- 1399.—Sera, G. L. I modi di vita degli Astrapotherii. Riv. Ital. Paleont. Strat., Milano 60 1954: 13-20 1 fig.
- 1400.—Sergi, S. I profanerantropi di Swanscombe e di Fontechevade. Riv. anthrop. 40 1953: 65-72 3 pls. 2 figs. [English summary.]
- 1401.—Serventy, D. L. and others. The recent increase of the rarer native mammals. W. Aust. Nat. 4 1954: 128-141.
- 1402.—Setzer, H. W. A new squirrel from the Anglo-Egyptian Sudan. Proc. biol. Soc. Wash. 67 1954: 87-88.
- 1403.—Seymour, G. D. Recent extension of the range of muskrats in California. Calif. Fish Game 40 1954: 375–384 4 figs. **
- 1404.—Shadle, A. R. Natural parturition of a porcupine and the first reactions of the porcupette. Ohio J. Soi. 54 1954: 42-44.
- 1405.—Shadle, A. R. The well-armed porcupine. Anim. Kingd. 57 1954: 130–137 5 figs.
- 1406.—Shadle, A. R. Sizes of wood cuttings handled by beavers. Amer. Midl. Nat. 52 1954: 510-512.

Shadle, A. R. see Robertson.

Shafei, M. M. see Hafez.

- 1407.—Shamel, H. H. and others. Gerrit Smith Miller, Jr. J. Mammal. 35 1954: 317-329 I pl.
- 1408.—Shaner, R. F. Malformations of the truncus arteriosus in pig embryos. Anat. Rec. 118 1954: 539-560 35 figs.

- 1409.—[Shaposhnikov, F. D.] [Winter food of Siberian stag in the mountains of eastern Altai.] Nasimovich, A.A. Ed. Reorg, vert. fauna U.S.S.R. (Biotech. measures) Moscow 1953: 97-100 fig. [In Russian.]
- 1410.—Sharaf, A. The hormonic factor in sexual activity. Bull. zool. Soc. Egypt No. 11 1953: 31-36.
- 1411.—Sharma, G. P., Chaudhuri, G. C. & Sattee, V.S. The guinea-pig sperm. Res. Bull. E. Panjab Univ. No. 38 1953: 157-180 3 pls.

Sharman, G. see Moir.

- 1412.—Sharman, G. B. Reproduction in marsupials. Nature, Lond. 173 1954: 302-303.
- 1413.—Sharman, G. B. The relationships of the Quokka (Setonix brachy-urus). W. Aust. Nat. 4 1954: 159-168 3 figs.
- 1414.—Shelford, V. E. The antelope population and solar radiation. J. Mammal. 35 1954: 533-538 4 figs.
- 1415.—Shenton, J. B. Oddities from the Luangwa Valley. Afr. Wild Life 8 1954: 201-204 4 figs.
- 1416.—[Shepeleva, V. K.] [Some data on colour perception in dog.] C.R. Acad. Sci. URSS n.s. 96 1954: 1277– 1280 2 diagrams. [In Russian.]
- 1417.—Shermar, H. B. Raccoons of the Bahama Islands. J. Mammal. 35 1954: 126.
- 1418.—Sherman, H. B. The occurrence of bison in Florida. Quart. J. Florida Acad. Sci. 17 1954: 228-232 1 fig.
- 1419.—Shikama, T. A handbook of illustrated fossils from Japanese and their related Territories. Kyôto, 1952. 1952: 279-287 pls. 34, 41, 42, 45, 46, 56-7, text-figs. 67-71.
- 1420.—Shikama, T. On a fossil remain of sea lion, Eumetopias (?) kishidai n.sp. from Japan. Sci. Rep. Yokohama Univ. Sect. II No. 2 1953: 10–14 1 pl. 2 figs.
- 1421.—[Shilov, I. A.] [Influence of spring flood on fluctuations in the numbers of water-rats.] Zool. Zh., Moscow 33 1954: 1396–1402. [In Russian.]

Shilov, M. N. see Krilova.

- Shilov, M. N. see Varshavski.
- Shilova, E. S. see Krilova.
- Shorland, F. B. see Hartman.
- 1422.—Shorten, M. Squirrels. London (New Naturalist, Collins) 1954: xii + 212 15 pls. maps.
- 1423.—Shout, T. Arch-enemy of ground birds. The hedgehog. For. & Bird No. 114 1954: 7.
- 1424.—Siegler, H. R. Late-breeding snowshoe hare. J. Mammal. 35 1954: 122.
- 1425.—Siivonen, L. Über die Grössenvariation der Säugetiere und die Sorex macropygmaeus Mill. Frage in Fennoskandien. Ann. Acad. Sci. fenn. 4A 21 1954: 1-24 2 figs.
- 1426.—Siivonen, L. Nisäkästuntemuksen perusedallytyksistä. Suonnen Tutk. 58 1954: 12-16 6 figs.
- 1427.—Simon, E. Vordere und mittlere Schädelgrube bei Laboratoriums und Haussäugetieren. Acta anat. 22 97–127 12 figs.
- 1428.—Simpson, G. G. Horses and evolution. Rep. Aust. Ass. Advanc. Sci. 28 [1952]: 160–165.
- 1429.—Simpson, G. G. Evolution and geography. An essay on historical biogeography, with special reference to mammals. Eugene, (Oregon State System of Higher Education), 1953: pp. 64 30 figs.
- 1430.—Simpson, G. G. An Apatemyid from the early Eccene of New Mexico. Amer. Mus. Novit. No. 1654 1954: 1-4 1 fig.
- 1431.—Simpson, G. G. Tendances actuelles de la systematique des mammifères. Mammalia, Paris 18 1954: 337-357.
- 1432.—Simpson, G. G. and Tobien, H. The rediscovery of Peale's Mastodon. Proc. Amer. phil. Soc. 98 1954; 279–281 1 fig.
 - Simpson, M. E. see Van Wagenen.
- 1433.—Siperstein, E. and others. Cytological changes in the rat anterior pituitary from birth to maturity. Anat. Rec. 118 1954: 593-619 24 figs.
- 1434.—[Siroechkovski, E. E.] [On the distribution of jerboas in sand deserts, and census methods.] Zool. Zh., Moscow 33 1954: 1403-1409 3 figs. [In Russian.]

- 1435.—Sivertsen, E. A new species of Sea Lion, Zalophus wollebaeki, from the Galapagos Islands. K. Norske Vidensk. Selsk. Forh. 26 1953: 1-3 2
- 1436.—Sivertsen, E. A survey of the eared seals (family Otariidae) with remarks on the Antarctic seals collected by M/K. "Norvegia" in 1928–1929. Norske Vidensk.-Akad. Oslo (Sci. Res. Norweg. Antarct. Exped. 1927–1928 No. 36 1954; 1–76 10 pls. 46 figs.
- 1437.—Skead, C. J. The last of the Cape reed buck. S. Afr. Dep. Nat. Cons. Rep. 10 1953: 23-26.
- 1438.—Skreb, N. Experimentelle Untersuchungen über die äusseren Ovulationsfaktoren bei der Fledermaus Nyctalus noctula. Naturwissenschaften 41 1954: 484.
- 1439.—Skuratowicz, W. Fossil remnants of *Talpa europaea* L. and of *Arvicola terrestris* L. found in glacial formations near Tczew. Bull. Inst. Geol. Warsaw 5 1954: 253–257 1 pl. [Polish with English summary.]
- 1440.—Skuratowicz, W. and Warchalevski, E. Notice on the fauna of small mammals of the Sub-Carpathian region. Wydz. mat. przyr. Kom. Biol. 15 1954: 1-11. [English summary.]
- 1441.—Slack, H. G. B. Metabolism of elastin in the adult rat. Nature, Lond. 174 1954: 512-513.
- 1442.—Slijper, E. J. On the importance of measuring the thickness of the layer of blubber in whales. Norsk. Hvalfangsttid. 43 1954: 510-516 2 figs.

Slizynski, B. M. see Falconer.

- 1443.—Sluiter, J. W. Sexual maturity in bats of the genus *Myotis*. II. Females of *M. mystacinus* and supplementary data on female *M. myotis* and *M. emarginatus*. Proc. Acad. Sci. Amst. **57C** 1954: 696-700 14 figs.
- 1444.—Sluiter, J. W. and Heerdt, P. F. van. Waarnemingen over de verspreiding van enige vleermuissoorten in Midden-Nederland. Levende Nat. 57 1954: 15–18, 35–38 map.
- 1445.—Sluiter, J. and Heerdt, P. F. van. Het voorkomen van de vole vleermuis in Nederland. Levende Nat. 57 1954: 75-78 1 fig.

1446.—Sluiter, J. W. and Heerdt, P. F. van. Waar blijven de Zuid-Limburgse vleermuizen des zomers? Levende Nat. 57 1954: 229–232.

Sluiter, J. W. see Heerdt.

Sluys, G. K. van der see Husson.

- 1447.—Smith, A. V., Lovelock, J. E. and Parkes, A. S. Resuscitation of hamsters after supercooling or partial crystallization at body temperatures below 0°C. Nature, Lond. 173 1954: 1136-1137.
- 1448.—Smith, D. E., Lewis, Y. S. and Svihla, G. Prolongation of clotting time in the dormant bat (Myotis lucifugus). Experientia 10 1954: 218.
- 1449.—Smith, E. Studies on the lifehistory of non-cave-dwelling bats in Northeastern Ohio. Ohio J. Sci. 54-1954: 1-12 3 figs.
- 1450.—Smith, J. W. The elastic properties of the anterior cruciate ligament of the rabbit. J. Anat., Lond. 88 1954: 369-380 1 pl. 2 figs.

Smith, P. see Hoecker.

- 1451.—Smith, W. W. Reproduction in the house mouse Mus musculus L., in Mississippi. J. Mammal. 35 1954: 509.515
- 1452.—Snell, G. D., Dickie, M. M., Smith, P. and Kelton, D. E. Linkage of loop-tail, leaden, splotch and fuzzy in the mouse. Heredity 8 1954: 271— 273.
- 1453.—Snyder, D. P. Skull variation in the meadow vole (*Microtus p. pennsylvania*.) in Pennsylvania. Ann. Carnegie Mus. 33 1954: 201–234 7 figs.

Sobey, S. see Fraser.

- 1454.—[Sokolov, I. I.] [Natural classification of Bovidae.] Trav. Inst. zool. Acad. Sci. U.R.S.S. 14 1954; 3—295 22 pls. 39 figs. [In Russian.]
- 1455.—[Sokolov, V. E.] [New species of field vole in the U.S.S.R.] Zool. Zh., Moscow 33 1954: 947-950 2 figs. [In Russian.]
- 1456.—[Sokolovskaya, I. I. and Drozdova, L. P.] [On some problems regarding the fertilization of animals.] J. gen. Biol., Moscow 15 6 1954: 439—445 7 figs. [In Russian.]

Somers, M. see Moir.

- 1457.—Sorsby, A. and Davey, J. B. Ocular associations of dappling (or merling) in the coat colour of dogs. I. Clinical and genetical data. J. Genet. 52 1954: 425-440.
- 1458.—Sorsby, A. and others. Retinal dystrophy in the mouse: histological and genetic aspects. J. exp. Zool. 125 1954: 171-197 20 figs.
- 1459.—Southern, H. N. The study of British small mammals. Bull. Mammal. Soc. Brit. Is. 1 1954: 6-8.
- 1460.—Southern, H. N. Key to identification of small mammal skulls in owl pellets. Bull. Mammal. Soc. Brit. Is. 2 1954: 14.
- 1461.—Southern, H. N. House mice and men. Ctry. Life, Lond. 116 1954: 1060-1062 8 figs.
- 1462.—Southern, H. N. A year of rabbit plague. Ctry. Life, Lond. 116 1954: 1948–1949 3 figs.

Southern, H. N. see Chitty.

- 1463.—Southwick, C. H. Canine teeth in a Wisconsin white-tailed deer fawn. J. Mammal. 35 1954: 456-457.
- 1464.—Sowerby, A. de C. No longer a mystery—the range of Father David's Deer. Anim. Kingd. 57 1954: 83–85 2 figs. 1 map.
- 1465.—Spahni, J.-C. Une grotte à Ursus spelaeus, à Tanaz sur Vouvry (Valais). Bull. Murith. No. 66 1949: 73-77.

Sparrow, E. M. see Billingham.

1466.—Spatz, H. Das Hypophysen-Hypothalamus-System in seiner Bedeutung für die Fortpflanzung. Verh. anat. Ges. Jena 51 1954: 46-86 19 figs.

Speaker, E. B. see Sanderson.

Spencer, D. L. see Buckley.

1467.—S[pencer], H. E. P. The new telephone exchange, Ipswich. Trans. Suffolk Nat. Soc. 8 [1954]: 194–195.

Spicer, C. C. see Fraser.

1468.—Spiegel, A. Beobachtungen und Untersuchungen an Javamakaken, Zool, Gart., Lpz. 20 1954: 227-270 24 figs.

Sprankel, H. see Schmidt.

1469.—Spring, R. Temporo-mandibular meniscectomy in rabbits. J. Anat., Lond. 88 1954: 514-519 1 pl.

- 1470.—Srivastava, S. C. Contributions to our knowledge of the structure of the placenta of *Panthera tigris tigris* (Linn). Agra. Univ. J. Res. Sci. 1 1952; 37–45 10 figs.
- 1471.—Staats, J. A classified bibliography of inbred strains of mice. Science 119 1954: 295–296 1 fig.
- 1472.—Stach, J. Nyctereutes (Canidae) w pliocenie Polski. Studia nad trzeciorzedowa fauna brekcji kostnej w miejscowosci Weze kolo Działoszyna. Czesc IV. Acta Geol. Polon. 4 1954: 191–206 2 pls. 1 fig. [Polish with English summary.]
- 1473.—Stahl, A. and Seite, R. Cytologie des cellules nerveuses de l'hypothalamus. Pubbl. Staz. zool. Napoli 24 Suppl. 1954: 24.
- 1474.—Stains, H. J. and Baker, R. H. Deciduous teeth in the hognose bat. Choeronycteris mexicana. J. Mammal. 35 1954: 437-438.

Stains, H. J. see Rainey.

- 1475.—[Stakhovski, V. V.] [Improved trap for catching small mammals.] Bull. Soc. Nat. Moscow biol. 59 5 1954: 96 fig. [In Russian.]
- 1476.—Stallup, W. B. Weight-carrying ability of the red bat. Field & Lab. 22 1954: 82.
- 1477.—Starck, D. Morphologische Untersuchungen am Kopf der Säugetiere, besonders der *Prosimier*, ein Beitrag zum Problem des Formwandels des Säugerschädels. Z. wiss. Zool. 157 1954: 169–219 16 figs.
- 1478.—Starrett, A. Longtail shrew, Sorex dispar, in Maine. J. Mammal. 35 1954: 583-584.
- 1479.—Stegeman, L. C. Variation in a colony of little brown bats. J. Mammal. 35 1954: 111-113.
- 1480.—Stegeman, L. C. Notes on the development of the little brown bat Myotis lucifugus lucifugus. J. Mammal. 35 1954: 432-433.
- 1481.—Stein, G. H. W. Materialien zum Haarwechsel deutscher Insectivoren, Mitt. zool. Mus. Berl. 30 1954: 12-34.
 - 1482.—Steinbacher, G. Zur Biologie des europäischen Wildschweins, Sus scrofa Linné, 1758. Säugetierk. Mitt. 2 1954: 126.

- 1483.—Steinbacher, G. Zur Psychologie der Gross-Säuger. Säugetierk. Mitt. 2 1954: 174-176.
- 1484.—Steiner, P. E. Anatomical observations in a Gorilla gorilla. Amer. J. phys. Anthrop. 12 1954; 145-180 18 figs.
- 1485.—Steiniger, F. Rattenbiologie und Rattenbekämpfung, einschiesslich der Toxikologie gebrauchlicher Rattengifte. Stuttgart (Ferdinand Enke) 1952: vii + 149 33 figs. [N.V.]
- 1486.—Steiniger, F. Über das Anlochen von Ratten durch Pfeiftöne. Z. Tierpsychol. 11 1954: 141-143.
- 1487.—Stellar, E. and Krause, N. P. New stereotaxic instrument for use with the rat. Science 120 1954: 664-665 1 fig.
- 1488.—Stepanek, O. Klic Nasich Obratlovcu [Key to Czech vertebrates]. Orbis-Praha 1950: pp. 250 113 figs.
- 1489.—Stephan, H. Vergleichendanatomische Untersuchungen an Hirnen
 von Wild- und Haustieren. III. Die
 Oberflächen des Allokortex bei Wildund Gefangenschaftsfüchsen. Biol.
 Zbl. 73 1954: 96-115 4 figs.
- 1490.—Stephan, H. Die Anwendung der Snell'schen Formel $h=K^g$, p auf die Hirn-Körpergewichtsbeziehungen bei verschiedenen Hunderassen. Zool. Anz. 153 1954: 15–27 3 figs.
- 1491.—Stephens, M. Otter research. Oryx 2 1954: 320-324 1 fig.

Stephenson, S. K. see Dry.

- 1492.—Stevenson, J. R. and Walker, Jr., W. F. A case of atresia of the ileum with a divided kidney in the foetal pig. Anat. Rec. 118 1954: 211– 214 1 fig.
- 1493.—Stevenson-Hamilton, J. Specimen of the extinct Cape lion (further note). Afr. wild Life 8 1954: 187-189 1 fig.
- 1494.—Steyn, T. J. The breeding of lions in captivity. Fauna & Flora, Pretoria No. 2 1951: 36-55 figs.
- 1495.—Stickel, L. F. A comparison of certain methods of measuring ranges of small mammals. J. Mammal. 35 1954: 1-15 5 figs.

- 1496.—Stieve-Miegel, B. Über Superfetation bei der Bisamratte (Ondatra zibethica L.). Z. mikr-anat. Forsch. 61 1954: 82–92 4 figs.
- 1497.—Stirton, R. A. Late Miocene mammals from Oaxaca, Mexico. Amer. J. Sci. 252 1954; 634-638 2 figs.
- 1498.—Stoch, Z. G. The male genital system and reproductive cycle of *Elephantulus myurus jamesoni* (Chubb). Phil. Trans. 238B 1954: 99-126 1 pl. 4 figs.

Stockley, C. H. see Hill.

- 1499.—Stolk, A. Some inflammations in Whales. II. Proc. Acad. Sci. Amst. 576 1954: 254–257 6 figs.
- 1500.—Stolk, A. A new case of hepatic cirrhosis in the blue whale Balænoptera musculus (L.). Proc. Acad. Sci. Amst. 57C 1954: 258–260 8 figs.
- 1501.—Stott, K. Northern fur seal ashore in San Diego, California. J. Mammal. 35 1954: 258.
- 1502.—Strauss, F. and Bracher, F. Das Epoophoron des Goldhamsters. Rev. suisse Zool. 61 1954: 494-503 9 figs.

Strauss, F. see Bloch.

- 1503.—Straus, W. L. The great Piltdown hoax. Science 119 1954: 265– 269.
- 1504.—Straus, W. L. Fire and the Australopithecines. Science 120 1954: 356-357.
- 1505.—Streb, J. M. Prefontal lobotomy and anxiety reduction in the white rat. J. sci. Labs. Denison Univ. 43 1954: 145-154 1 fig.

Strecker, R. L. see Morrison.

1506.—Street, P. Deer at Whipsnade. Ctry. Life, Lond. 116 1954: 34–35 4 figs.

Strelina, E. D. see Rall.

- 1507.—Sugiyama, S. Studies of the histogenesis of the thyroid gland of the guinea pig. I. The thyroid cells (follicle cells and parafollicular cells).

 Anat. Rec. 120 1954: 363-377 8 figs.
- 1508.—Sugiyama, S. & Sato, T. Studies of the histogenesis of the thyroid gland of the guinea pig. II. Quantitative measurements of the follicles and correlation with function. Anat. Rec. 120 1954: 379-393 5 figs.

- 1509.—Sullivan, B. J. and Mullen, J. T. Effects of environmental temperatures on oxygen consumption in Arctic and temperate-zone mammals. Physiol, Zoil. 27 1954: 21–28 I fig.
- 1510.—Suomalainen, H. O. T. The effect of cestrogenic hormones on the mast cells in the mouse uterus. Ann. 2001. Soc. 2001.-bot. Vanamo 16 1954: 1-30 1 pl.
- 1511.—Suomalainen, H. O. T. Occurrence and significance of metachromatic substances in growing tissues. Studies on the reproductive organs of the female mouse. Ann. zool. Soc. zool.-bot. Vanamo 16 No. 10 1954: 1-37 2 pls.
- 1512.—Suomalainan, P. Further investigations on the physiology of hibernation. S.B. finn. Akad. Wiss. 1953 (1954): 131-144 2 figs.
- 1513.—Suzuki, A. On the census of coat colors in cat. Misc. Rep. Yamashina Inst. Orn. Zool. No. 3 1953: 125–126. [Japanese with English res.]
- 1514.—Svenson, G. De vita ülgarma i Kronobergs län. Fauna og Flora 49 1954: 177–182 2 figs.
- 1515.—Svihla, A. and Bowman, H. S. Hibernation in the American black bear. Amer. Midl. Nat. 52 1954; 248–252.

Svihla, G. see Smith.

1516.—[Sviridenko, P. A.] [The mode of seeking food in the soil by rodents and their conditioned responses to non-food odours. Zool. Zh., Moscow 33 1954: 876–888 l fig. [In Russian.]

Swartz, G. E. see Celestino.

Sykes, J. F. see Moss.

1517.—Sykes, R. L. and French, M. H. The effect of certain drying conditions on the putrefaction of cattle hides and goatskins. Colon. Pl. Anim. Prod. 4 1954: 187-199.

Synge, R. L. M. see Annison.

Synge, R. L. M. see Chalmers.

- 1518.—Szabo, G. Studies on the cultivation of teeth in vitro. J. Anat., Lond. 88 1954: 31-44 3 pls.
- 1519.—Taber, R. D. and Dasmann, R. F. A sex difference in mortality in young Columbian black-tailed deer. J. Wildlife Mgmt. 18 1954; 309-315.

- 1520.—Taddei, A. Bicerche istologiche sulla ghiandola carotidea durante la gravidanza. Osservazioni su Bos taurus L. Mem. Soc. tose. Sci. nat. 56B 1949: 31-39.
- 1521.—Taitz, L. S. Chromosomes of the white-tailed rat (*Mystromys abicaudatus*, Wagner, 1841). S. Afr. J. Sci. 51 1954: 143-148 2 figs.
- 1522.—Takai, F. A summary of the mammalian faunae of eastern Asia and the interrelationships of continents since the Mesozoic. Proc. 7th Pan Pacif. sci. Congr. 2 1953: 289–301.
- 1523.—Takashima, H. Considerations on the change of animal life in Japan. Misc. Rep. Yamashina Inst. Orn. Zool. No. 3 1953: 87–97 3 figs. [Japanese with English rés.]
- 1524.—Takashima, H. Considerations on the change of animal life in Japan. II. Misc. Rep. Yamashina Inst. Orn. Zool. No. 4 1954: 146–155. [Japanese with English summary.]
- 1525.—Talmage, R. V. and Buchanan, G. D. The armadillo (Dasypus novem-cinctus)—a review of its natural history, ecology, anatomy and reproductive physiology. Rice Inst. Pamphlet 41 2 1954: viii + 1-135 2 pls.
- 1526.—Talmage, R. V. and others. The presence of a functional corpus luteum during delayed implantation in the armadillo. J. Endocrin. 11 1954: 44-49 l pl.

Talmage, R. V. see Buchanan.

- 1527.—Tamate, H. Histologica studies of glycogen in the hair of mammals. Tohoku J. agric. Res. 1 1950: 161-1673 figs.
- 1528.—Tamate, H. Appearance of glycogen in skin and hair of mammal embryos. Tohoku J. agric. Res. 1 1950: 169-175 4 figs.
- 1529.—Tamino, G. Rinvenimento di una Globicephala sul lido di Castelporziano (Roma). Boll. Zool. 20 1953: 13-16 2 pls. 1 fig.
- 1530.—Tamino, G. Ricupero di un Grampus liscus (sic.) (Cuv.) arenato sul lido di Ladispoli (Roma) il 5 aprile del 1953. Boll. Zool. 20 1953: 45-48 3 pls. 1 fig.

1531.—Tamino, G. Ricupero di una Balenottera arenata sul Lido di Salerno il 10 Febbraio 1953. Boll. Zool. 20 1953: 51-54 2 pls. 1 fig.

62

- 1532.—Tamino, G. Note anatomofunzionali sui Cetacei. I. Osservazioni sul nuoto di *Grampus griseus* (Cuv.). Boll. Zool. 20 1953: 107–113 3 pls.
- 1533.—Tamino, G. Note sui Cetacei VIII. Rinvenimento di una giovane Balenottera arenata sulla spiaggia dei Maronti (Isola d'Ischia), il 16 Novembre 1953. Atti Soc. Sci. nat. 92 1953: 123— 126 2 pls. [English summary.]
- 1534.—Tamino, G. Note sui Cetacei. VI. Sullo scheletro di una Globicephala del Museo di Roma, con particolari considerazioni sul cranio di questa e di altre specie di cetacei e di diversi mammiferi. Atti Soc. Ital. Mus. Civ. Stor. Nat. Milano 93 1954: 489-537 17 figs.
- 1535.—Tamsitt, J. R. The mammals of two areas in the Big Bend region of Trans-Pecos Texas. Tex. J. Sci. 6 1954: 33-61 1 fig.
- 1536.—Tankerville, Earl of. Chillingham wild cattle. Ctry. Life, Lond. 115 1954: 689.
- 1537.—Tanner, J. M. and Burt, A. W. A. Physique in the infra-human Mammalia: a factor analysis of body measurements of dairy cows. J. Genet. 52 1954; 36-51 1 fig.

Tashian, R. E. see Kuns.

- 1538.—Tate, G. H. H. Notes on mammalian distribution in the Cape York Peninsula. Proc. 7th Pacif. Sci. Congr. 4 1953: 32–38.
- 1539.—Tate, G. H. H. A new squirrel from Burma. Amer. Mus. Novit. No. 1676 1954: 1-2.
- 1540.—Tate, G. H. H. On Cebus apella (Linnaeus), with a note on Cebus capucinus (Linnaeus). J. Mammal. 35 1954: 415-418 1 pl.
- 1541.—Taylor, E. L. Grazing behaviour and helminthic disease. Brit. J. Anim. Behav. 2 1954: 61-62.

Taylor, J. I. see Harker.

1542.—Taylor, W. P. Food habits and notes on life history of the ring-tailed cat in Texas. J. Mammal. 35 1954: 55-63.

- 1543.—Taylor Page, F. J. The wild deer of East Anglia. Trans. Norfolk Norw. Nat. Soc. 17 1954: 316-321.
- 1544.—Tegner, H. Massive red deer heads. Naturalist No. 851 1954: 148– 149 2 figs.
- 1545.—Tegner, H. Malformed antlers. Ctry. Life, Lond. 116 1954: 577 photo.
- 1546.—Tegner, H. Anything known? Field. 203 1954: 61 photo.
- 1547.—Tegner, H. Coalesced roe heads. Field, 203 1954; 453.
- 1548.—Tegner, H. A head for Düsseldorf. Field. 204 1954: 577 fig.
- 1549.—Tegner, H. A plea for British roe buck. Field. 204 1954: 668 1 fig.
- 1550.—Tegner, H. Stalking the fallow buck. Field. 204 1954: 1128 2 figs.
- 1551.—Tembrock, G. Rotfuchs und Wolf, ein Verhaltensvergleich. Z. Säugetierk. 19 1954: 152-159 1 pl. 10 figs.
- 1552.—Tener, J. S. A preliminary study of the musk-oxen of Fosheim Peninsula, Ellesmere Island, N.W.T. Wildl. Mgmt. Bull. Can. (1) No. 9 1954: 1-34 7 figs.
- 1553.—Tenius, K. Bemerkungen zu den Säugetieren Niedersachsens. Beitr. Naturh. Niedersachs. 7 1954: 1-8, 33-40, 65-78.
- 1554.—[Teplov, V. P.] [Influence of protection on economic mammals in Petchora Tayga.] Nasimovich, A.A., Ed. Reorg. vert. fauna U.S.S.R. (Biotech. measures) Moscow 1953: 70-79. [In Russian.]
- 1555.—[Teplov, V. P.] [Estimate of rapacious activity of brown bear.] (Material collected in game reserves.) Nasimovich, A. A., Ed. Reorg. vert. fauna U.S.S.R. (Biotech. measures) Moscow 1953: 153–166. [In Russian.]
- 1556.—[Teplov, V. P.] [The ratio of sexes in wild mammals.] Zool. Zh., Moscow 33 1954: 174-179. [In Russian.]

Terio, B. see Martino.

1557.—Theiler, K. Die Entstehung von Spaltwirbeln bei Danforth's Shorttail Maus. Acta anat. 21 1954: 259–282 17 figs.

- 1558.—Thenius, E. Ergebnisse der Bearbeitung der alpleistozänen Caniden von Hundsheim in Nieder sterreich. Anz. Akad. Wiss. Wien 90 1953: 258– 250
- 1559.—Thenius, E. Die Caniden (Mammalia) aus dem Altquartär von Hundsheim (Nieder"sterreich) nebst Bemerkungen zur Stammesgeschichte der Gattung Cuon. Neues Jb. Geol. Pal. Abh. 99 1954: 230–286 33 figs.
- 1560.—Thenius, E. Zur Abstammung der Rotwölfe (Gattung Cuon Hodgson). Öst. zool. Z. 5 1954: 377–387 2 figs.
- 1561.—Thenius, E. Die Bedeutung, von Austriacopithecus Ehrenberg für die Stammesgeschichte der Hominoides. Anz. öst. Akad. Wiss. 91 1954: 191–196.

Thenius, E. see Papp. .

- 1562.—Théobald, N. and Firtion, F. Découvertes paléontologiques dans la plaine alluviale du Rhin à Worth en Palatinat. Ann. Univ. saraviensis. Naturw. 2 1953: 177-185 3 pls.
- 1563.—Théodoridès, J. Statistique du parssitisme par helminthes chez Miniopterus schreibersi Natt. (Chiroptera Vespertillonidae). Vie et Milieu 4 1954: 127-129.

Thomas, B. H. see Cheng.

- 1564.—Thompson, G. H. Animal populations and forestry. Nature, Lond. 174 1954: 813–815.
- 1565.—Thompson, H. V. The rabbit disease: myxomatosis. Ann. Appl. Biol. 41 1954: 358-366 1 fig.
- 1566.—Thompson, H. V. Myxomatosis of rabbits. Agric. (J. Min. Agric.) Lond, 60 1954: 503-508.
- 1567.—Thompson, H. V. Myxomatosis: recent developments. Agric. (J. Min. Agric.) Lond. 61 1954: 317-321.
- 1568.—Thompson, H. V. and Armour, C. J. Methods of marking wild rabbits. J. Wildlife Mgmt. 18 1954: 411-413 2 figs.

Thompson, H. V. see Church.

Thompson, H. V. see Ritchie.

1569.—Thomson, A. P. D. The onset of cestros in normal and blinded ferrets. Proc. roy. Soc. 142B 1954: 126-1351 fig.

1570.—Thomson, A. P. D. and Zuckerman, S. The effect of pituitary-stalk section on light-induced cestrous in ferrets. Proc. roy. Soc. 142B 1954: 437-451 6 pls.

Thomson, A. P. D. see Abrams.

- 1571.—Thomson, J. H. Vole damage to trees. Scot. For. 7 1953: 111.
- 1572.—Ticehurst, N. F. Notes on the local fauna and flora for 1953. Hastings Nat. 8 3 1954: 89-101 (Mammals p. 89).

Tiegs, O. W. see Agar.

- 1573.—[Tikhonov, V. N.] [Formation of skeleton in pig in the period of embryonic development.] Latv. P.S.R. Zinat. Akad. Vestis 2 (79) 1954: 73–82 3 diagms. [In Russian, Latvian summary.]
- 1574.—Till, C. E. White-tailed deer in Colorado. J. Mammal. 35 1954: 269.
- 1575.—Tiner, J. D. The fraction of *Peromyscus leucopus* fatalities caused by raccoon ascarid larvae. J. Mammal. 35 1954: 589-592.

Tischendorf, F. see Curri.

- 1576.—Tobias, P. V. The sex-chromosomes of the gerbil, *Tatera brantsii* draco. S. Afr. J. Sci. 50 1954; 228-254 2 pls. 23 figs.
- 1577.—Tobien, H. Nagerreste aus dem Mitteleozän von Messel bei Darmstadt. Notizbl. hess. Landesamt. Bodenforsch. 82 1954: 13–29 2 pls. 2 figs.
- 1578.—Tobien, H. Jungtertiäre Wirbeltiere vom Höwenegg-Hegau. Umschau 54 1954: 559-561 figs.

Tobien, H. see Simpson.

1579.—[Tomilin, A. G.] [Adaptable types of Cetacea (contribution to the problem of ecological classification of Cetacea).] Zool. Zh., Moscow 33 1954: 677-692 2 figs. [In Russian.]

Tomlinson, J. D. W. see Harrison.

- 1580.—Tong, E. H. Report from Whipsnade. Zoo Life, Lond. 9 1954: 58-62 4 figs.
- 1581.—Torii, H. Fauna der Ryugado Sinterhöhle in Kochi Präfektur. (Die Berichte der speläobiologischen Expeditionen VI). Annot. zool. jap. 26 1953: 246–255 5 figs.

1582.—Toschi, A. Sul popolamento della Marmotta (*Marmota marmota marmota* L.) nelle Alpi italiane. Ric. Zool. Appl. Cacc. Univ. Bologna 24 1954: 1-40 2 figs.

64

- 1583.—Townsend, A. C. Mr. A. de C. Sowerby. Nature, Lond. 174 1954: 723.
- 1584.—Tratz, E. P. Chronologie der Erforschung und Gefangenhaltung des Gorillas. Zool. Gart., Lpz. 20 1953: 163-170.
- 1585.—Tratz, E. and Heck, H. Der afrikanische Anthropoide "Bonobo," eine neue Menschenaffengattung. Säugetierk. Mitt. 2 1954: 97–101 6 figs.
- 1586.—Trevisan, L. Lo scheletro di Elephas antiquus italicus di Fonte Campanile (Viterbo). Palaeont. Ital. 44 1 1954: 1-78 5 pls. 47 figs.
- 1587.—Tribe, D. E. The influence of exercise on the selection of food by rats. Brit. J. Anim. Behav. 2 1954: 140-143.
- 1588.—Trippensee, R. E. Wildlife management. 2. Furbearers, waterfowl and fish. New York (McGraw Hill). 1953: xii + 572 ill. [N.V. Review J. Mammal. 36 1955: 148-149.]
- 1589.—Tromba, F. G. Some parasites of the hoary bat *Lasiurus cinereus* (Beauvois). J. Mammal, 35 1954: 253-254.
- 1590.—Troughton, E. The marsupial "tiger cat." Aust. Mus. Mag. 11 1954: 168-170 figs.
- 1591.—Troughton, E. The marsupial "tiger cat" birth and growth in captivity. Aust. Mus. Mag. 11 1954: 200-202 4 figs.
- 1592.—Truslove, G. M. Genetical studies on the skeleton of the mouse. V. 'Interfrontal' and 'parted frontals.' J. Genet. 51 1952: 115-122 4 figs.
- 1593.—Truslove, G. M. Genetical studies on the skeleton of the mouse. XIII. Variations in the presphenoid. J. Genet. 52 1954: 589-602 7 figs.
- 1594.—Tuchmann-Duplessis, H. and Bortolami, R. Les constituants histochimiques de l'allentoplacenta du lapin. Bull. Micr. appl. (2) 4 1954: 73–88 2 pls.
- 1595.—Tucker, R. Studies in functional and analytical craniology. I. The elements of analysis. Aust. J. Zool. 2 1954: 381–390 24 figs.

1596.—Tucker, R. Studies in functional and analytical craniology. II. The functional classification of mammalian skulls. Aust. J. Zool. 2 1954: 391-398 1 pl. 4 figs.

[1954]

- 1597.—Tucker, R. Studies in functional and analytical craniology. III. The breviarcuate skull and its analysis. Aust. J. Zool. 2 1954: 399–411 2 pls. 13 figs.
- 1598.—Tucker, R. Studies in functional and analytical craniology. IV. More extreme forms of the breviarouate skull. Aust. J. Zool. 2 1954 412–417 2 pls. 4 figs.
- 1599.—Tucker, R. Studies in functional and analytical eraniology. V. The functional metamorphoses of the carnivorous skull. Aust. J. Zool. 2 1954: 418–426 14 figs.
- 1600.—Tucker, R. Studies in functional and analytical craniology. VI. Strains and the directions of certain vectors in the breviarcuate skull. Aust. J. Zool. 2 1954: 427-430 1 pl. 4 figs.
- 1601.—Tucker, R. Pronounced parameral differentiation in the wombat (*Lasiorhinus*). Proc. roy. Soc. Vict. 65 1954: 71-74 1 pl.
- 1602.—[Tupikova, N. V. and Kulik, I. L.] [Diurnal activity of mice and its geographical variation.] Zool. Zh., Moscow 33 1954: 433-441 5 figs. [In Russian.]
- 1608.—Turbang, J. Au sujet d'un nouveau représentant du genre Capreolus en Belgique: le Chevreuil de Sibérié (Capreolus pygargus Pall.). Bull. Instagric. Gembloux 21 1953: 171–175 8 fgs.
- 1604.—Turček, F. J. A contribution to the ecology of some small mammals in Slovakia. Mém. Soc. zool. tchéosl. 15 1951: 515–553. [Czech with English summary.]
- 1605.—Turček, F. J. Ecological analysis of the bird and mammalian population of a primeval forest on the Pol'ana mountain (Slovakia). Bull. int. Acad. Prague 53 1953: 81-105 8 pls. II figs.
- 1606.—Turpin, R. and Lejeune, J. Analogies entre le type dermatoglyphique palmaire des singes inferieurs et celui des enfants atteints de mongolisme. C.R. Acad. Sci. Paris 238 1964: 395-397.

- 1607.—Tusques, J. Ouverture palpebrale et developpement du globe oculaire sous l'action de la thyroxine chez la Taupe (*Talpa europaea L.*). C.R. Acad. Sci. Paris 238 1954: 2562–2564 1 fig.
- 1608.—Tweedie, M. W. F. The Stone Age in Malaya. J. Malay. Br. Asiat. Soc. 26 1953: 1-90 10 pls. 50 figs.
- 1609.—Tweedie, M. W. F. and Harrison, J. L. Malayan Animal Life. London (Longmans Green and Co.) 1954: ix + 237 154 figs. [Mammals pp. 1-30.]
- 1610.-Tyzowsky, A. Das Wesen des "Typus" bei den Säugetieren. Verh. Zool.-bot. Ges. Wien 93 1954: 72-80 3 figs.
- 1611.—Uchida, T. Studies in the embryology of the Japanese house bat Prinistrellus tralatitus abramus (Temminck). I. On the period of gestation and the number of litter. Sci. Bull. Fac. Agric. Kyushu Univ. 12 1 1950: 11-14.
- 1612.—Udagawa, T. The gem-faced civet occurring in the central part of Honshu. Misc. Rep. Yamashina Inst. Orn. Zool. No. 4 1954: 174-175. [Japanese with English summary.]
- 1613.—Ullrich, H. Brunft, Tragzeit und Umwelt. Zool. Gart., Lpz. 20 1953: 153-159.
- 1614,—Ullrich, W. Das Verhalten des Schimpansen, Pan tr. troglodytes (Blumenbach, 1799) beim Sprung. Säugetierk. Mitt. 2 1954: 125–126 3 figs.
- 1615.—Ullrich, W. Zur Frage des Sichselbstbespuckens bei Säugetieren. Z. Tierpsychol. 11 1954: 150.
- 1616.—Urbain, A. Biologie de l'Oryotérope. Misc. Zool. H. Schouteden, Ann. Mus. Roy. Congo Belge (N.S.) Sci. Zool. 1 1954: 101–105 2 figs.
- 1617.—Urbain, A., Nouvel, J., Ballier, P. and Rinjard, J. Rapport sur la mortalité et la natalité enregistrées au Pare Zoologique du Bois de Vincennes pendant l'année 1953. Bull. Mus. Hist. nat. Paris (2) 26 1954: 171-187.
- 1618.—[Ushkov, S. L.] [Migrations of roe-buck in Southern Ural.] Bull. Soc. Nat. Moscow biol. 59 5 1954: 9-12. [In Russian.]

- 1619.—Vallée, L. Migration du rat musqué (Fiber zibethicus Gmel.) dans le département de la Mayenne. Bull. Soc. zool. Fr. 79 1954: 105–108 1 fig.
- 1620.—Vallois, H. V. La capacité crânienne chez les primates supérieurs et le "Rubicon cérébral." C.R. Acad. Sci. Paris 238 1954: 1349-1351.
- 1621.—Vanden Eeckhoudt, J. P. Quelques aspects de la faune provençale (Mammifères-Reptiles-Batraciens-Insèctes-Mollusques). Nat. belges 35 1954: 81-103 9 figs.
- 1622.—Vanden Eeckhoudt, J.-P. Faune élémentaire des mammifères de Belgique. Nat. belges 35 1954: 3-50 19 figs.
- 1623.—Van der Bijl, W. and Harrison, J. L. Moonlight and the pregnancy of Malayan forest rats. Nature, Lond. 173 1954: 1002-1003.
- 1624.—Van der Horst, C. J. Elephantulus going into anoestrus; menstruation and abortion. Phil. Trans. 238B 1954: 27-61 53 figs.
- 1625.—Van der Merwe, N. J. The black-backed jackal and natural balance. Fauna & Flora, Pretoria No. 3 1953: 28-33.
- 1626.—Van der Merwe, N. J. The coyote and the black-backed jackal. A comparison of certain similar characteristics. Fauna & Flora, Pretoria No. 3 1953: 44-51 2 figs.
- 1627.—Van der Merwe, N. J. The jackal. Fauna & Flora No. 4 1953: 3—8 2 figs.
- 1628.—Van Gelder, R. G. and Hoffmeister, D. F. Canine teeth in whitetailed deer. J. Wildlife Mgmt. 17 1953: 100 1 fig.
 - Vangstein, E. see Jahn.
- 1629.—Van Reen, R. and Pearson, P. B. Nutritional studies with the white-throated wood rat (Neotoma mexicana). Science 120 1954: 571-573.
- 1630.—Van Wagenen, G. and Simpson, M. E. Testicular development in the Rhesus monkey. Anat. Rec. 118 1954: 231–251 23 figs.
- 1631.—[Varshavski, S. N. and Shilov, M. N.] [Calculation of the populations of colonies of Rhombomys opimus from the car and some results of its practical application.] Bull. Soc. Nat. Moscow biol. 59 3 1954: 37-48. [In Russian.]

1632.—Vaughan, T. A. A new subspecies of bat (*Myotis velifer*) from Southeastern California and Arizona. Publ. Mus. nat. Hist. Univ. Kansas 7 1954: 507-512.

66

- 1633.—Vaughan, T. A. Mammals of the San Gabriel mountains of California. Publ. Mus. nat. Hist. Univ. Kansas 7 1954: 513—582 4 pls. 1 fig.
- 1634.—Vaughan, T. A. and Krutzsch, P. H. Seasonal distribution of the hoary bat in southern California. J. Mammal. 35 1954: 431–432.

Vaughan, T. A. see Findley.

- 1635.—Velich, R. Notes on mammals from eastern Nebraska. J. Mammal. 35 1954: 429–430.
- 1636.—Venge, O. A simplified method for spreading the chromosomes in the rabbit blastocyst. Nature, Lond. 174 1954: 608 1 fig.
- 1637.—Venters, H. D., Hoffert, W. R. Scatterday, J. E. and Hardy, A. V. Rabies in bats in Florida. Amer. J. publ. Hlth. 44 1954: 182-185.
- 1638.—[Vereshchagin, N. K.] [History of Pleistocene and Holocene mammalian fauna in the middle course of Ural River.] Bull. Comm. Study Quatern. Period, Moscow (Acad. Sci. U.S.S.R.) 18 1953: 39-50 3 figs. [In Russian.]
- 1639.—[Vereshchagin, N. K.] [Poephagus baikalensis N. Ver., spec. nova from Pleistocene fauna of eastern Siberia.] C.R. Acad. Sci. URSS n.s. 99 1954: 455–458 pl. [In Russian.]
- 1640.—[Vereshchagin, N. K. and Gromov, I. M.] [The collection of remains of higher vertebrates of the Quaternary period.] Workers Handbook Series, Zool. Inst. Acad. Sci. URSS 20 1953: 1-36 9 figs.
- 1641.—Verhaart, W. J. C. Fiber tracts and fiber patterns in the anterior and the lateral funiculus of the cord in *Macaca ira*. Acta anat. 20 1954: 330–373 38 figs.
- 1642.—Verhey, C. J. Contribution à la connaissance des mammifères du Biesbosch, de l'ile de Dordrecht et des environs. Mammalia, Paris 18 1954: 405-419 2 maps.
- 1643.—Verheyen, R. Contribution à l'ethologie du buffle noir *Bubalus caffer* (Sparrman). Mammalia, Paris 18 1954: 364-370.

- 1644.—Verheyen, R. Monographie éthologique de l'hippopotame (*Hippopotamus amphibius* Linné). Inst. Parcs. Nation. Congo Belge (Explor. Parc Nation. Albert), Brussels 1954: 1-91 31 figs.
 - Vervoort, W. see Dissel-Scherft.
- 1645.—Vesey-Fitzgerald, D. F. Wild life in Kenya—a consideration of animals and their habitats. Oryx 2 1954: 286-293 map.
- 1646.—Vesey-Fitzgerald, D. F. Wild life in Tanganyika—a consideration of animals and their habitats. Oryx 2 1954: 357-365 l pl. l map.
- 1647.—Vesey-Fitzgerald, D. F. Ordeal by drought. Field, Lond. 203 1954: 351 2 figs.
- 1648.—Vialli, V. Un nuevo scheletro di Orso delle caverne del Museo Civico di Storia Naturale di Milano. Natura, Milano 45 1954: 38–42 1 fig.
- 1649.—[Vialov, O. S. and Flerov, K.K.] [New vertebrate tracks in the Dobrotovsk beds of Precarpathia.] C.R. Acad. Sci. URSS n.s. 90 (3) 1953: 465-467 figs.
- 1650.—Vidović, V. and Popović, V. The role of the adrenals and thyroid during winter sleep of the ground squirrel. Arh. biol. Nauk 5 1953: 171–189 4 figs. [English summary.]
- 1651.—Vietinghoff-Riesch, A. F. v. Einmieter im Steinkruger Versuchsrevier für Vogelschutz während des Sommers und Herbstes 1953. Beitr. Naturk, Niedersachs, 7 1954: 8-10.
- 1652.—Villa R., B. Nota acerca de los murcielagos del Museo Alfredo Duges. Rev. Soc. Mex. Hist. Nat. 14 1953: 151-155.
- 1653.—Villa R., B. Nota acerca de la duracion del periodico de gestacion de una venada cola blanca (Odocoileus virginianus mexicanus) de Tepecuaculico, Gro. An. Inst. Biol. Univ. Méx. 24 1953: 459–460.
- 1654.—Villa R., B. Distribucion actual de los castores en Mexico. An. Inst. Biol. Univ. Méx. 25 1954: 443–450 2 pls. map.
- 1655.—Villa R., B. Contribucion al conocimiento de las epocas de caida y nacimiento de la cornamenta y de sa

terciopelo en venados cola blanca (Odocoileus virginianus) de San Cayetano, Estado de Mexico, Mexico. An. Inst. Biol. Univ. Méx. 25 1954: 451–461 4 figs

Villa R., B. see Baker.

1656.—Villalta, J. F. de. Dos nuevos yacimientos de mamiferos cuaternarios en el Macizo de Garraf. Mem. Comun. Inst. Geol. Dip. Prov. Barcelona 10 1953: 91–93.

1657.—Villalta-Comella, J. F. de. Les biocénoses du Miocène continental du Vallés-Penedés. Ann. Paleont. 40 1954: 107-114.

Villalta-Comella, J. F. de see Masachs Alavedra.

Villiers, A. see Dekeyser.

Vilter, V. see Bornschein.

1658.—Vincent, J. Recherches sur la constitution de tissu osseux compact. Arch. Biol., Paris 65 1954: 531-569 3 pls.

1659.—Vincke, I., Peeters, E. and Frankie, G. Essai d'étude d'ensemble sur la *Plasmodium berghei*. Bull. Inst. colon. belge 24 4 1953: 1364-1406.

1660.—[Vinogradov, B. S.] [Systematic review of animals of the forest zone. I. Mammals.] Anim. World U.S.S.R. (ed. L. V. Arnoldi) 4 1953: 84—125 33 figs. [In Russian.]

1661.—[Vinogradov, B. S., Novikov, G. A. and Portenko, L. A.] [Atlas of game and economic birds and animals of U.S.S.R. Vol. 2. Animals.] Zool. Inst. Acad. Sci. U.S.S.R. Moscow 1953: 294 70 col. pls. text figs.

1662.—Viret, J. Sur les caractères odontologiques distinctifs des Équidés. C.R. Acad. Sci. Paris 238 1954: 1056– 1058.

1663.—Viret, J. Le loess a banes dureis de Saint-Vallier (Drome), et sa faune de mammifères Villafranchiens. Nouv. Arch. Mus. Hist. nat. Lyon No. 4 1954: 1–200 33 pls. 43 figs.

1664.—Vitalis, I. A Soproni Deinotherium giganteum Kaup-fogak. Foldt. Kozlon. 84 1954: 370–375 3 pls.

1665.—Vleeschouwers, C. A propos de l'eléphant nain (*Loxodonta pumilio* Noack). Zooleo No. 23 1953: 187-189 1 fig.

1666.—Voipio, P. Jänisten asema eldinjärjestelmässä. Luonnen Tutk. 58 1954: 1-12 3 figs. 1667.—[Voronov, A. G.] [Pecularities of food composition in some rodents.] Zool. Zh., Moscow 33 1954: 184–196 2 figs. [In Russian.]

1668.—Vries, H. de. Een en andre over de huisspetsmuis. Levende Nat. 57 1954: 81-84 6 figs.

1669.—Vrydagh, J. M., Caram, M. and Petter, F. Les fossiles de demain. Treize mammifères menacés d'extinction. Pro Natura, Union Int. Prot. Nat., Brussels 1954: iv + 107 18 figs.

1670.—Vuletić, A. Brèche diluviale osseuse à Marjan. Bilj. Inst. oceanogr. Split No. 7 1953: 1-3.

1671.—Waage, S. The morphology of the hypophysis in some Artiodactyla. K. fysiogr. Sällsk. Lund Förh. 23 1954: 13-17 4 figs.

1672.—Wadhwani, T. K. Effect of fluorine on the composition of bones: changes in the composition of bones of rats.—Part I. Proc. Indian Acad. Sci. 39B 1954: 223-235.

1673.—Wager, V. A. Training the African elephant. Afr. Wild Life 8 1954: 333-339 6 figs.

1674.—Wahrman, J. and Zahavi, A. Intra-generic difference in chromosome numbers of spiny mice (Rodentia: Murinae). Bull. Res. Counc. Israel 3 1953: 265.

1675.—Wakefield, N. A. The rediscovery of the Rock-Wallaby in Victoria. Vict. Nat., Melb. 70 1954: 202–206 4 pls. 1 plan.

1676.—Wakefield, N. A. Observations on marsupial mice. Vict. Nat., Melb. 71 1954: 6-8.

1677.—Walker, B. E. and Boothroyd, E. R. Chromosome numbers in somatic tissues of mouse and man. Genetics 39 1954: 210-219 1 pl.

1678.—Walker, D. G. Fructose in the foetal fluids of deer. Nature, Lond. 173 1954: 309-310 1 fig.

1679.—Walker, E. P. The monkey book. New York (The MacMillan Co.) 1954: xii + 154; figs.

Walker, W. F. see Stevenson.

1680.—Wallace, F. Red stags in Holland. Field. 203 1954: 352-353 3 figs.

1681.—Wallace, F. Düsseldorf trophies. Field. 204 1954: 377 2 figs.

1682.—Wallace, F. Behind the scenes at Düsseldorf. Field. 204 1954: 795 3 figs.

1683.—Wallace, F. British heads at Düsseldorf. Field. **204** 1954: 880–881 6 figs.

1684.—Wallace, H. F. Red deer in Scotland. Oryx 2 1954: 329.

1685.—Wallace, M. E. A mutation or a crossover in the house mouse? Heredity 8 1954: 89-105.

1686.—Waller, A. Deer from Asiain Essex. Field. 203 1954: 748.

1687.—Wallmo, O. C. and Gallizioli, S. Status of the coati in Arizona. J. Mammal. 35 1954: 48-54 1 fig.

1688.—Walz, R. Neue Untersuchungen zum Domestikionsproblem der altweltlichen Camelidae. Beiträge zur altesten Geschichte des zweihöckrigen Kamels. Z. Deutsch. Morgenländ. Ges. Wiesbaden 104 1954: 45–87. [N.V.]

Warchalenski, E. see Skuratowicz.

Waring, H. see Moir.

1689.—Wassif, K. The bushy-tailed gerbil Gerbillus calurus Thomas, of South Sinai. J. Mammal. 35 1954: 243-248 l pl. 3 figs.

1690.—Wassif, K. On a collection of mammals from Northern Sinai. Bull. Inst. Désert d'Egypte 3 1 1954: 107– 118 map.

1691.—Wassif, K. and Hoogstraal, H. The mammals of South Sinai, Egypt. Proc. Egypt. Acad. Sci. 9 1954: 63-79 l pl.

1692.—Watson, J. S. Reingestion in the wild rabbit, *Oryctolagus cuniculus* (L.). Proc. 200l. Soc. Lond. 124 1954: 615-624 1 pl. 2 figs.

1693.—Watson, J. S. Breeding season of the wild rabbit in New Zealand Nature, Lond. 174 1954; 608-609 1 fig.

1694.—Webb, O. L. Perognathus nelsoni canescens in New Mexico. J. Mammal. 35 1954: 453.

Weddell, G. see Pallie.

1695.—Weimer, H. E. and others. A comparison of serum glycoprotein concentrations in four species of mammals. Physiol. Zool. 27 1954: 341-345.

1696.—Weiner, J. S. and Oakley, K. P. The Piltdown fraud: available evidence reviewed. Amer. J. Phys. Anthrop. 12 1954; 1-7.

1697.—Weissenfeld, N. Das naturliche Ergrauen und die experimentelle Depigmentierung der Haare. Biol. Zbl. 73 1954: 399-414 22 figs.

1698.—Weller, R. A. and Gray, F. V. The passage of starch through the stomach of the sheep. J. exp. Biol. 31 1954: 40-48. 1 fig.

Weller, R. A. see Gray.

1699.—Werner, Cl. F. Beobachtungen über den akustischen Ohrmuschelreflex (Preyerreflex) beim Meerschweinchen. Zool. Anz. 152 1954: 1-10 3 figs.

Werner, H. J. see Dalquest.

Wernert, P. see Pales.

Westenhöfer, M. see Frechkop.

1700.—Westermann, J. H. Nature preservation in the Caribbean. A review of literature on the destruction and preservation of flora and fauna in the Caribbean area. Natuurwet. Stud. Suriname No. 9 1953: 1-106 25 figs. map. [Mammals pp. 23-31.]

1701.—Wettstein, O. V. Über die Rötelmäuse Österreichs. Säugetierk. Mitt. 2 1954: 118-124.

1702.—Wettstein, O. Auf der Fährte der letzten Wildziegen Europas. Oesterr. Weidwerk 1954: 3-4, 29-31 figs. [N.V.]

1703.—Weymouth, R. J. and Baker, B. L. The presence of angyrophilic granules in the parenchymal cells of the parathyroid glands. Anat. Rec. 119 1954: 519-527 8 figs.

1704.—White, I. G. The effect of some seminal constituents and related substances on diluted mammalian spermatozoa. Aust. J. biol. Sci. 7 1954: 379-390.

1705.—White, T. E. Preliminary analysis of the fossil vertebrates of the Canyon Ferry Reservoir area. Proc. U.S. nat. Mus. 103 1954: 395–438 12 figs.

1706.—White, T. H. The book of beasts. Being a translation from a Latin bestiary of the twelfth century. London (Jonathan Cape) 1954: pp. 296 text illust.

1707.—Whitehead, G. K. Rare animals at Woburn—the preservation work of the late Duke of Bedford. Oryx 2 1954: 216-220 2 figs.

1708.—Whitehead, G. K. Red deer in Scotland. Oryx 2 1954: 246-247.

1709.—Whitehead, G. K. Red deer in Scotland. Oryx 2 1954: 393-394.

1710.—Whitehead, G. K. The deer stalking season. Field. 203 1954: 597-598 6 figs.

1711.—Whitehead, G. K. Deer from Asia at home in England. Field. 203 1954: 663 3 figs.

1712.—Whitehead, G. K. Sheep from the past. Some light thrown on the past history and the possible origins of the Spanish puebald and the park St. Kilda sheep. Field. 204 1954: 662 3 figs.

1718.—Whitehead, G. K. Ancestry of Wild White cattle. Ctry. Life, Lond. 115 1954: 869-870.

1714.—Whitehead, G. K. Black Sika deer at Whipsnade. Ctry. Life, Lond. 116 1954: 371 2 figs.

1715.—Whitehead, G. K. Stag's deformed head. Ctry. Life, Lond. 116 1954: 503 photo.

1716.—Whitehead, G. K. Epping Forest and its deer. Ctry. Life, Lond. 116 1954: 810-811 4 figs.

1717.—Whitehead, G. K. Reindeerstalking in Norway. Ctry. Life, Lond. 116 1954: 1602–1663 4 figs.

1718.—Whitehead, G. K. Why no close season for deer? Ctry. Life, Lond. 116 1954: 2098, 2268. 2 figs.

1719.—Whitehead, G. K. West Country stag's heads. Ctry. Life, Lond. 116 1954: 2324 2 figs.

1720.—Whiteley, H. J. and Ghadially' F. N. Hair replacement in the domestic rabbit. J. Anat., Lond. 88 1954: 13-18 3 pls. 1 fig.

1721.—Whitmore, F. C. Cranial morphology of some Oligocene Articodactyla. U.S. Geol. Surv. Prof. Pap. Wash. 243-H 1963: 117-160 18 figs.

1722.—Whittell, H. M. John Gilbert's notebook on marsupials. W. Aust. Nat. 4 1954: 104-114.

1723.—Whitworth, T. The Miocene Hyracoids of East Africa. Foss. Mamm. Afr. No. 7 Brit. Mus. (Nat. Hist.) 1954: 1–58 7 pls. 19 figs.

Whyley, G. A. see Ponsford.

1724.—Wichmann, H. Kleinsäuger als Feinde des Buchdruckers, Ips typogruphus (Linné, 1758) (Coleoptera). Säugetierk, Mitt. 2 1954: 60-66.

1725.—Wiedorn, W. S. A new experimental animal for psychiatric research: The opossum *Didelphis virginiana*. Science 119 1954: 360-361.

1726.—Wiener, G. On the use of muzzle prints in the diagnosis of monozygosity of cattle twins. J. agric. Sci. 44 1954: 288-292 1 fig.

1727.—Wijngaarden, A van. Biologie en bestrijding van de Woelrat, Arvicola terrestris terrestris (L.) in Nederland. Meded. Plant. Dienst. Wageningen No. 123 1954: 1-147 19 figs.

Wilber, C. G. see Lieb.

1728.—Wilde, J. de and Nieuwenhoven, P. J. van. Waarnemingen betreffende de winterslaap van vleermuizen. Publ. natuurh. Genoot. Limburg 7 1954: 51-83 31 figs. [English summary.]

1729.—Wildhagen, A. Einige Ergebnisse des phänologischen Kleinnagetierdienstes in Norwegen. Säugetierk. Mitt. 2 1954: 154–158 5 figs.

1730.—Wilke, F. Seals of northern Hokkaido. J. Mammal. 35 1954: 218-224 1 pl.

1731.—Wilkicka, Z. Researches on the development of the pineal body of guinea pigs. Folia morph., Warsz. 2 1951: 40-46 4 figs. [Polish with English summary.]

1732.—Wille, A. Muscular adaptation of the nectar-eating bats (Subfamily Glossophaginae). Trans. Kansas Acad. Sci. 57 1954: 315–325 10 figs.

Williams, G. R. see Casselman.

1733.—Wilson, J. G. Influence on the offspring of altered physiologic states during pregnancy in the rat. Ann. N.Y. Acad. Sci. 57 1954: 517-525 3 figs.

1784.—Wilson-Jones, G. Ferret breeding report. J. S. Afr. vet. med. Ass. 24 1953: 25-29.

1735.—Wimsatt, W. A. The feta membranes and placentation of the tropical American vampire bat Desmodus rotundus murinus, with notes on the histochemistry of the placenta. Acta anat. 21 1954: 285-341 50 figs.

- 1736.—Wingate-Gray, W. S. Deer from Asia. Field. 203 1954: 977.
- 1737.—Winqvist, G. Morphology of the blood and the hemopoietic organs in cattle under normal and some experimental conditions. Acta Anat. Suppl. 21 1954: 1-157 7 pls.
- 1738.—Winter, G. and Nunn, W. The component fatty acids of elephant seal oil. J. Sci. Food Agric. 1 1950: 18-21.
- 1739.—Winter, G. and Nunn, W. J. The component fatty acids of elephant seal oil: the distribution in the body. J. Sci. Food Agric. 10 1950: 311-314.
- 1740.—Winter, G. and Nunn, W. J. The composition of leopard seal blubber fat. J. Sci. Food Agric. 10 1950: 314.
- 1741.—Wirz, K. Ontogenese und Cerebralisation bei Eutheria. Acta anat. 20 1954: 318–329.
- 1742.—Wislocki, G. B. Antlers in female deer, with a report of three cases in *Odocoileus*. J. Mammal. 35 1954: 486-495 1 pl.
- 1748.—Wisner, A., Legouix, J. P. and Petter, F. Etude histologique de l'oreille d'un rongeur à bulles tympaniques hypertrophiées: *Meriones crassus*. Mammalia, Paris 18 1954: 371-374 2 figs.

Wisner, A. see Legouix.

- 1744.—Witte, E. J. Bat rabies in Pennsylvania. Amer. J. publ. Hlth. 44 1954: 186–187.
- 1745.—Wodzicki, K. Aliens in the forest. 4. Weasel-like animals. Forest & Bird No. 110 1953: 4-5, 12 4 figs.
- 1746.—Wojcieszek, Z. The periodical changes in the suprarenal cortex of the hedgehog during one year. Folia morph., Warszawa 4 1953: 211-217 6 pls. [Polish with English rés.]
- 1747.--Wolf, W. Spitzmäuse in Zwergmausnestern. Säugetierk. Mitt. 2 1954: 33-34.
- 1748.—Wolfgang, R. W. Studies on the endoparastic fauna of Trinidad mammals. X. Parasites of Chiroptera. Canad. J. Zool. 32 1954: 20–24 5 figs.
- 1749.—Wolstenholme, G. E. W., Cameron, M. P. and Freeman, J. S. (ed.). Mammalian germ cells. Ciba Foundation Symposium. London (J. and A. Churchill) 1953: xvi + 302 15 pls. (N.V. Review, Nature, Lond. 174 1954: 899].

- 1750.—Womersley, H. Two new species of ectoparasitic mites from pouched mice, *Sminthopsis*, from Australia. Rec. S. Aust. Mus. 11 1954: 117–120 2 figs.
- 1751.—Wood, A. E. Comments on the classification of rodents. Breviora 41 1954: 1-9.
- 1752.—Wood, A. E. and Ormsbee, J. B. S. Notes on mammals from the Upper Cretaceous Lance formation of Wyoming. J. Paleont. 28 1954: 26-31 2 figs.
 - Wood, A. E. see Kelley.
- 1753.—Wood, H. E. Patterns of evolution. Trans. N.Y. Acad. Sci. (2) 16 1954: 324-336 10 figs.
- 1754.—Wood, J. E. Food habits of furbearers of the upland post oak region in Texas. J. Mammal. 35 1954: 406-415.
- 1755.—Woolf, B. Estimation of mutation rates. I. Visible recessive characters detected in inbred lines maintained by single sib-matings. J. Genet. 52 1954: 332-353 15 figs.
- 1756.—Woollam, D. H. M. and Millen, J. W. Perivascular spaces of the mammalian central nervous system. Biol. Rev. 29 1954: 251–283 9 figs.
- 1757.—Worden, A. N. The study of mammals in Great Britain. Bull. Mammal. Soc. Brit. Is. 1 1954: 5.

Worden, A. N. see Davies.

1758.—Wragg, L. E. The effect of D.D.T. and oil on muskrats. Canad. Fld. Nat. 68 1954: 11-13 2 figs.

Wrenn, T. R. see Moss.

- 1759.—Wright, A. C. A. The magical importance of pangolins among the Basukuma. Tanganyika Notes and Records 36 1954: 71-72.
- 1760.—Wright, N. C. Domesticated animals inhabiting desert areas. Biology of Deserts, Lond. 1954: 168–172.
- 1761.—Wyrick, R. F. Observations on the movements of the Pacific gray whale, *Eschrichtius glaucus* (Cope). J. Mammal. 35 1954; 596-598.
- 1762.—Yabe, H. and Iziri, S. Die Entdeckung der versteinarten Arteria alveolaris mandibularis and Vena alveolaris mandibularis am 2M von Desmostylella typica Nagao. Proc. Japan Acad. 30 1954; 873-876 3 figs.

Yagi, T. see Nishiwaki.

1763.—[Yakovlev, N. G. and Kolesnikov, I. M.] [Some new data on distribution and ecology of Mesocricetus raddei in Rostov Province.] Zool. Zh., Moscow 33 1954: 693-700 2 figs. [In Russian.]

Yalcinlar, I. see Izbirak.

1764.—Yamada, M. Some remarks on the pygmy sperm whale, *Kogia*. Sci. Rep. Whales Res. Inst. Tokyo No. 9 1954: 37-58 2 pls. 13 figs.

1765.—Yamada, M. An account of a rare porpoise, Feresa Gray from Japan, Sci. Rep. Whales Res. Inst. Tokyo No. 9 1954: 59-88 16 figs.

1766.—Yamauchi, S. Studies upon the Sertoli cell features of domestic animals. Bull. Naniwa Univ. 2B 1952: 3-5 4 figs.

Yang, S. H. see Goodall.

1767.—Yao, T. S. and Eaton, O. N. Heterosis in the birth weight and slaughter weight in rabbits. Genetics 39 1954: 667-676.

1768.—Yasuda, M. A description of a six-legged dog. Sci. Rep. Fac. Agric. Naniwa Univ. No. 1 1950: 157-166 3 pls.

1769.—Yeats, N. T. M. Environmental control of coat change in cattle. Nature, Lond. 174 1954: 609-610 2 figs.

1770.—Yin, U. T. A note on the position of rhinoceros in the Union of Burma (1953). J. Bombay nat. Hist. Soc. 52 1954: 83-87.

1771.—Yin, U. T. Thamin or Eld's deer (*Panolia eldi thamin* (Thomas)) in Burma. J. Bombay nat. Hist. Soc. 52 1954: 205-206.

1772.—Yin, U. T. Wild life preservation and sanctuaries in the Union of Burma. J. Bombay nat. Hist. Soc. 52 1954: 264—284 map.

1773.—Yin, U. T. A supplementary note on the status of rhinoceros and thamin (*Panolia eldi thamin*) in the Union of Burma, 1953. J. Bombay nat. Hist. Soc. 52 1954: 301-303.

1774.—Yin, U. T. Habits of the Asiatic black bear (Selenarctos thibetanus thibetanus G. Cuvier). J. Bombay nat. Hist. Soc. 52 1954: 586-587. 1775.—Yoffey, J. M. and others. A quantitative study of the effects of compound E, compound F, and compound A upon the bone marrow of the guineapig. J. Anat., Lond. 88 1954: 115-130 2 pls.

Yosida, T. H. see Makino.

1776.—Young, S. P. Black-footed ferret (*Mustela nigripes*) in South Dakota, J. Mammal, 35 1954; 443.

1777.—[Yurgenson, P. B.] [Supplementary feeding of predatory fur animals.] Nasimovich, A.A. Ed. Reorg. vert. fauna U.S.S.R. (Biotech. measures) Moscow 1953: 101-104. [In Russian.]

1778.—[Yurgenson, P. B.] [Influence of the marten on the numbers of squirrels in Northern Tayga.] Zool. Zh. Moscow 33 1954: 166-173 4 figs. [In Russian.]

Zahavi, A. see Wahrman.

1779.—Zangwill, O. L. Localization in the cerebral cortex. Nature, Lond. 174 1954: 718-720.

1780.—Zapfe, H. Die Fauna der miozänen Spaltenfüllung von Neudorf a.d. March (CSR.) Proboscidea. S.B. öst. Akad. Wiss. Abt. I. 163 1-2 1954: 71-87 2 pls. 2 figs.

1781.—Zázvorka, V. Une découverte d'une partie de squelette du Rhinoceros antiquitatis Blumenbach dans la IVe terrasse Pléistocène de l'Elbe, à Roudnice Nad Tabem (Bohême du Nord). Čas. nár. Mus. 122 1953: 63-67 2 figs. [French résumé.]

1782.—Zbyszewski, G. Note sur l'apparition d'ossements de mammifères dans les argiles de Coja (Arganil). Bol. Soc. Geol. Port. 11 1953: 59–64 2 pls.

1783.—Zbyszewski, G. Note sur une mandibule d'Isocetus trouvée a Mutela. Bol. Soc. Geol. Port. 11 1953: 91–92 1 pl.

1784.—Zetler, G. and Hild, W. Über die neurosekretorische Tätigkeit des hypothalamisch-neurohypophysären Systems der Säugetiere. Pubbl. Staz. zool. Napoli 24 Suppl. 1954: 15–17.

1785.—[Zharkov, I. V.] [The summer food of elk in Zhigulya.] Bull, Soc. Nat. Moscow biol. 59 5 1954: 3–8. [In Russian.]

Zharkov, I. V. see Derevyanko.

1786.—{Zhedenov, V. N.} [Comparative anatomical study of the heart in various groups of mammals.] Zool. Zh., Moscow 33 1954: 1363–1383 18 figs. [In Russian.]

Zighera, C. Y. see Mayer.

1787.—Zimmermann, K. Die Scheemaus. Z. Säugetierk. 18 1953: 163–170 2 pls. 1 fig.

1788.—Zimmermann, Kl. Frass-Spuren von Gelbhalsmaus, Apodemus flavicollis (Melchior, 1834), und Waldmaus, Apodemus sylvaticus (Linné, 1758). Säugetierk. Mitt. 2 1954: 34.

1789.—Zimmermann, K. Dorothea M. A. Bate. Z. Säugetierk. 19 1954: 83.

1790.—Zimmermann, K. Sergej Iwanowitsch Ognew. Z. Säugetierk. 19 1954: 83-85.

1791.—Zimmermann, K. Antje Schreuder. Z. Säugetierk. 19 1954: 85.

1792.—Zinn, D. J. Albino chipmunks in Rhode Island. J. Mammal. 35 1954: 585-586.

1793.—Zuckerman, S. Prof. J. P. Hill, F.R.S. Nature, Lond. 174 1954: 109-110.

1794.—Zuckerman, S. The Australopithecine occiput. Nature, Lond. 174 1954: 263-264.

1795.—Zuckerman, S. Nuchal crests in Australopithecines. Nature, Lond. 174 1954: 1198.

1796.—Zuckerman, S. Hypothalamic-anterior pituitary relations. Pubbl. Staz. zool. Napoli 24 Suppl. 1954: 21–23.

Zuckerman, S. see Ashton.

Zuckerman, S. see Thomson.

II.—SUBJECT INDEX

GENERAL LITERATURE AND HISTORY

Text Books and General Works.— The mammal world, Bourlière 182; Mammals of the world, popular account, GOODWIN 577; Biology of mammals, KRUMBIEGEL 880; Care of primates in captivity, Walker 1679; Squirrels, SHORTEN 1422; Control of rats and mice, CHITTY and SOUTHERN 284; Camel breeding textbook, LAKOZA, 904; Physiology of farm animals, HAMMOND 627; Animal legends sifted, MOORE 1083.

Faunal Works.—Textbook of German rodents, 3rd ed., Mohe 1077; Fur and game animals of U.S.S.R., Vinogradov and others 1661; Malayan animal life, Tweedie and Harrison, 1609; Mongolia, Bannikov 97, 98; Handbook of Japanese fossils, Shikama 1419; Checklist of N. Rhodesia, Lancaster, 906; Classification of S. African mammals, with keys (in Afrikaans), Elleman 419; Guide to S. African whales and dolphins, Barnard 104; Guide to N. American mammals, Palmer 1162; Fossil mammals of western U.S.A., popular account, Markman 1030.

History.—12th century Latin bestiary translation, White 1706; Early classical references to rhinoceros, warthog and hog-deer, Prell 1237; "Horned hyenas," classical beliefs examined, Prell 1238; History of gorilla discovery, Tratz 1534; African elephant in history, Gowers in Hill 696; History of dromedary in ancient Orient, Epstein 432.

Biographies.—M. Hilzheimer, Pohle 1221; G. S. Miller, Shamel and others 1407; Tribute to Dr. H. Schouteden, Poll 1224.

Bibliographies.—G. S. Miller, MILLER and JOHNSON 1068; Dr. H. Schouteden, ANON 22; Dr. R. N. Wegner's scientific works, ANON 27; Annotated bibliography of African fossil mammals (1742-1950), Horwood and HOLLYFIELD 730; Middle East (including Iraq, Iran, Turkey, Syria, Lebanon, Palestine, Jordan, Arabian Peninsula), ALLOUSE 51; Hybridism, Grax 590.

Obituaries.—H. J. Allen Turner, COPLEY 310, LEAKEY 925; D. M. A. Bate, ZIMMERMANN 1789; A. A. Dunbar Brander, BEST 135; L. Heck, OHNESORGE 1145; O. Heinroth, Schnetice 1363; Prof. J. P. Hill, ZUCKERMANN 1793; M. Hilzheimer, POHLE 1221; Prof. E. A. HOOTON, BLACKWOOD 150; C. H. MERRIAMER 1163; S. I. Ogney, ZIMMER-

MANN 1790; A. Schreuder, ZIMMERMANN 1791; A. de C. Sowerby, Townsend 1583; G. H. H. Tate, ANTHONY 59, 60, DORST 380, MORRISON-SCOTT 1093; Prof. F. Wood Jones, Le Gros Clark 936; Deaths among members of Deutsche Gesellschaft für Säugetierkunde, 1939-1951, Nachtshelm 1113.

Museums and Collections.—Catalogue of embryological collection, Hubrecht Laboratory, Utrecht, Hubbecht Laboratory, 739; Catalogue of primates (Hominoidea) in Zoological Survey of India collection, Khajuria 820; Rediscovery of Peale's original Mastodonskeleton, Staipson and Tobien, 1432; Types in Mendoza Museum, Ruscomi 1319; Dusseldorf exhibition, Wallace 1631, 1682, 1683.

Zoological Gardens.—Ethics and problems of Zoos, Grzimer 602; Future of Woburn Park collection, Pitt 1218; Deer at Whipsnade, Street 1506; Experiments in zoo acclimatisation, Carengron and Eden 251; Brookfield zoo, Chicago, Holabied 717; History of Egyptian zoos, Keimer 813.

and Classification.-Taxonomy Functional classification of skulls, TUCKER 1596; Review of history and development of classification, SIMPSON 1431: German names for Simpson's categories, MÜLLER-USING 1103; Need for single classification for fossil and recent mammals, LAVOCAT 916; Views on uniformity of common names, RODECK 1304; The subspecies category, a review, Burt 223; Nomenclatural and other errors in recent mammal literature, Kuhlhorn 889; Comments on rodent classification, Wood 1751; Decisions of Copenhagen congress, Dorst 379; Rejection of Zimmermann, 1777, Spec. Zool. Geogr. and acceptance of Zimmermann 1778-1783 Geogr. Geschichte, Opinion 257 2; Rejection of Frisch 1775, Opinion 2583; Addition to Official List of generic name Equus Linuaeus, 1758, OPINION 271 4; Suppression of Hildesheim List, 1840 OPINION 2735; Status of Oken's names, recommendation for validation where desirable, HEMMING 664; Application for validation of Dama Frisch, MORRI-SON-SCOTT 1094; Validation of Dama Frisch, counter-proposals, CABRERA 238; Report on generic names for Virginia deer and fallow deer, HEMMING 665.

Vernacular Names,—Echidna as vernacular name for Tachyglossus, Flecker 475; Etymology of name "rorqual," Budker 216; Malayan mammal names, Tweeder and Harrison 1609.

STRUCTURE

General.—Structural form in mammals, Tysousky 1610; Anatomical observations on Gorilla, Steiner 1484; Anatomy of hooloek gibbon, Kanagasunteram 805; Body and organ weights and proportions in Gebus and Alouatta, Kühlhorn 883; Functional anatomy of tail in Grampus, Tamino 1582; Body physique analysis in cattle, Tanner and Buet 1587.

Integumentary and Epidermal Structures .- Hair types, short account, KIT-CHENER 834; Hair identification technique for S. African game, Boom 169; Fleece development and follicle population in Herdwick sheep, BURNS 222; Genetic determination of fleece structure, FRASER 492; Mechanism of prenatal check in lamb's birthcoats, DRY and Stephenson 387; Hair structure in Dasycyon, DIETERLEN 372; Glycogen in hair, Tamate 1527; Glycogen in skin and hair, TAMATE 1528; Development of horse's hoof, ERNST 436; Analogy between dermatoglyphs of lower primates and mongol infants, TURPIN and LEJEUNE 1606; Muzzle prints in diagnosis of monozygosity in cattle twins, WIENER 1726; Cheek pouch development in rodents, CHIASSON 280; Subcutaneous tissue of Cavia, GRAZI and RUGANI 592; Diastemal integument of microtine palate, QUAY 1250; Epidermal melanocytes of mice, Rev-NOLDS 1278; Horn structure in eattle, SCHMIDT and SPRANKEL 1359; Horn form significance particularly in hartebeestes. BOETTICHES 164; Colour pattern in lion cubs, SCHNEIDER 1362; Asymmetrical colour patterns, MEE-KENS 1063.

Osteology: General.—Bone components, Curzon 334; Constitution of bone tissue, Vincent 1658; Sexual dimorphism in bison skeletor. June 795; Comparative osteology of body skeleton in recent canids, HILDEBEAND 689; Cranial morphology of some Oligocene artiodactyls, Whitmore 1721; Vertebrae numbers and bodily proportions of lemurids, Schultz 1372;

Comparative morphology of primate pelvis, Kalin 803; Comparative morphology of pelvis in Semnopithecus, OLIVIER and LIBERSA 1148; Pelvis of covpu, Schwarze and Hoffmann, 1384; Sex differences in pelvis of mice and voles, BECKER 126; Pelvic bones of sperm whale, DEINSE 354; Shoulder blade in Trachypithecus, OLIVIER and DEPREUX 1147; Radio-intermediary bone in carpus of Equus, Manzii 1024; Humeri of fossorial mammals, REED 1266; Manus of Monodon, Eales 399; Ossification of thyroid cartilage in roe deer, Bejsovec 131; Foramen ovale in mammals, Edinger and Kitts 406; Skeletal variation in inbred strains of mice, GRUNEBERG 596, 597, 599, 600, 601, SEARLE 1391, 1392, 1393, TRUS-LOVE 1593; Baculum of rodents, DIDIER 371; Os clitoridis in N. American sciurids, LAYNE 921; Dichotomous antler forking in white tailed deer, LEOPOLD 944.

Osteology: Skull.-Analytical craniology, Tucker 1595; Skull and brain form problems, Hofer 706; Skull form variation, STARK 1477; Nasal cartilage comparative study, Kellbach 812; Anterior and middle cranial fossa, SIMON 1427; chondrocranium of Myotis, FRICK 517; Osteology of cranial and cervical regions in Blarina and Scalopus, GAUGHRAN 534; Skull variation in Microtus pennsylvanica, SNYDER 1453; Diastemal palate in microtines, QUAY 1250; Homoplastics in the skull of rabbits, BRUDASTOV 210; Skull variation in Mus, Truslov 1592; Orbital region in Mystacoceti, MULLER 1102; Morphology of wolf skull, SCHUBEL 1370; Additional pterygoid element in dog skull, Eloff 424; Maxillary sinuses in dogs, Rosen and Sarnat 1310; Monkey skull structure in relation to carriage of head, FRECHKOP 499; Articular fossa in apes and man, Ash-TON and ZUCKERMAN 70; Direction of mental foramen opening in apes and man, Montagu 1081; Sphenoid wing in primates, Cipriani 286; Evidence of nuchal crest in Australopithecines, Zuckerman 1794, 1795; No evidence of nuchal crest in australopithecines, ROBINSON 1298, 1299.

Dentition.—Allometry of dentitions, interpretation and evolutionary significance, KURTEN 898A; Temporary dentition of fossil men and anthropoids,

Benne-Jeant 133; Pulp cavities and roots of lower cheekteeth in primates, Senyurek 1394; Morphology and homology of insectivore lower cheek teeth, Lenke 939; Deciduous teeth in Choeronycteris, Stains and Baker 1474; Trigonodonty in rodents, Schaub, 1352; Teeth of foetal fin whales, Dissel-Scherft and Vervoort, 373, Adaptive features of hyaena dentition; Ewer 442; Odontological characters in equids, Viret 1662; Dental terminology of ruminants, Fuller 521.

Myology.—Electromicroscopic study of small mammal muscle structure, Ruska 1320; Elasticity of ligaments, SMITH 1450: Interacrtic-pulmonary anatomy, Meyer 1066; Chewing musculature, Borowiec 177: Suboccipital muscles of primates, Petelski 1187: Nuchal ligament in Bison bonasus, KRY-SIAK 885; Levator scapulae muscle of stak 300; Levauri scapina monkeys, Petelska 1186; Comparative study of umbilical sphincter, Parry 1168; Musculature of sinus venosus in Cetacea, Ogawa 1143; Buccinator muscle of dog, OBERFELD 1140; Splenial muscle in primates, NARKIEWICZ 1115 : Facial musculature of muskox. MEINERTZ 1060; Lingual proprioception in pig, dog and cat, Law 917: Muscular adaptions in throat of nectareating bats, Wille 1732; Comparative myology of four Cricetine rodents, RIN-KER 1292; Intervenous, interarterial fascia, Coppini and Muto 311; Myology of cranial and cervical regions of Blarina and Scalopus, GAUGHRAN 534.

Heart and Circulation.—Comparative anatomy of heart, Zhedenov 1786: Microscopical observations of pulmonary blood vessels, IRWIN and others 761: Caval sphincter in Phoca, HARRISON and others 646; Vascularization of ovary in rat, Lisowski 958: Circulation system of liver, NETTELBLAD 1123; Heart and vessels in phyllostomid bats, PARK 1167; Haemorrhagic nodules in Pizonyx wing membranes, QUAY and REEDER 1253; Vascular supply of skin in calves and embryos, GOODALL and YANG 569; Blood supply of bull testis, Kirby 829; Arterial supply of seminal vesicle, Clegg 293; Azygos venous system, Bowsher 184; Vascular system of mouse epiphysis, Bartheld and MOLL 110; Spiral structure in hepatic portal vein, BARNETT 106; Mandibular vein structure fossilized in Miocene tooth of † Desmostylella, YABE and IZIRI 1762.

Haematology.—Erythrocytes of man and mammals, ROSKIN 1314; Bloodsugar in foetal and neo-natal mammals. GOODWIN 578; Blood groups, DUJARRIC DE LA RIVIÈRE and EYQUEM 390; Blood volume in mammals, BURKE 219; Blood groups of whales, Fujino 519; Blood cells of Cetacea, QUAY 1251; Serum glycoprotein in four mammals. WEIMER and others 1695 : Haematology of dogs, Rosenfeld and Hoehne 1312 ; Haematology of Cerdocyon, HOEHNE and Rosenfeld 705; Haematology of ant-eaters, ROSENFELD and HOEHNE 1311; Hare and rabbit blood characteristics, Korzhuev and Goldfarb 860; Haematology of *Citellus*, Lieb and Wilber 951; Leucocyte counts in mouse, Goldie and others 567; Serology and genetics in Mus, HOECKER and others 704; Blood of Sigmodon, DOLYAK and LEONE 375; Morphology of blood cells in cattle, Wingvist 1737: Haematology of buffalo, HAFEZ and Anwar 613.

Lymph and its Organs.—Lymphatic system in Talpa, Ottaviani and Donini.

Nervous System: General.—Perivascular spaces in central nervous system, Woollam and Millen 1756; Innervation of respiratory tract of mouse, Honjin 721; Innervation of thymus in mouse, Rankin 1259; Nerve terminations in rabbit myometrium, Palle and others 1159; Vagus nerve of rabbit, Evans and Murray 441; Vagus nerve in solar plexus of rat, Mosimann 1095; Fiber tracts of spinal cord in Macaca, Vernaart 1641.

Nervous System: Brain.—Anterior and middle cranial fossa, Simon 1427; Hypertrophy of cerebellum, Cohrs and SCHULZ 297; Brain size in domesticated animals, Klatt 840; Olfactory bulb of hedgehog, HAGER 617; Comparative study of insula in primates, FRIANT 511; Brain structure in Canidae, Florio 480; Auditory cortex in Canis, Florio 479; Olfactory bulb of dog, CATTANEO 262; Brain proportions in dog breeds, STE-PHAN 1490; Comparative study of brain in wild and captive foxes, STEPHAN 1489; Rubro-cerebellar connections in the cat, BRODAL and GOGSTAD 197; Visual cortex in Felis dom., FLORIO 478: Rhinencephalon of porpoise, BREATHNACH and GOLDBY 192; Brain in Hydrochoerus, Friant 515; Brain structure of nutria, Girolamo 557; Mamillo-thalamic tract in rat, Powell and Cowan 1229; Midline and intralaminar nuclei of rat thalamus, Powell and Cowan 1228; Brain structure in Sirenia, Friant 514; Characteristics of brain in ungulates, Friant 507; Comparative brain characters of ungulates (sensu lato), Friant 510; Third arcuated sulcus in artiodactyls, Friant 516; Brain of giraffe, Friant 506.

Respiratory Organs.—Comparative study of nostrils, Kellbach 812; Lungs of Macropus, Hoffmann 709; Respiratory tissue of fin whales, Engel 428;

Alimentary System.—Caecum in monotremes and marsupials, Hill and REWELL 695; Alimentary system of some bats, Kolb 857; Ontogenetic changes in viscera of Colobinae, Hill 692; Abdominal alimentary system of Hapalemur and Lepilemur, Davies and Hill 347; Anatomy of rat liver, Gershbein and Ellas 549.

Excretory System.—Liver circulation system, NETTELBLAD 1123; Hexagonal liver lobules, RAPPAPORT and others 1260; Dugong kidney, BATRAWI 113.

Reproductive System.—Ovaries of domestic animals, ISHIDA 762; Clitoris of Rhinolophus, MASSART 1037; Genitalia in Hapalemur and Lepilemur, HILL and DAVIES 694; Male genital tract in two Indian squirrels, PRASAD 1235; Placenta of tiger, SRIVASTAVA 1470; Penis structure in horse and ox, PREUSS 1239; Seminal vesicle in rabbit, CARR 250.

Endocrine Glands.—Neuroscretion and endocrine system, Bargmann 102; Pituitary in Sarcophilus, Oboussier 1141; in a marsupial, tree shrews, primates, Hanstrom 633; in Tachyglossus, Hanstrom 634; in lion and giraffe, Kladetzky 838; in deer and bison, Waage 1671; Histogenesis of thyroid in Cavia, Sugiyama 1507; Sugiyama and Saro 1508; Owen's discovery of parathyroid, Cave 264; Parathyroid cytology, Weymouth and Baker 1703; Innervation of mouse thymus, Rankin 1359.

Other Glands.—Ultimobranchial body in hamster, Celestino and Swartz 266; Relationships between mammary, sweat, and sebaceous glands, Carlisle 247; Perianal glands in skunks, Bishop 145; Function of salivary glands, Höbelt 702; Dorsal skin gland in Dipodomys, QUAY 1252; Meibomiam glands of microtines, QUAY 1249; Lateral glands in Clethrionomys as taxonomic character, PACLT 1156; Flank gland in golden hamster, LIPROW 957; Mole skin glands discoloring fur, EADLE 398; Face glands of American bats, DALQUEST and WERNER 337; Sweat glands of buffalo, HAFEZ and SHAFEI 614; Absence of inguinal glands in Cephalophus, BOUILLON and LELEUP 179

Sense Organs.—Fine structure of retina, Becher 124; Auditory apparatus of cetaceans, Fraser and Purves 497; Bullae of Meriones, WISNER and others 1743.

Teratology and Abnormalities.-Abnormal characters of laboratory rats and mice, MAKINO and YOSIDA 1012; Dichotomous forking in white-tailed deer antlers, LEOPOLD 944; Third horn in African buffalo, Shenton 1415; A freak sambar antler, KITCHENER 833; Malformed roe deer antlers, photo, TEGNER 1545: Antlered female deer. WISLOCKI 1742; Deformed head red deer, photo, Whitehead 1715; Additional premolars in Lutra, DEARDEN 352; Canine teeth in white-tailed deer, VAN GELDER and HOFFMEISTER 1628; Tooth malformations in elephants, GILL 556; Malocclusion in rat incisors, Manville 1022; Incisor malocclusion in woodchuck, GEHR 543; Supernumerary teeth in anthropoids, KLUGE 845; Split vertebrae in mice, THEILER 1557; Pterygoid variation in dog, Eloff 424; Asymmetrical skull of wombat, Tucker 1601; Skeletal asymmetry in Cetacea, Tamino 1534: Deformation of neck vertebra in †Amphitragulus, Kaiser 799; Skull anomaly in † Elephas primigenius, KAISER 798; Two-headed pony foetus, KNEPP 846; Six-legged dog, YASUDA 1768; Cyclopean deer foetus, Bischoff 144; Posterior reduplication in Rattus, MANN 1018; Heart malformations in pig embryos, Shaner 1408; Abnormal intestine in rabbit, HARDER 636; Polydactyly in Cavia, Foster 487; Ocular malformations in rats deficient in folic acid, GIROUD and others 558; Trypan blue induced abnormalities in Mus, HAMBURGH 626; Avitaminosis E effect on foetal rats, CHENG and THOMAS 279; Atresia of ileum in foetal pig, STEVEN-SON and WALKER 1492; Retinal dystrophy in mouse, SORSBY and others 1458.

Biochemistry.—Biochemistry of salivary glands, HÖBEL 702; Cytochemistry of ovaries of domestic animals, ISHIDA 762; Biochemistry of blastocyst fluid and pregnant rabbit uterus, LUTWAK-MANN and LASER 982; Fatty acids of elephant seal oil, WINTER and Nunn, 1738, 1739; Composition of leopard seal blubber fat, Winter and Nunn 1740; Fatty acids, Gloor 562; Trans-acids in animal fats, HARTMAN and others 647; Histochemistry of rabbit placenta, Tuchmann-Duples-SIS and BORTOLAMI 1594; Acid and alkaline phosphatase in genital tract of zebu, Rollinson 1308; Fructose in foetal fluids of deer, WALKER 1678; Inositol and other substances in seminal vesicle secretion of pig, Mann 1019; Glycogen in skin and hair, TAMATE 1527, 1528; Acetylcholinesterase in muscle, GEREBTZOFF and others 547; Liver vitamin A in some British mammals, Davies and Worden 346; Mucoprotein in vagina of foetal and neonatal cattle and sheep, FEDRIGO and BERGA-MINI 452: Composition of digestive gases in sheep, Chaigneau and Charlet-LERY 270.

Histology and Cytology.-Identification, origin and migration of germ cells in mouse embryo, Chiquoine 282; Cellular changes in bone marrow after protein deficiency, Brown 206; Cytology of bone marrow in cattle, Win-QVIST 1737; Cytology of pituitary in hibernating bats. AZZALI 78; Cytology of parathyroid, WEYMOUTH and BAKER 1703: Cytology of nerve cells of hypothalamus, STAHL and SEITE 1473; Osmium techniques for 'Golgi apparatus,' BAKER 87; Ultrastructure of isolated mitochondria, GLIMSTEDT and LAGERSTEDT 561; DNA in rat egg development, LUDWIG 974; Serous cells in Brunner's glands of rabbit, MARTIN 1032; Mitotic features of monocytes in peritoneal fluid of rat, Kano 806; Colchicine-induced c-mitosis in mouse ascites tumours, LEVAN 947; Electromicroscopic study of muscle fibre, RUSKA 1320: Histology of carotid body, Kock 852; Sex chromatin in cell nuclei of cat, Graham 588; Blood cells of Cetacea, QUAY 1251; Trophoblastic cells of rat, MAYER and others 1054; Unusual chromosome number in Ellobius, Matthey 1047; New data on murid chromosomes, MATTHEY 1048; Multiple chromosomes in Gerbillus, MATTHEY 1049; Chromosomes of Muridae, MATTHEY 1050; Chromosomes of Macroscelides, MATTHEY 1051; Chromosomes somes of some canids, MATTHEY 1052; Chromosome numbers of some American rodents, Makino 1011; Chromosomes of Mustromys, TAITZ 1521 : Sex-chromosomes of gerbils, Tobias 1576; Intrageneric difference in chromosome numbers in Acomys, WAHRMAN and ZAHAVI 1674; Chromosomes of mouse, CARTER 255; Fifth chromosome of rabbit, RIFAAT 1289; Colchicine-induced heteroploidy in Mus, EDWARDS 408; Chromosomes of somatic tissues, WALKER and BOOTHROYD Chromosomes of uterus. Sachs 1334.

Technique.—New methods for preparing skeletons, Roche 1303; Crayfish for cleaning skulls, SEALANDER and LEONARD 1389; Experimental surgery of mammalian foetus, Hess 679; Technique for spreading chromosomes in rabbit blastocyst, Venge 1636.

PHYSIOLOGY

General.—Physiology of farm animals, Hammond 627; Physiology of elephant seal, Baetholomew 111; Effects of domestication on Norway rat, RICHTER 1284; Tail function in relation to biology and psychology, Bopp 173; Reactions of mammalian foetal tissues to injury, Hess 679.

Integument.—Epithelial repair of skin wounds, Pepper 1182; Regeneration of foetal skin tissue, Hess 680; Hair growth in rex and angora rabbits, Fraser 493; Age and seasonal hair changes in fur-rabbits, Gedymin 537; Hair replacement pattern in rabbit, Whiteley and Ghadlally 1720; Growth of fleece in Suffolk sheep, Burns 221; Stimulation of wool growth after ox pituitary injections, Freguson 456; Light control of coat change in cattle, Yeates 1769; Hair growth cycles in Mus, Nay and Fraser 1119; Natural greying and experimental depigmentation of hair, Weissenfeld 1697; Coat changes in German insectivores, Stein 1481; Pigment cells in skin and hair of

rodents, Danneel and Cleffmann; 338; Green algal growth on seal hair, Mackenzie 998.

Nutrition and Metabolism,-Reingestion in wild rabbits, Watson 1692; Physiology of rumination, LEBRUMENT 927; Ruminal ammonia formation and protein requirements in sheep, Annison and others 58, CHALMERS and others. CHALMERS and SYNGE 273; Function of omasum in sheep stomach. GRAY and others 591; Method of collecting fluid leaving sheep omasum. BOUCKAERT and OYAERT 178; Composition of digestive gases in sheep. CHAIGNEAU and CHARLET-LERY 270; Passage of starch through sheep stomach, Weller and Gray 1698; Ruminant-like digestive system in a marsupial, first report, Moir and others 1079; Domestic animals' adaptions to deserts, WRIGHT 1760; Water conservation in desert rodents, SCHMIDT-NIELSEN 1360; Water content of tissues in desert mammals, KHALIL and ABDEL-MERSEIH 822: Metabolic rate in nonhibernating mammals, SULLIVAN and MULLEN 1509; Metabolism of elastin in rat, Slack 1441; Technique for recovery of metabolic products from rats, LATHROP and HARPER 911; Fat absorption in rat intestine, Hewitt 685; Salt intake in wild and domesticated rats, RICHTER and MOSIER 1285; Experimental obesity in mice, MAYER and ZIGHERA 1055; Changes in brown fat tissue in hedgehog, KAROLEWICZ 808; Adrenals of koala, no connection with eucalyptus diet, Bolliger 165 : Protein deficiency effect on lymph nodes and spleens in rats, Brown 204; Protein deficiency effect on bone marrow in rat, Brown 205; Choline deficiency in guinea pig, CASSELMAN and WILLIAMS 258; Metabolic differences between three strains of one species, Cook and HANNON 307; Rickets in sheep, and vitamin treatment, DUNLOP 392; Bearing of nutrition on size selection in mice, FALCONER and LATYSZEWSKI 446; Neotoma as laboratory animal for nutritional studies, VAN REEN and PEARSON

Heart, Circulation and Blood.—Cardiogram of white whale, Anon 20; Prolongation of clotting time in hibernating bat, SMITH and others 1448; Selection of antitoxins by foetal membranes of rabbits, BATTY and others 119; Vas-

cularity of cerebral cortex in normal and cretinous rats, EAYRS 403.

Alimentary System.—Renewal rate of intestinal epithelium in cat, McMinn 1007.

Nervous System: General.— Functional morphology of peripheral innervation, Martino and Terio 1035; Nuclear population changes in spinal cord of rabbit, Joseph 793; Wallerian degeneration in rat, Mannell and Rosstrera 1020; The opossum as animal for psychiatric research, Wiedown 1725; Neuro-endocrinology of Rhinolophus in hibernation, Barry 109.

Nervous System: Brain.—Cerebralisation and ontogenesis, Wirz 1741; Localization in cerebral cortex, report of symposium, Zangwill 1779; Prefrontal lobotomy effect in rat, Stree 1505; Demyelination in central nervous system, Harman 638; New stereotaxic instrument for use with rat, Stellar and Krause 1487.

Sense Organs .- Outline of echolocation, LASTOURS 910; Echolocation in horseshoe bats, differences from Vespertilionidae, high specialization, MÖHRES 1078; Possible relation of pharyngeal pouch to echolocation in Rhinolophus, MASSART 1040; Bats flying into nets at cave entrance, MARTIN 1033 : Acoustic properties of Meriones bulla, possibility of echolocation, Wis-NER and others 1743; Comparative auditory efficiency in two species of Meriones, LEGOUIX and others 932; Rat response to artificial call sounds, STEINI-GER 1486; Acoustic ear muscle reflex in Cavia, Werner 1699; Suppression of audiogenic hyperexcitement by learning, Chance 275; Hearing in cetaceans, FRASER and PURVES 497; Direction-finding in cats, PRECHT and LINDENLAUB 1236; Colour perception in dog, Shepeleva 1416; Colour and form visual ability in Mesocricetus, KNOOP 849; Effect of thyroxin on eye opening, Tusques 1607; Electro-physiological study of retina in Glis, BORN-SCHEIN and VILTER 176; Olfactory function in rodents' food searching, Pon-UGAEVA 1227; Olfactory sense in rodents, Sviridenko 1516; Olfactory responses in monkeys, PECHTEL and MASSERMAN 1177.

Bone and Teeth.—Growth rate of rat tibia, Bhaskar and others 136; Bone

growth in mouse mutants, BATEMAN 115; Fusion of parallel long bones, MURRAY 1108; Effect of fluoring on bone, Wadhwani 1672; Hormone effect on bone marrow, Yoffey and others 1775; Maternal age influence on skeletal developmen in Mus. SMARLE 1393 : Pelvic relaxation in ewes, Bassett and Phillips 114; Functional craniology, Tucker 1595, 1596, 1597, 1598, 1599; Fractured ear bones of blue whales, FRASER and PURVES 496; Functional strains in masticatory mechanisms, TUCKER 1600: Temporo-mandibular meniscectomy in rabbits, Spring 1469: Eruptive sequence of teeth in platyrrhine monkeys, DELLA SERRA 361 : Tooth structure in dolphins used for age-determination, NISHIWAKI and YAGI 1180; Cultivation of teeth in vitro, SZABO 1518.

Myology.—Skeletal muscle in foetal Cavia reaction to injury, Huss 681; Contractility of embryonic rat heart, Hall 618.

Cytology.—Mitotic periodicity in regenerating rat liver, Jaffe 771; Synthetic activity of a single cell, RIGHARDSON and FOLLEY 1283; Mast cells of mouse uterus, SUOMALAIMEN 1510.

Endocrinology.—Endocrine system in relation to breeding, SPATZ 1466; Endocrine role in hibernation in Citellus, Vidovic and Popovic 1650; Growth of endocrine glands in foctal dog, LATIMER 913; Folliele hormone effect on mammal body, NESENI 1122: Hormonic factor in sexual activity, Sharaf 1410; Oestrogenic hormone effect on mast cells of mouse uterus, Suomalainen 1510: Neurohypophyis changes in mammalian HANSTROM 632; Pituitary series, changes in hibernating bats, AZZALI 78; Seasonal changes in anterior pituitary in hedgehog, HALICKA 618; Hypothalamic-anterior pituitary relations, ZUCKERMAN 1796; Pituitary-stalk section effect on light-induced oestrous in ferrets, Thomson and Zuckerman 1570; Cytological changes in rat pituitary from birth to maturity, SIPERSTEIN and others 1433; Neurosecretion and anterior pituitary, SCHARRER 1851; Mitotic activity of pregnant mouse pituitary, LADMAN 908; Vascular system of hypophysis in development, BOERNER-PATZELT 162; Stimulation of wool growth following ox pituitary injections, Ferguson 456; Suprarenal,

EHRENBRAND 412; Suprarenal changes in high case, W. CLENER 1746; Adrenal also of koala, Bollinger 165; Adrenal cortex after starvation in hamster, KNIGGE 847; Growth and cytochemistry of mouse adrenal, Mood and others 1082; Thymns gland, BLIN 158; Carotid gland during pregnancy in Bos dom., Tadder 1520.

Other Glands.—Variation in mammary gland development of foetal mice under influence of oestrogens, RAYNAUD 1264, 1265; Measurement of lactation in mice, BATEMAN 116; Possible anti-adrenalin action of shrew venom. De Meules 362.

Growth, Weight and Mensuration .-Development and growth rate of kangaroos, photos, Burrow 227; Growth rate of armadillos, KÜHN 892; Relative growth in fin whales, KRAMER 866; Growth of young Napaeocapus, LAYNE and HANILTON 924; Growth rate in Spermophilus, MAYER and ROCHE 1056: Growth in Alaskan voles, Morrison, RYSER and STRECKER 1092; Growth of pancreas in Caria, Boerner-Patzelt 163; Growth and tusk weight in African elephant, PERRY 1183; Antler growth and shedding in Dama, RINEY 1291; Effect of daylight lengthening on antler growth, Jaczewski 769; Antler growth in Odocoileus, Villa R. 1655; Exceptional stag heads, measurements, photos WHITEHRAD 1719; Two remarkable roeheads. TEGNER 1546; Weights of some whales, BJARNASON and LINGAAS 147; Weight of organs in beaver, Cook 304; Weight carrying ability of bat, STALL-CUP 1476; Size variation and growth in Mytis Incifugus, STEGEMAN 1479; Age determination criteria, GANDAL 529; Age determination in moles, DEPARMA 365; Age changes in body proportions in gorillas and chimpanzees, Ashron 69; Ages and weights of gorillas in captivity, Grzimek 604; Age criteria in mink, LECHLEITER 928; Age determination in otariid skulls, SIVEBTSEN 1436; Agedetermination of dolphins by tooth structure, NISHIWAKI and YAGI 1130; Aging affecting skulls and teeth in shrews, PRUITT 1241; Skeletal deterand SHADLE 1294; Dentition method of ageing muskrats, SATHER 1346.

Longevity.—Longevity in bats, DORST 381; Longevity of raccoon, HAUGEN 648; Longevity record for mongoose, Phillips 1202; Humpback whale over 18 years old. Anon 19; Longevity of muskox, Buckley and others 214.

Locomotion.—Speeds of small mammals, LANNE and BENTON 923; Swimming and running in hedgehogs, PRAKASH 1232; Locomotion in gibbons, KVHLHORN 890; Swimming mechanism and physical limitations in cetaceans, MATSCHINKI 1042; Functional anatomy of tail in Grampus, TANINO 1532; Locomotion in pocket mice, BARTHOLOMEW and CARY 112.

Hibernation.—Physiology of hibernation, Matthews 1045; Neurosecretion in hibernating mammals, Azzali 77; Further investigations, Suomalai-NEN 1512; Interrupted hibernation in bats, WILDE and NIEUWENHOVEN 1728; Neuro-endocrinology of hibernating bat, BARRY 109; Prolongation of clotting time demonstrated in hibernating bats, SMITH and others 1448: bats, Azzali 78 : Bats hibernating in storm sewer, Goehring 566; Electrocardiographic tests on hibernating hedgehog, Sarajas 1345; Physiology of hibernation in Citellus, KAYSER 810; Artificially induced hibernation in Citellus, Popovic 1226; Endocrine role in hibernation of Citellus, Vidovic and Porovic 1650; Contrasting hibernation physiology in hamster and ground squirrel, LYMAN 983; Weather influence on hibernation in golden hamster, SCHUA and SCHNORRENBERG 1369; Hibernation in woodchuck, HERSH-KOVITZ 675; Thyroid function in hibernating marmot, LacHIVER 901; Semihibernation in black bear, regular observations, Marson 1043; Hibernation in black bear, SVIHLA and Bow-MAN 1515.

Albinism, Melanism.—Colour variation in moles, Bround 202; Partial albinism in Tadarida, Glass 559; Albinism in pair of chipmunks, Zinn 1792; Partial albinism in Apodemus, Gaffrey 524; Albinism in Indian sambar, Pillay 1210; Melanism in Propithecus, Paulian 1172; Melanism in varying hare, Gordon 580; Melanism and other variations in rabbit in Tasmania, Barber 100; Melanism in Neoloma, Blair 151; Melanism in Apodemus, Husson 750; Melanistic Sika deer, Whitehaad 1714.

Temperature Studies.—Low temperature effects, PINCHER 1212; Temperature and oxygen consumption experiments, Sullivan and Mullen 1509; Below zero experiments with hamsters, SMITH and others, 1447; Mice breeding at -3°C., BARNETT and MANLEY 108; Heat regulation in monotremes and marsupials, Robinson 1302; Body temperatures of hibernating bats, MAHALEY 1010; Heat regulation in desert mammals, SCHMIDT-NIELSEN 1361; Temperature regulation in Alaskan voles, Morrison, Ryser and Strecker 1092; Direct effect of climate on cattle. PATCHELL 1170; Temperature resistance in tropical cattle, JOUBERT 794; European cattle in tropics, Martinho 1034; Temperature variations in Tanganyika zebu cattle, HUTCHISON and MABON 755; Grazing habits of zebu cattle in tropics, HARKER and others

Light Studies.—24-hour periodicity in rodent behaviour, Aschoff and Meyer-Lohmann 68; Effect of light control on rabbit sexual development, Magsoon and Parsons 1025; Light effect on pronghorn breeding, Shelford 1414; Light control of coat change in cattle, Yeates 1769.

Pathology.—Myxomatosis. CATTE-LAIN 263; Report of myxomatosis advisory committee, LAPAGE 908; History of myxomatosis in Australia, FENNER 453; Myxomatosis-origin and spread, THOMPSON 1565; review of development, Thompson 1566; Recent developments in Britain, THOMPSON 1567; a survey, Lockley 969; in Britain, Andrewes 56; Ritchie and others 1293; Myxomatosis and its results, Southern 1462; Mortality in London Zoo 1953, Hill 693; Causes of death in Paris Zoo, 1953, Urbain and others 1617; Bat rabies, Malaga-Alba 1014; Rabies in molossid bats in Texas. Burns and Farinacci 220; Rabid insectivorous bat attacks human, Kough 862 : Rabies in a Pennsylvania insectivorous bat, WITTE 1744; Bat rabies in a Florida insectivorous bat, VENTERS and others 1637; Animal reservoirs of infection in Australia, MACKERRAS 999; Infectious diseases in wild mammals in Washington, MILLER and DRAKE 1070; Small mammals as plague vectors, records, distribution, parasites, Mac-

CHIAVELLO 990; African rodents asreservoirs of Plasmodium berghei, VINCKE and others 1659 : Tularemia in beavers and muskrats, Banfield 95; Mycosis infection of lungs in moles, McDiarmid and Austwick 993; Plasmodium infection of three Tunisian rodents, DURAND and MATHIS 394; Rickettsia in Microtus, GOULD and MIESSE 584; Spirochaetes of primates, NOUVEL 1134; Spirochaetes of small mammals, Nouvel 1135; Cerebrospinal ascariasis mortality in Peromyscus, TINER 1575, Epizootic in muskrats, Macy and Biggs 1009; Grazing behaviour and helminthic disease. TAYLOR 1541; Malignant tumours in laboratory Microtus guentheri, BODEN-HEIMER 161; Retinal dystrophy in setters, Lucas 973; Diseases in captive bears, Schulze 1377; Suspected foodpoisoning in wild elephants, PILLAI 1209; Post-mortem on elephant in Cologne zoo, KLADETZKY 837; Appendicitis in gibbons, HILL 691; Hypertrophy of cerebellum, Cohrs and SCHULTZ 297; Neurosecretory aspect hypothalamus - neurohypophysis systems, Zetler and Hild 1784; Inflammations in whales, STOLK 1499; Hepatic cirrhosis in blue whale, STOLK 1500; Unusual walrus mortality in Alaska, Schiller 1356; Fractured earbones of blue whales, Fraser and Purves 496; Pathological condition in an Eocene sirenian skull, KRETZOI 872; Frontal sinus lesions in cave bear skull, Koby 851; Deformed jaw in Ursus, Lensink 941; Pathological lesions of fossil bovid mandible, PALES and WERNERT 1157; Ambergris from a British Columbia whale, Anon 18; Second record find of ambergris, CLARKE 288; Record find of ambergris, CLARKE 289.

Transplants and Grafts.—Tissue transplantation immunity, Billingham and others 143; Immunity to homologous grafted skin, Billingham and Sparrow 142; Intraocular brephoplastic grafts, May 1053.

Laboratory Technique. — Activity measuring techniques, EAYES 401, 402; Method for recovery of metabolic products from rats, LATHROP and HARPER 911; Thannomys surdaster as a laboratory animal, RODHAIN 1305; Improved inner-ear observation tube, CURRI and TISCHENDORF 333; New stereotaxic

instrument for use with rat, STELLAR and KRAUSE 1487.

REPRODUCTION AND SEX

General Problems.—"Breeding back" the aurochs through cattle crossbreeding claim refuted, HERRE 673; Aims and methods in livestock breeding, HAR-ING 637; Breeding seasons and climate, 1613; Sex proportions in mammals, TEPLOV 1556; Aging before fertilization, BLANDAU 157; Hormonic factor in sexual activity, SHARAF 1410; Moonlight effect on rat breeding, HARRISON 643; Non-pregnant rat adopting mouse nestlings, Herold 671; Reproductive isolation of two subspecies of Peromyscus maniculatus, HARRIS 640: Metachromatic substances in reproductive organs of female mouse, SUOMALAINEN 1511; Lactation measurement in mice, BATEMAN 116; Anomalous reproduction in Mus, BILEWICZ and MIKIEWICZOWA 141; Sterlity effect of genes of W-scries in Mus, Coulcombre and RUSSELL 313; Mice breeding at -3°C., BARNET and MANLY 108; Effects of light actual of the several development. light control on sexual development in male rabbit, Magsood and Parsons 1025; Fertilization problems in rabbit, Sokolovskaya and Drozdova 1456; Ferret breeding report, Wilson-Jones 1734; Sex determination of cat embryos from nuclear morphology in embryonic membrane, Graham 587; Reproduction in marsupials, Sharman 1412; Sex organ changes artificially induced in opossum, BOLLIGER 166, 167; Pelvic relaxation in sheep, BASSETT and PHILLIPS 114; Sex difference in mortality in deer, TABER and DASMANN 1519; Rutting behaviour of whitetail deer, PRUITT 1243; Antlered female deer, Wislocki 1742; Sexual maturity in Myotis, SLUITER 1443; Mating "play"? Photo of platypus, Anon 41.

Reproduction in Special Forms.—
In Elephantulus, Van Der Horst 1624;
Lactation cycle in Elephantulus, McKerrow 1000; Male cycle in Elephantulus, Stoch 1498; Taphozous in India,
Gopalakrishna 579; Tree shrews,
Hendrickson 667; Reproduction in
Cynopithecus, Spiegel 1468; Breeding
Beason of rabbit in New Zealand,
Watson 1693; Observation of in vitro
fertilization in rabbit, Moricard 1088;
Some African rodents, Pirlot 1218;
Reproduction in Tatera, Measroch

1057; Breeding cycle in Oryzomys, Conaway 300; Microtus oregoni serpens, Cowan and Arsenault 319; Mus musculus, Smith 1451; Polar bear, Kostyan 861; Lion reproduction in captivity, Stevn 1494; See elephant on Kerguelen, Angor 57; Variations in breeding season of see elephant, Paullan 1173.

Ovary and Ovulation Problems.-Time factor in ovulation, Austin and BRADEN 74: New data on mammalian egg, DALCQ 335; Mammalian germ cells, a symposium, Wolstenholme and others (ed.) 1749; Inter-breed transfer of ova in sheep, HUNTER and others 746; Zona pellucida reaction to sperms, BRADEN and others 186; Conception in prepuberal mice after artificially induced ovulation and mating, RUNNER and GATES 1318; Delayed fertilization and spontaneous triploidy in mouse embryos, Gates and Beatty 532 : Experimental induction of second polar body in rat eggs, Austin and Braden 75; Blood supply of rat ovary, Lisow-SKI 958; Anomalies in rodent eggs, AUSTIN and BRADEN 76; Interspecific transfers of rodent eggs, BRIONES and BEATTY 194; Cleavage in unfertilized rat eggs, Austin and Braden 73; Experiments on mouse egg fertilization, Braden and Austin 187, 188; Transuterine migration of fertilized eggs in mice, McLAREN and MICHIE 1003; Fertile life of rat and mouse eggs, Braden and Austin 189; Experimental development of unfertilized rabbit ova, CHANG 277; Attempted experimental production of identical twins in rabbits, Brochart 196; Sperm LINDAHL and NILSSON 953; Trans-uterine migration in raccoon, LLEW-ELLYN and ENDERS 963; Ovulation in Procyon not spontaneous, LLEW-ELLYN and ENDERS 964; Bovine ovary in oestrous cycle, Moss and others 1096; Chemical composition of bovine follicular fluid, LUTWAK-MANN 981: Factors controlling ovulation in Nyctalus, Skreb 1438; Induced ovulation in hibernating Myotis, HERNANT 669: Egg in Cavia and Oryctolagus, GEETER 542; Function of corpus luteum during delayed implantation in armadillo, TALMAGE and others 1526; Giant ovaries in blue whale, LAWS 920; Corpus luteum of pregnancy in whales, distinguishing features, ROBINS 1295: Ovaries and ovulation of humpback whale, Chittleborough 283.

Testis and Spermatozoa.-Metabolism of testis, HOMMA 720; Experiments on rat testis, HARRISON 644; Blood supply of bull testis, KIRBY 829; Biochemical tests on spermatozoa, WHITE 1704; Effect of interruption of blood supply to cauda epididymis, MACMILLAN 1005; Spermatogenesis in rams, Gunn 611 : Effect of colchicine on bull and rabbit sperm, BEATTY and Rowson 123; Constituents of bull seminal plasma, ROTHSCHILD and BARNES 1315 ; Semen characteristics and fertility in bull, BISHOP and others 146; Composition of boar semen, GLOVER and MANN 564; Zona pellucida reaction to sperms, BRADEN and others 186; Ergothioneine in ampullar secretion of horse, LEONE 943; Sertoli cell in domestic animals, YAMAMUCHI 1766; Sperm of Cavia, SHARMA and others 1411.

Pregnancy and Gestation Periods.—Physiological influences on female and effect on embryos, Wilson 1733; Moonlight and pregnancy of Malayan forest rats, a correction, Van Der Bijl and Harrison 1623; Pregnancy rates in brown rat populations, Becker 125; Weight changes in pregnant rats, House 734; Superfectation in muskrat, Stieve-Miegel 1496; Delayed implantation in seals, Fisher 470; Lengthened gestation in Odccolleus in Mexico, Villa 1653; Monozygotic twins in cattle, a study, Hanock 628; Monozygotic twinning in Peromyscus, Liu 961; Experimental foetal regression in rabbits, Henderson 666.

Placentation.—Placentation in Desmodus, Wimsart 1735; Placentomes of fallow deer, Harrison and Hyert 645; Placentome in buffalo, Hafez 615; Placenta in Bos dom., BJORKMAN 148.

Oestrous and Sex Cycle.—Onset of oestrus in normal and blinded ferrets, Thomson 1569; Light-induced oestrous in ferrets, Thomson and Zuckerman 1570; Effect of cervical sympathectomy on oestrus in ferrets, Abrams and others, 42; Oestrous cycle in Rattus (Mastomye) natalensis, Johnston and Oliff 786; Epoophoron in hamsters, Strauss and Bracher 1502; Effect of ergot alkaloids on oestrous in Mus, Gergely 548; Oestrous cycle and changes in genitalia in Cheirogaleus, Petter.

ROUSSEAUX 1197; Development of male genitalia in breeding season in *Erinaceus*, SCHUTZ 1378; Oestrous in buffalo, HAFEZ 612.

Parturition. — Birth of kangaroo, Burton 226; Birth in a porcupine, Shadle 1404.

Hybridization.—Checklist and bibliography of recorded hybridism, Gray 590; Short review of hybridization in mammals, F. 458; Interspecific transfer of rodent eggs bearing on hybridization possibilities, BRIONES and BEATTY 194; Hybridization in Peromyscus, LIU 960; Natural hybridization in Peromyscus, McCarley 988; Lion-tiger cross and backcross with lion, Kemna 815; Cattalo, bison-cattle crosses, FINDLAY 463.

DEVELOPMENT

General.—Embryology and rodent classification, KEYS 818; Cerebralisation and ontogenesis, WIRZ 1741; Pharyngeal pouch in Rhinolophus, Massart 1039; Cerebellum of pig, Larsell 909; Brain in elephant, Friant 508; Embryology of artificially induced abnormalities in mice, HAM-BURGH 626; Embryology of luxate mice, CARTER 254: Developmental effects of lethal mutation in Mus, AUER-BACH 72; Pineal body of Cavia, WIL-KICKA 1731; Development of pancreas BOERNER-PATZELT 163; Cavia, Ultimobranchial body in hamster, CELESTINO and SWARTZ 266 : Premandibular head cavities in opossum, GIL-BERT 552; Growth of endocrine glands in foetal dog, LATIMER 913; Skeleton in pig embryo, TIKHONOV 1573; Conducting tissue in sheep heart, MUIR 1100; Testicular development in rhesus monkey, Van Wagenen and Simpson 1630: Muscle composition of rabbit, Hracho-VEC 737; Teeth in foetal fin whale, DISSEL-SCHERFT and VERVOORT 373: Development in Elaphurus, Glenister 560; Mammary gland development in foetal mice under influence of oestrogens, RAYNAUD 1265; Mammary gland variation in foetal mice under influence of oestrogens, RAYNAUD 1264.

EVOLUTION AND GENETICS

Evolution: General.—Patterns of evolution, Wood 1753; Evolution of mammals in relation to reptiles, Kuhn-Schnyder 893; Historical biogeography of mammals, SIMPSON 1429; Evolutionary significance of allometry of dentitions, KURTEN 898A; Animal breeding under Lysenko, DOBZHANSKY 374; Phylogeny of edentates, HOFFSTETTER 714; Phylogeny of insectivores, SABAN 1333; Horses and evolution, SIMPSON 1428.

Evolution: Primates.—Reason and fallacy in study of fossil man, LE GROS CLARK 935; Antiquity of man and of the Hominidae, LE GROS CLARK 934; Evolution of man, EISELEY 416; Acceptance of first missing links, EISE-LEY 417; Genetic relationships between anthropoids and other primates, FRECHкор 501; Westenhöfer's views on man's origin, Frechkor 502; Pre-hominids of S. Africa, Oakley 1137; Summary of views for and against Australopithecines as prehominids, MURRAY 1109; Prehominid dentition and hominid evolution, Robinson 1300; Comparative study of Australopithecines and Pithecanthropus, Koenigswald 854; Comparative morphology of Pithe-canthropus, Meganthropus and the Australopithecines, Koenigswald 856; Cranial capacity in Australopithecines, Vallois 1620; Position of † Atlanthropus in evolution of man, Arambourg 64; Piltdown "man," Arauz 66.

Mutation and Variability.—Mutation of homologous genes as method of originating hereditary disease, NACHTS-HEIM 1114; Genetic polymorphism in rabbit in Tasmania, BARBER 100.

Genetics: General Problems .- Why use inbred lines? BIGGERS and CLARING-BULL 140; Implication on study of human genetics of domestication effects on Norway rat, RICHTER 1284; Final results of tests on McDougall's Lamarckian experiment on training of rats, AGAR and others 45; No reproductive isolation between four subspecies of Peromyscus maniculatus, Blair 152; Coat colour in horses, Castle 261; Inheritance of white heifer disease, REN-DEL 1272; Genetic determination of fleece structure, FRASER 492; Genetics of hair growth in rabbit, FRASER 493; Data on inheritance of acquired features in mice, FEDOROV 451.

Genetics: Researches in Mus.—Classified bibliography of inbred strains, STAATS 1471; Unsuitability of inbred strains for bio-assay, McLaren and

MICHIE 1002; Inheritance of acquired features in Mus, Fedorov 451; Split vertebrae in short-tailed mice, THEILER 1557; Inherited macrocytic anemia, SEARLE 1390; Embryology of luxate mice, Carter 254; White spotting, RIFAAT 1290; Curly-tail, GRUNEBERG 599; Skeletal variation, GRUNEBERG 596, 597, 600, 601, SEARLE 1392, TRUS-LOVE 1593; Skull variation, TRUSLOVE 1592; New crooked-tail mutation, Mor-GAN 1087. General. - AUERBACH 72. BIANCHI 137, BUTLER 228, CARTER 252, 253, 255, CARTER and FALCONER 256, CARTER and others 257, COULOMBRE and RUSSELL 313, DEOL 364, DUNN and GLUECKSOHN-WAELSCH 393, EATON 400, FALCONER 444, 445, FALCONER and LATYSZEWSKI 446, FALCONER and KING 447, FALCONER and others 448, FORST-HOEFEL 485 : Fraser and others 494. GRAHN 589, GRUNEBERG 598, HAUSCHKA and Brown 649, Hoecker and others 704, Kalter 804, Lyon 984, 985, Mitchison 1073, Phillips 1200, RENDEL 1273, SEARLE 1391, SNELL and others 1452, Sorsby and others 1458, WALLACE 1685, WOOLF 1755.

Genetics: Studies of other than Mus.-Inheritance in coat change in rabbit, Pavlovski and Pervomaiski 1174; Weight inheritance in rabbits, YAO and EATON 1767; Fifth chromosome and genetics of domestic rabbit, RIFAAT 1289; White spotting in rabbits, RIFAAT 1290; Large litter strain in Wistar rats, Makino and others, 1013; Microphthalmia in rat, Brownman 203: Spinner in Peromyscus, Barto 113: Spotting and polydactyly in Cavia, FOSTER 487; Ocular association of dappling in coat colour of dogs, Sorsby and DAVEY 1457; Genetics of coat colour in cats, Suzuki 1513; Monozygotic twinning in cattle, HANCOCK 628; Muzzle prints in diagnosis of monozygosity in cattle twins, Weiner 1726; Udder variations in monozygotic cattle twins, FLUX 481.

ECOLOGY AND HABITS

General.—Role of ice in distribution, BANFIELD 94; Ecological classification of cetacea, TOMILIN 1579; Bats as flower pollinators, JAEGER 770; Effect of goats on island vegetation, HOLDS-WORTH 719; Influence of game protection on mammals in U.S.S.R., KOZLOV 865; Diurnal activity of mice,

Tupikova and Kulik 1602; Forest mammals in Czechoslovakia, Turcek 1605; Ecology of rodents in irrigated areas of Rostov Province, Rall and others, 1256; Rodent habitat preferences in California, Quast 1248; Ecological distribution of American Microtus, Findley 466; Mammal habitats in Kenya, Vesey-Fitzgerald 1645; Tanganyika vegetation and game population, Vesey-Fitzgerald 1646; Deer and forage relationship in California, Dasmann and Blaisdell 342.

Habits of Special forms.—Common and pygmy shrew relationship, Crow-croft 323; Grey squirrels in Surrey, Barnes and Duncan 105; Microtus arvalis in Germany, Frank 489; Hippopotamus in Congo, Verheyen 1644.

Food Habits and Predation.-Small mammals as beetle eaters, Wichmann 1724 : Food habits of Malavan mammals. HARRISON 642; Food analysis in Texas furbearers, Wood 1754; Food consumption of moles, FAY 450; Mole feeding habits, GAYFORD 536; Muscular adaptations in nectar-eating bats, WILLE 1732; Reingestion in wild rabbits, Watson 1692; Retaliation of rabbit against weasel, Cowan 316: Cottontail predators in Iowa, Kline and Hen-DRICKSON 844; Composition of foodstuff in rodents, Voronov 1667; Underground food searching by rodents, SVIRIDENKO 1516; Rodent food search capacity, Ponugaeva 1227; Squirrels carrying and protecting half-grown young, PACKARD 1155; Food storing in winter nest of ground squirrel, KROG 876; Cannibalism in captive ground squirrels, Musacchia 1110; Size of beaver wood cuttings, Shadle 1406: Food of field mice and voles, MILLER 1071; Nut-eating methods in two Apodemus species, ZIMMERMANN 1788; Influence of exercise on food selection by rats, TRIBE 1587; Rats and eggs, Anon 35; Rats as egg-eaters, Anon 37; Rats as chick-killers, Anon 33; Fishing methods of Alaskan bears, RHODE 1279; Marten and squirrel relationship, Yur-GENSON 1778; Mink-muskrat relationship, Errington 439; Incisor wear in sea otter due to specialised food habits. HILDEBRAND 690; Food of Danish badger in summer, Andersen 53; No bones in hyaena lairs, Hughes 743; Hyaenas not bone collectors, Hughes 744 : Lion killing young elephant, SHEN-

TON 1415; Leopard killed by domestic buffaloes, Power 1230; Lynx and wolverene predation in Altai, DULKEIT 391; Cannibalism in lynx, ELSEY 425; Feeding habits of elephant seals in captivity, BULLIER 218; Summer food of Russian elk, ZHARKOV 1785; Grazing habits of zebu cattle in tropics, HARKER and others 639.

Aquatic Habits.—Aquatic adaptations, Bourliere 181; Opossum's swimming powers, Doutt 383; Diving habits of beaver, Petzsch 1198; Swimming ability of murines, Jany 774; Elephants swim in sea channel, Foran 482.

Fossorial Habits.—Digging ability in hard soils of *Perognathus*, DENYES 363; Burrowing habits of *Thomomys*, INGLES 759.

Arboreal Habits.—Arboreal adaptations and ability in *Peromyscus*, HORNER 732; Tree nesting habits of Asiatic black bear, YIN 1774.

Miscellaneous Habits. — Animal legends sifted, Moore 1083; Urine-sprinkling by hares, Boback 160; Rectum extrusion in hyenas, Bigalke 139; Nesting habits of Zapus, Dexter 367; Shrews occupying harvest mouse nests, Wolf 1747; Basking couches of Japanese bears, Hirasaka 699; Play of cow and young hippopotamus, Burton 225.

Psychology.—Intelligence tests for mammals, Filloux 460, 461; Animal psychology in captivity, FILLOUX 462; Psychology of large mammals, STEIN-BACHER 1483; Tail function, BOPP 173; Door-opening learning ability in cats and horse, Koegel 853; Intelligence in apes, FISCHEL 469; Learning ability of gibbons, MEYER-HOLZAPFEL 1067; Curiosity tests in monkeys, BUTLER 230; Instinct in Macaca, GROZDANIO 595 : Colour marker learning ability in rhesus monkey, KÜHN 891; Grouping behaviour in Alouatta, CARPENTER 249; Unusual behaviour of woolly monkey, Ullrich 1615; Lamarckian experiments on rat training, final report, AGAR and others 45: Problem solving behaviour in white rats, LITTMANN and others 959; Learning tests on rat with sonic and ultrasonic effects, GILBERT and GAWAIN 551; Behaviour patterns of Cricetus cricetus, EIBL-EIBESFELDT 413; Learning ability of dolphin, LAWRENCE

and Schevill 919; Closed social groups in dogs, King 826; Investigation of cases of dogs killing humans, Grzimek 606, 607; Repetition of hunting behaviour in hound, Gaffrey 526; Comparative behaviour of fox and wolf, Tembrock 1551; Learning ability of tame wolverine, Krott 877; Low intelligence of Indian elephant, Kadambi 796; Learning ability of working Indian elephants, Rensch and Altevogt 1274; Social order in Iceland pony herd, Ebhardt 404.

Migration, Home Range, Territory.—Bat movements in Rhine-Main region, KLEMMER 842; Miniopterus ringed in France recovered in Catalonia, BALCELLS 93; Methods of measuring ranges of small mammals, STICKEL 1495; Territoriality as factor in population ecology, KALELA 802; Variation and correlation of cheek teeth in relation to age structure of populations, KURTEN 898; Brush rabbit in California, CONNELL 302; Territorial behaviour in squirrel, KILHAM 825; Marmot territory, Bope 174; Home range in Peromyscus, DICE and CLARK 370; Territoriality and gene dispersal in Rhinocerotidae, HUTCHINSON and RIPLEY 754.

Population Studies.—Census methods and needs, Pirlot 1215; Population dynamics and rodent cycles, FRANK 491; Natural regulation of numbers, LACK 902; Types of rodent populations, NAUMOV 1118; Problems of island populations in relation to area, KRUM-BIEGEL 881; Variation and population dynamics of fossil and recent mammal populations, KURTEN 898; Population dynamics in paleontology, KURTEN 899; Squirrel populations and range in Illinois, MORAN 1086; Cyclic phenomena in muskrat populations, Erring-TON 438; Weather effect on Microtus population changes, HEROLD 670: Effect of spring floods on water voles in U.S.S.R., SHILOV 1421; Peromyscus fluctuations in Texas, McCarley 987; Population study of *Rhombomys* from car, Varshavski and Shilov 1631; Sewer rat population study, BARNETT and BATHARD 107; Increase of Rattus norvegicus at expense of R. rattus in Georgia, ECKE 405; Mus musculus social behaviour, CROWCROFT 324; Census methods for jerboas in U.S.S.R., SIROECHKOVSKI 1434; Small rodents in Berkshire, Brown 207; Study of small mammal population in Norway, Linn 956; Population fluctuations of rodents in Norway linked with climate, WILD-HAGEN 1729; Small rodents in Czechoslovakia, Turcek 1604; Small mammals in Tennessee, Howell 736; Calculation of cougar population, Johnson and Couch 784; Statistical analysis of Canada lynx cycle, Moran 1085; Roe in Denmark, Andersen 52.

Conservation .- Notes on conservation and threatened species, HALTE-NORTH 624, 625; Conservation at Woburn, Whitehead 1707; A close season for deer, WHITEHEAD 1718; Need for protection for grey seal, Lock-LEY 965; Conservation of lynx in Scandinavia, Errington 437; Conservation report for E. India, GEE 539 : Legislation for preservation of Indian fauna, Gee 541; Game reserves in Ceylon, Norris 1133; Conservation report from Burma, Yin 1772; Rhino and thamin status in Burma in 1953, YIN 1773; Conservation in Indonesia, HOOGERWERF 722; Need for conservation of Philippine mammals, MANUEL 1021; Conservation in Japan, KURODA 896; Report of 3rd International conference on African fauna, Bukavu 1953, Anon 31: Africa, Frechkop 503: Recommendations for African game preservation, CALDWELL 244; National Parks of Uganda, 1953, BEATON 122; Bison breeding in Leipzig zoo, MOHR 1076; Need for protection of ibex and Barbary sheep in Egypt, RUSSELL 1325; Need for protection of gorilla, EDMOND-BLANC 407; Reed buck in S. Africa, need for further protection, SKEAD 1437; Snaring of game by natives, Ivy 766; Reported increase in rarer marsupials in W. Australia, SERVENTY and others 1401; Successful rehabilitation of koala in Victoria. LEWIS 950; Fur seal status in New Zealand, Falla 449; Conservation Zealand, Falla 449; Conservation problems in U.S. National Parks, Cahalane 241; Conservation of big game, results in U.S.A., Hosley 733; Management of wapiti at Jackson Hole, Wyoming, MURIE 1106; Big game conservation in Alaska, LEOPOLD and DAR-LING 945; Seal conservation on Pribilovs, Scheffer 1354; Threat of hydroelectric schemes to wild life in British Columbia, Cowan 317; Threatened mammals of Caribbean, WesterMANN 1700; Conservation in semiarid regions of S. America, De La Tour 359; Conservation on Chileno-Argentine Cordillers, DE LA TOUR and FINSTERBUSCH 360; Need for conservation of guanaco, DE LA TOUR 357; Need for further protection of vicuna, DE LA TOUR 358.

Extermination. — Extinct animals, ARTHUR 67; Historical notes on extinct mammals of E. Germany, HILZHEIMER 697; The blue-buck, OLIVER 1146; Last reports of bubal hartebeeste, now considered extinct, VRYDAGH and others 1669; 13 mammals in danger of extermination, VRYDAGH and others 1669; Reduction of Japanese mammal fauna, TAKASHIMA 1523; Extinct and endangered mammals of the Caribbean, Westermann 1700.

Naturalization.—Effect of opossum on New Zealand vegetation, KEAN and Pracy 811; Hedgehog status in New Zealand, Shout 1423; Identity of European hare in Ontario, Peterson and REYNOLDS 1190; Grey squirrel introduction to British Columbia. ROBINSON and COWAN 1297 : Muskrat abundance in France, VALLÉE 1619; Glis in England, LEUTSCHER 946; Coypu status 1953-54 in Norfolk and Suffolk, p. 29, Anon 24; Raccoons in Bahamas, Sherman 1417; Masked civet naturalized in Japan, Udagawa 1612 : Stoats, weasels and ferrets in New Zealand, Wodzicki 1745; Siberian roe recorded in Belgium, Turbang 1603; Introduced deer in England, WHITE-HEAD 1711; Introduction of red deer to Argentine, Wallace 1682; Status of musk ox introduced into Spitzbergen, Illingworth 756.

Domestication.—"Taming" factors in wild animals in captivity, HEDIGER 659; Brain proportions in domestic animals, Klatt 840; Effects of domestication on Norway rat, implications on study of human genetics, RICHTER 1284 : Races of domestic cat, SCHWAN-GART 1379; Domestication of wildcaught elephant calves, Lang 907; Training of Indian working elephants. RENSCH and ALTEVOGT 1274: Training the African elephant, WAGER 1673; History of domestication of camels, Walz 1688; Domestication of elk in U.S.S.R., KNORRE 850; Failure of attempts to domesticat eelk as draught animals, Kortt 878.

Parasitism.—Apparatus for collection of fleas from mammals, RYCKMAN and others 1330; Plague-carrying fleas of small mammals, MACCHIAVELLO 990; Parasites of Lasiurus, TROMBA 1589; Parasites from marine mammals, MAR-GOLIS 1026; New helminth parasite of Desmodus, WOLFGANG 1748; Helminths of Miniopterus, THEODORIDES 1563; Helminths of Sylvilagus, ERICKson 434: Prevention of post-mortem ectoparasite contamination, Cook 305: Mites of Sminthopsis, Womersley 1750; Trematodes of dugong, CRUSZ and FERNAND 332; Elephant lice, EICHLER 414; Macracanthorhynchus in raccoon, Penner 1181; Dirofilaria scapiceps from snowshoe hare, PENNER 1180; African rodent hosts to two schistosomes, Schwetz 1385; Globidium in goat in Japan, Isshiki 765; Notoedric mange in Lynx, PENNER and PARKE 1179.

General.-Aims and Economics: methods in livestock breeding, HARING 637: Breeding for beef in tropical climates, JOUBERT 794; Drying conditions for cattle hides and goat skins, SYKES and FRENCH 1517; Wolf control in Russia, Kozhevnikov 863, Kozhov 864, MERTZ 1065; Protection of economic mammals in Petchora, Teplov 1554; Economic animals of forest zone, U.S.S.R., Novikov 1136; Control of marten in U.S.S.R., BROMLEI 200; Value of walrus to Eskimos, MINNER 1072; Relationship of mammals to forestry, Morris 1090; Flying fox damage to coconut palms in India, NIRULA and others 1128; Destruction of jackals in S. Africa, VAN DER MERWE 1627.

Economics: Fur.—Furbearer management, Trippensee 1588; Supplementary feeding of fur producing carnivores, Yurgenson 1777; Fur and game animals of U.S.S.R., Vinogradov and others 1661; Sealing in Hokkaido, Wilke 1730; Sealing resources, a survey Clarke 290; Muskrat production and management, Dozier 386.

Economics: Rodent Control.—Control of rats and mice, textbook, CHITTY and SOUTHERN 284; Rat and mouse control techniques, ANON 38, 39; Rat control, ANON 32, 34; Rat control, especially by poisoning, STEINIGER 1485; Poisoning results with sewer rats,

BARNETT and BATHARD 107; Testing efficacy of raticides GIBAN 550: Gliricidia sepium not toxic to rats, GALE and others 527; Zinc phosphide as raticide, LATIF and KHAN 912; Rat campaign in Holland, Kolk 858; Rat spoor, Anon 36; Depredations of mice on food stocks, etc., Southern 1461; Enticing rats by articificial call, STEINI-GER 1486 : Rodents harmful to cultivation in France, 1952, HOFFMANN 708; Vole damage to trees ten feet above ground, Thomson 1571; Damage by water voles in Holland, control methods, WIJNGAARDEN 1727; Field vole control campaigns queried, SCHMIDT 1358; Animals in relation to forestry in Britain, Thompson 1564; Control of field rats and bandicoots in India, KATARKI and KULKARNY 809; Scirtopoda telum as pest in S. Russia, RALL and KARAEROVA 1255; Grey squirrel control, Gaselee 531, Cotterell 312; Hare damage to forestry in Japan, INUKAI 760; Review of effects of myxomatosis in Britain, Lockley 969, SOUTHERN 1462; Rabbit problem, GRACIE 586, MERTHYE 1064; Rabbit damage and control, GATHY 533; Rabbit damage to wheat, Church and others 285; Rabbit problem in Pembrokeshire, Jones 791.

Economics: Whaling. --- Antarctic season 1951-52, other grounds 1952, JAHN and others 772; Antarctic season 1952-53, JAHN and others, 773: Summer season 1953 catch reports, Anon 9; World catch 1953, Anon 16; Pelagic whaling in Antarctic 1953-54, Anon 8; Antarctic catch 1953-54, Anon 10; The whaling industry, past and present, HINDLE 698; By-product production statistics, Anon 6; Oil output in pelagic Antarctic whaling, Anon 7; Diminishing stocks of Antarctic whales, Anon 11; Review of whaling, CLARKE 291; Whaling resources, a survey, CLARKE 290; Open boat whaling in Azores, techniques, Clarke 287; Methods recommended for measuring blubber thickness, SLIJPER 1442; Fin whale size limit regulations From 518; Size limits in whaling, RUUD 1328; Size at sexual maturity of sei whales, NISHI-WAKI and others 1129; Japanese whaling industry, Anon 15; Whaling in Japanese waters, 1953, MIYAZAKI 1074; Maori whaling history and methods, DAWBIN 350; Humpback whaling off

New Zealand, DAWBIN and FALLA 351; French African whaling, BUDKER 215; Whaling industry of Chile, J. 776; Whaling on British Columbia coast, PIKE 1206, 1207; Pilot whale econonic value, CHACE 267; Whale marking, ANON 13, 14, 19; Whale marking methods, CLARKE and RUUD 292, HERDMAN 668; Whale marking trials in Antarctic, RUUD and ØYNES 1329; Marked whale movements in Antarctic, BROWN 208, 209; Whales on show, ANON 12; Ambergris from a British Columbia sperm whale, ANON 18; Record find of ambergris, CLARKE 289; New rotary harpoon, ANON 17.

Methods and Technique.-New Mammal Society of Brit. Isles, LOCKLEY 968; Use of radio-active isotopes in smallmammal ecology, Godfrey 565; Small mammal study methods, Southern 1459 : Key to small mammal skulls in owl pellets in Britain, SOUTHERN 1460; Rapid preservation of small mammals in the field, PETTER 1196; Plastic bags for handling small mammals, BARBEHENN 99; A new live-trap for rodents, HOLDENRIED 718; Improved trap for small mammals, STAKHOVSKI 1475; New trap for Ellobius, Golov 568: Seasonal variations in bait acceptance, FITCH 471; Aboriginal traps and snares in India, KIRKPATRICK 830; Native traps in S. Rhodesia, BUTTIKER 233; Ear tag marking technique for rabbits, THOMPSON and ARMOUR 1568: Long netting rabbits, ERSKINE 440; Bat ringing in Devon, HOOPER 727; Filming badgers at night, HEWER and NEAL 684; Deer marking devices, CLOVER 294; Portable deer trap, CLOVER 295; Artificial winter feeding of wild ungulates in Caucasus, DEREVYANKO and ZHARKOV 366; Tracks and dung of E. African antelopes, HESSE 683; Beaver ecology and transplanting in Russia, POYARKOV 1231; Flood shelters for muskrats and beavers. Krasovski 867: Care of monkeys in captivity, Walker 1679; Trapping and marking raccoons, BUTTERFIELD 232; Seal branding techniques, Howard 735.

DISTRIBUTION AND FAUNAS

General.—Biogeography of mammals, SIMPSON 1429; Role of ice in distribution of Holarctic mammals, Banfield 94. PALAEARCTIC REGION General.—Eurasia, Links 955.

Europe: General.—COUTURIER 315, KLEMMER 841, MÜLLER-USING 1104, S. Europe, ZIMMERMANN 1787.

British Isles: General.—Andrewes 56, Blacemore 149, Ceowceoff 322, 325,Lockley 966, 967, 968, Neat 1120, Shobten 1422, Southern 1459, Ste-Thers 1491, Worden 1757.

England .- WHITEHRAD 1711: S. England, CARNE 248, WINGATE-GRAY 1736; S.E. England, LEUTSCHER 946; Surrey, Barnes and Duncar 105; Sussex, Tickhurs 1572; Dorset, Allen 50, H. 701; Devon, Hooper 727, Hur-Rell 747, 748; Lundy L., Anon 26; Gloucester, Anon 40; Berkshire, Brown 207; MILLER 1071; Hertfordshire, HAYDEN and KIRKBY 651; S. Hertfordshire, SAGE 1335; Woburn, PITT 1218; Essex, Waller 1686; Epping Forest, Essex, Buxton 234, 236, Whitehead, 1716; Norfolk and Suffolk, Avon 24, TAYLOR PAGE 1543; Northamptonshire, COLLYEE 299; Shropshire, GOODWIN, 571, HESKETH 677; Herefordshire, MELLOB 1061; Cheshire, Ellison 421, 422; Lancashire, Ellison 423; Lincolnshire, BUTLER 229; Yorkshire, HAZELWOOD 657; Lake District, HUM-BKR 745.

Wales.—Baker 86, Condry 301, Matheson 1041; Pembrokeshire, J. L. Jones 791; Denbighshire, Hesketh 678.

Scotland.—Perry 1184, 1185, Wal-Lace 1684, Whitehead 1708, 1709, 1710; East Galloway, Reith 1270; Aberdeenshire, Forman 483; Orkneys, Pitt 1219; Gt. Cumbrae L., Bagenal 83; Skye, Murray 1107.

Ireland.-Killarney, BOYLE 185.

France.—HOFFMANN 708, PETTRE 1198, VALLÉE 1619; W. France, BEOSSET 201; S. France, VAN DEN EBCK-BOUDT 1621; COrsica, KAHMANN and KAHMANN 797.

Spain.—BALCELLS 93.

Switzerland.—BOPP 174, EISCHOLL 1029, MARIETAN 1027, 1028; Vaud, Switzerland, BOVEY 183; Jura, Switzerland, QUARTHER 1247; Liechtenstein, LEBMANN 937.

Holland.—Anon 38, 39, Herebt and Sluiter 660, Leeuwen 931, Sluiter and Heredt 1444, 1445, 1446, Vries 1668, Wallace 1680, Wijngaarden 1727, Wilde and Newwenhoven 1728; Biesbosch, Holland, Verhey 1642.

Belgium.—Gathy 533, Tegner 1548, Turbang 1603; Belgium (key), Van den Erckhoudt 1622.

Luxembourg.—HUSSON 751.

Germany.—Frank 488, Herold 670, ISSEL 764, Kole 857, Morr 1077, ISSEL 764, Kole 857, Morr 1077, ISSEL 764, Kole 842, Riece 1287; Saxony, Dathe 345, Richter 1286; E. Germany, Dathe 344, Gerber 546, Hilthemer 697, Natuschke 1117.

Austria.—Bauer 120, 121, Ehrenbeeg 411, Rokhtaneny 1307, Sauer-zoff 1349, Traits 1553, Vietinghoff-Riesch 1651; Lower Austria, Wettstein 1701.

Czechoslovakia.—Febianc 457, Jiesik 777; (key), Stepanek 1488, Kratoczevil and Rosicky 869, Turcek 1604, 1605.

Poland.—Skyratowicz and War-Chalenski 1440; Białoweschza, Gavern and Donateov 535, Morozova-Turova 1089; Carpathians, Lendrmann 954.

Italy.—Cadeo 239, Tamino 1529, 1530, 1531, 1533; Italian Alps, Toschi 1582; Sicily, Hagen 616, Klemmer and Krampitz 843.

Greece.-WETTSTEIN 1702.

Denmark.—ANDERSEN 52, 53, BUX-TON 235.

Scandinavia.—Errington 437, Keott 878; Norway, Linn 956, Lund 976, 977, Wildhagen 1729, Whitehead 1747; Sweden, Halladder 622, Reinwaldt 1269, Svenson 1514.

Baltie.—Dathe 343; Lithuania, Kuznetzov 900; Finland, Brander 190, Kalela 801, Shvonen 1425, 1426.

U.S.S.R.—Geptner 544, Kalabukhov and Pryarmin 800, Kozlov 865, Likhachev 952, Povarkov 1231, Sievechrovski 1434, Teplov 1555, Vinogradov and others 1661, Yubgensov 1778; Porest zone, Novikov 1136, Vinogradov 1660; Ukraine, Scharlemann 1350; Rostov, Rall and Karaebova 1255, Yakovlev and Kolennikov 1763; Caucasus, Luktantychenko 975; S. Urals, Ushkov 1618; Kazakhstan, Apanasyev and others. 44; C. Asia, Krilova and others, 874; Barsa-Kelmes Island, Sea of Aral, Ismagilov 763; Altai, Shaposhnikov 1409; Mongolia, Bannikov 97, 98; Sikotan I., Kuriles, Sokolov 1455.

S.W. Asia.—Middle East (including Iraq, Iran, Turkey, Syria, Lebanon, Palestine, Jordan, Arabian Peninsula), Allouse 51; S.W. Asia, FIELD 459; Palestine, ROTTEE 1316; N. Sinai, WASSIF 1690; S. Sinai, WASSIF, 1689, WASSIF and HOOGSTRAAL 1691; Arabia, BROMAGE 198, HAYMAN 653.

China, Sowerby 1464.

Japan.—Anon 15, Hirasaka 699, Imaizumi 757, 758, Kuboda 896, Miyazaki 1074, Takashima 1523, Uchida, 1611, Udagawa 1612; Hokkaido, Wilke 1730; Ryukyu Is., Takashima, 1524.

ORIENTAL REGION

India and Ceylon.—India, GEE 541, KADAMBI 796, KHAJURIA 819, NORONHA 1132, PRASAD 1234, SATYAMURII 1348; S. India, PRASAD 1233; Nilgiris, PHYTHIAN-ADAMS 1203; Malabar, CHACKO and MATHEW 268; Ceylon, NORRIS 1133; E. India, GEE 539; Himalaya, ALI and SANTAPAU 49; KASHMIR, ROONWAL 1309; ASSAM, GEE 538, 540, NATH 1116.

Burma, Indochina.—Burma, Tate 1539, Yin 1770, 1771, 1772, 1773; Tonkin, Dorst 378.

Malays.—Butterfield 231, Harrison 641, 642, 643, Kitchener 831, 832, 835, Oglivie 1144, Tweedie and Harrison 1609.

Indonesia.—Hoogerwerf 722; Java, Pieters 1204.

Philippines.—Manuel 1021; Mindanao, Philippines, Sanborn 1338.

AUSTRALASIAN REGION

Australasia. -- HAYMAN 655.

Australia.—Buckland 213, Crandall 320, Fleav 472, 474, Gould-Marks 585, Hodge 703, Rayment 1263, Robinson 1302; N. Territory, Johnson 782; N. Australia, McCarthy 989; Queensland, Fleav 473; Cape York Peninsula, Tate 1538; E. Australia, Troughton 1590, 1591; S.E. Australia, Wakefield 1676; Victoria, Lewis 950, Wakefield 1675; Tasmania

BARBER 100; S.W. Australia, SERVENTY and others 1401, SHARMAN 1413, WHITTELL 1722; Kangaroo Island, COOPER 309; W. Australia, BAGGS 84; CALABY 243.

New Guinea, etc.—New Guinea, Celebes and adjacent islands, LAURIE and HILL 914; Celebes, KHAJURIA 821.

New Zealand.—Dawbin 350, Dawbin and Falla 351, Falla 449, Kean and Pracy 311, Marples 1031, Shout 1423, Watson 1692, 1693, Wodzicki 1745.

ETHIOPIAN REGION

General.—Africa, Anon 31, Blancou 156, Budkee 215, Caldwell 244, Frechkop 503, Hill and others, 696, Matthews 1046, Pitman 1216.

North and Northeast Africa.— N. Africa, Petter 1192, 1193, 1195; S. Morocco, PANOUSE 1164; Egypt, KEIMER 813, NEGUMI 1121, RUSSELL 1325; Sudan, BARKER IN HILL 696, OWEN 1153, SETZEE 1402.

East Africa.—Hesse 683; Kenya, Hayman 653, Stockley in Hill 696, Schwarz 1383, Vesey-Fitzgerald 1645; Uganda, Beaton 122, Pitman in Hill 696, Osmaston 1151, Pitman 1217; Tanganyika, Rushey in Hill 696, Nicholson 1126, Schwarz 1383, Vesey-Fitzgerald 1646, 1647; Upper Kilimanjaro, Guest and Leedal 610.

Rhodesia.—N. Rhodesia, Lancaster 906, Schwarz 1383, Shenton 1415.

Southern Africa.—S. Africa, Eller-MAN 419, BARNARD 104, BIGALKE 138, BOOM 169, HUGHES 744, MEASROCH 1057, MEESTER 1058, 1059, OLIVER 1146, VAN DER MERWE 1625, 1626, 1627; Transvaal, BIGALKE 139, HUGHES 743; Cape, SKEAD 1437, STEVENSON-HAMILTON 1493.

Angola.—Fenykovi 454, Schwarz 1383.

Belgian Congo.—Anon 28, Edmond-Blanc 407, Hayman 653, Offermann in Hill 696, Hofer 716, Jobaret 778, Pirlot 1213, Pithan 1217, Prigodine 1240, Schultz 1371, Schwarz 1383, Schwetz 1385, Tratz and Heck 1585, Vleeschouwers 1665, Wager 1673; Belgian Congo forests, Poll 1223; Parc National Albert, Verheyen 1643, 1644; Upemba National Park, Frechkop 500; Katanga, Schwetz 1386; Kasai, Jobaret 779.

West Africa.—Schwarz 1383; W. African forest divisions, Booth 171; W. African faunal zones, Dekeyser and VILLIERS 355; French Cameroons, Merfield 1062; French Equatorial Africa, Blancou 154, 155; E. Nigeria, Rosever 1313; Togoland, Hayman 653; Gold and Ivory Coasts, Booth, 170; Ivory Coast, Aellen 43; Sierra Leone, Hayman 652; French Guinea, Heim De Balsac 661.

Madagascar.—Louvel 971, Paulian 1172.

NEARCTIC REGION

General.—Arctic, Illingworth 756, Minner 1072; N. and S. America, Talmage and Buchanan 1525; N. America, Dalquest and Werner 337, Findley 466, Krutzsch 882, Layne 921, Palmer 1162, Shadle 1405; Western N. America, Krutzsch 883; American Pacific coast, King 828.

Greenland.—Jennov 775, Pedersen 1178; N. Greenland, Johnsen 781.

Canada.—Findlay 463, Moran 1085; N. Canada, Banfield 96; E. Canada, Fisher 470; Ungava, Doultt 382; Peterson 1189; Labrador and Quebec, Elton 426; S.E. Quebec, Cameron 245; Ontario, Peterson and Reynolds 1190; Alberta, Banfield 95; Prince Patrick I., N.W. Territories, Mac-Donald 995; Ellesmere Island, N.W. T., Tener 1552; Yukon, McEwen 996; British Columbia, Cowan 317, Pike 1206, 1207, Robinson and Cowan 1297.

U.S.A.: General.—Buchanan and Talmage 212, Cahalane 241, 242, Hosley 733, Rodeck 1304, Sanborn 1341.

Eastern U.S.A.—Barkalow 103, Schwartz 1381; Maine, Dow 384, Starrett 1478; New York, Gordon 580, Layne 922, Owen 1154; Pennsylvania, Matson 1043, Snydder 1453, Witte 1744; New England, Chamberlain 274, Zinn 1792; Virginia, Goodwin 572; N. Carolina, Goodwin 572; N. Carolina, Goodwin 572, Schwartz 1382; S. Carolina, Schwartz 1381; Georgia, Ecke 405; Florida, Coolley 308, Moore 1084, Pearson 1176, Schwartz 1380, Sherman 1418, Venters and others 1637.

Middle U.S.A.—Ohio, DEXTER 368, Goslin 582, Smith 1449; Kentucky, Gale and Pierce 528, Goodpaster and

HOFFMEISTER 570; Tennessee, Howell 736, SCHULTZ 1374, 1375, 1376; Michigan. PRUITT 1245; Indiana, HOFFMAN and KIRKPATRICK 707; Illinois, Hoff-MEISTER 710, 711, MORAN 1086, PIETSCH 1205; Wisconsin, Jackson 768, Schor-GER 1368; Minnesota, ERICKSON and BUE 435, GOEHRING 566, HANDLEY 629; Iowa, CABALKA and others 271, ERRING-TON 438, FINDLEY and others 467, and KLINE HENDRICKSON KRUTZSCH 882, MILLER 1069, (check list), Polder 1222, Sanderson 1342, SANDERSON and SPEAKER Arkansas, Sealander 1387, Sealander and Hoiberg 1388.

Western U.S.A .- DURRANT and HAN-SEN 396. JONES and FINDLEY 789 : W. U.S.A. coast, Manzer 1023, Scheffer. 1353; S. Dakota, Garst 530, Young 1776; Nebraska, Jones 788, Sather 1347, Velich 1635; Kansas, Baker 90, Cockrum 296, Hall 620, Rainey and STAINS 1254; Oklahoma, GLASS 559 : Texas and Oklahoma, BLAIR 153 : Texas, Blair 151, Kennerley 816, McCarley 987, Russell and Findley 1324, TAMSITT 1535, TAYLOR 1542, WOOD 1754: New Mexico, McClellan 991, WEBB 1694; Colorado, Anderson 54, Beidleman 130, Finley 468, Jones and Loomis 790, Krutzsch 882, PRUITT 1244, RUTHERFORD 1327, TILL 1574; Wyoming, Anderson 54, Mc-MILLAN 1006, MURIE 1106; Montana, LECHLEITNER 929, PETERSON and BERG 1188; Idaho, Hansen 631; Utah and W. U.S.A., DURRANT and HANSEN 397; Utah, DURRANT and HANSEN 395, Benson 134; Nevada, Johnson 785, LEE 930, McNab 1008, RICHARDSON 1282 : Arizona, HALLORAN and BLAN-CHARD 623, VAUGHAN 1632, WALLMO and Gallizioli 1687; S.E. Arizona, HOFFMEISTER 712, HOFFMEISTER and GOODPASTER 713; California, Anon 23, BARTHOLOMEW 111, BENSON 134, Boo-LOOTIAN 168, CONNELL 302, HUEY 741, 742, KRUTZSCH 884, MCLEAN 1004, ORE 1150, QUAST 1248, REEDER and Norris 1268, Robinson and Crone-MILLER 1296, Ruth 1326, Seymour 1403, STOTT 1501, VAUGHAN 1632, 1633, Vaughan and Krutzsch 1634; California and Nevada, DASMANN and BLAISDELL 342; Californian coast, WYRICK 1761; Guadalupe, King 828; Oregon, FREIBURG and DUMAS 504. SANBORN 1336; Washington, BROAD-

BROOKS 195, JOHNSON 783, JOHNSON and COUCH 784, MILLER and DRAKE 1070.

Alaska, Pribilovs, Hawaii.—Alaska, Darling 339, Hall and Bee 621, Kruidenier 879, Lensink 940, Leopold and Darling 945, Mayer and Roche 1056, Rhode 1279, Schiller 1356; S.E. Alaska, Baker and Findley 91; St. Lawrence Island, Alaska, Rausch 1262; Pribilovs, Kenyon and others 317, Scheffer 1354; Hawaii, Bailey 85.

Mexico.—Baker 88, 89, Goodwin 572, 573, 574, 576, Hooper 726, Huey 740, 742, Maldonado-Koerdell 1016, Villa, R. 1652, 1654, 1655; Morelos, Davis and Russell 348, 349; Tamaulipas, de la Torre 356, Martin 1033; Hidalgo, Baker and Villa 29; Chiapas, Kuns and Tashian 894; Gulf of California, Chiasson 281.

NEOTROPICAL REGION

General.—C. and S. America, Hersh-KOVITZ 674; Tropical America, Malaga-Alba 1014.

C. America and West Indies.—Panama, Goodwin 575, Lundy 978, 979; Bahamas, Sherman 1417; Caribbean Islands, Westermann 1700; Cuba, list and key to recent and fossil mammals, Aguayo and Rivero 46; Jamaica, Lewis 948, 949, Rankin 1258; Tobago, Husson 752.

South America.—S. America, DE LA TOUR 357, 358, KLAPPERSTUOK 839, EIGENEE 415; Venezuela, SANBORN 1339; British Guiana, BRIDGES 193; Matto Grosso, KUELHORN 887; N. Colombia, HERSHKOVITZ 674; Peru, CEBALLOS 265, SANBORN 1337; Argentine, CABRERA 237, CRESPO 321, SANTIAGO CARRARA 1344; Entre Rios, Argentine, LLANOS and CRESPO 962; Chile, J. 776, SANBORN 1340.

OCEANS, SEAS AND OCEANIC ISLANDS

N. Atlantic, Lockley 965; W. Atlantic, Schevill 1355; Antarctic, Anon 11, Brown 208, 209, Clarke and Ruud 292; N. Pacific, Anon 21, Fujino 520; S. Pacific, Mackintosh 1001; Sea of Japan, Omura and Fujino 1149, Yamada 1764, 1765; Azores, Clarke 287; Juan Fernandez Island, Grezmek

605, SIVERTSEN 1436; Galapagos, KING 828, SIVERTSEN 1435, 1436; Gilbert Is., MOUL 1097; BOUVET ISland, SIVERTSEN 1436; Kerguelen, ANGOT 57; Heard Island, LAW and BURSTALL 918; Heard and Macquarie Islands, HOWARD 735; Subantarctic islands, PAULIAN 1173.

GEOLOGICAL (FOSSIL FAUNAS)

General.—Annotated bibliography, with systematic list, of African fossil mammals 1742–1950, Horwood and Hollyfield 730.

Triassic.—England, FRIANT 505.

Jurassic.—Dorset, England, Friant 512.

Cretaceous.—Wyoming, Wood and Ormsbee 1752.

Tertiary: Old World.—Spain, Crusa-FONT PAIRO 328; Portugal, ZBY-SZEWSKI 1782; E. Asia, TAKAI 1522; Japan, SHIKAMA 1419; Tasmania, GILL 555; S. Africa, OAKLEY 1137.

Tertiary: New World.—Western U.S.A., MARKMAN 1030; Cuba, AGUAYO and RIVERO 46; S. America, CASTELLANOS 259; Argentine, RUSCONI 1319.

Eocene: Old World.—Germany, TOBIEN 1577; Hungary, Kretzot 872; Egypt, Moustafa 1098; Senegal, Gorodiski and Lavocat 581.

Eocene: New World, British Columbia, RUSSELL 1322; Wyoming, KELLEY and WOOD 814, MORRIS 1091; Colorado, McKenna 997; New Mexico, SIMPSON 1430; Brazil, Couto 314.

Oligocene: New World.—West-Central U.S.A., SCHULTZ and FALKENBACH 1378; Wyoming, CHAFFEE 269, WHITmore 1721; Montana, REED 1266, WHITE 1706; Nebraska, COOK 306; MEXICO, MALDONADO-KOERDELL 1017; Patagonia, HOFFSTETTER 715.

Miocene: Old World.—France, Hurzeler 749; Spain, Crusafont Pairo 326, 327, 329, 330, Crusafont Pairo 326, 327, 329, 330, Crusafont Pairo and Lavocat 331, Villalta-Comella 1657; Portugal, Zbyszewski 1783; W. Germany, Jorg 792; Austria, Thenius 1561; Czechoslovakia, Zapfe 1780; Precarpathia, Vialov and Flerov 1649; Crimea, Muratov 1105; Turkey, Izbirak and Yalcinlar 767, Senyurek 1396; Morocco, Lavocat 915; Algeria, Arambourg 62; Kenya,

FEREMBACH 455; Uganda, WHITWORTH 1723; Belgian Congo, Hopwood and LEPERSONNE 731.

Miocene: New World.—N. America, Sera 1397; S. Dakota, Reed 1266; Nebraska, Macdonald 994; Montana Dorr 377, White 1706; Mexico, Stirton 1497; Argentine, Pascual 1169.

Pliocene: Old World.—France, THENIUS 1559; Central France, VIRET 1663; Spain, MASACHS ALAVEDRA and VILLALTA COMELLA 1036; Germany, TOBLEN 1578, KORN 859; AUSTIA, PAPP and THENIUS 1165; Italy, AZZAROLI 79, 82; Hungary, ANDRAS 55, GAAL 522, 523, VITALIS 1664; POland, STACH 1472; Crimea, MURATOV 1105; TURKEY, SENYUREK 1395; China, KURTEN 897; Africa, HOPWOOD 729; MOTOCCO, ENNOUCHI 431; Transvaal, DART 340, 341, EWER 443, OAKLEY 1139.

Pliocene: New World.—Oklahoma, Hibbard 686; Kansas, Hibbard 688; S.E. Arizona, Hoffmeister and Good-PASTER 713; Argentine, CASTELLANOS 260

Pleistocene: Old World: Europe.-Piltdown, Sussex, Anon 30, Weiner and OAKLEY 1696; Bucks, Anon 25; Somerset, Donovan 376; Suffolk, SPENCER 1467; Yorkshire, Fraser and KING 495; Northumberland, TEGNER KING 495; NOTCHUMDET BAIL, LEGNER 1544; France, ASTRE 71, BOURDIER 180, NIORT 1127, PAQUE 1166, PATTE 1171, RUDEL 1317, Saar, THEOBALD and FIRTION 1562; Spain, MALUQUER DE MOTES 1015, PALET Y BARBA 1158, VILLALTA 1656; Gibraltar, REED 1267; Italy, Cadeo 240, Campana 246, Lopane 970, Riedel 1288, Trevisan 1586, VIALLI 1648; Sicily, RICHARD 1280; Mediterranean region, LEONARDI 942; West Mediterranean, DEHAUT 353; Holland, ERDBRINK 433, HUSSON and SLUYS 753; Germany, BRUNNER 211, GUENTHER 609, PETZSCH 1199; N. and N.W. Germany, Nobis 1131; Württemberg, Lehmann 938, S.W. Germany, Heller 663; Schleswig-Holstein, Guenther 608, Herre 672, LUTTSCHWAGER 980; Silesia, RYZIE-WICZ 1331; Austria, EHRENBERG 409, 410, THENIUS 1558, 1559; Switzerland, GERBER 545, SCHNORF 1364, 1365, 1366, 1367, SPAHNI 1465; Jugoslavia, VULE-TIC 1670, PETRONIYEVIC 1191; Hungary Kretzoi 870, 871, 873; Czechoslovakia, MUSIL 1111, 1112, ZAZVORKA 1781; Poland, RYZIEWICZ 1332, SKURATOWICZ 1439; Cyprus, KING 827.

[1954]

Asia.—Armenia, Khaveson 823; U.S.S.R. Vereshchagin and Gromov 1640; Russia, Karlov 807; Carpathinians, S. Russia, Raskatov 1261; Ural R., Vereshchagin 1638; C. Asia, Formosov 484; Siberia, Buinovski and Khaveson 217, Vereshchagin 1639; N. Siberia, Dubinian and Garutt 388, Dubrovo 389; S. Siberia, Obrutchev 1142; Szechuan, Koenigswald 855; Japan, Shikama 1420, Torii 1581; E. Java, Hooljer 724; Punjab, Azzaroli 81; Malaya, Tweedie 1608.

Australasia.—Australia, GILL 554; Victoria, GILL 553; N.S. Wales, FLETCHER 477; Celebes, HOOLJER 723, 725.

Africa.—Moroceo, Charnot 278, ENNOUCHI 429; Haut Atlas, Moroceo, ENNOUCHI 430; Algeria, Arambourg 63, 64, Arambourg and Hoffstetter 65; Tanganyika, Leakey 926, Remane 1271; Transvaal, Oakley 1138, Robinson 1301; Angola, Mouta 1099; Madagascar, Ekblom 418.

Pleistocene: New World.—Alberta, Cowan 318; Michigan, Pruitt 1246; Wisconsin, Palmer 1161; Iowa, Palmer 1160; Kansas, Hibbard 687; Mexico, Bargallo 101, Maldonado-Koerdell 1016; Lagoa Santa, Brazil, Friant 513.

III.—SYSTEMATIC INDEX

In the arrangement of the Orders of the Mammalia, Simpson's classification and terminology in his "The Principles of Classification and a Classification of Mammalia," 1945, have been adopted.

Systematic list of African fossil mammals, 1742–1950, Horwood and Hollyfield 730.

ORDER MONOTREMATA

Heat regulation in monotremes, ROBINSON 1302.

Caecum in monotremes, HILL and REWELL 695.

TACHYGLOSSIDAE

Tachyglossus plea for retention of vernacular name Echidna, FLECKER 475; T. setosus pituitary and hypothalamic neurosecretory tracts, HAN-**STROM 634.**

ORNITHORHYNCHIDAE

Ornithorhynchus anatinus breeding attempts in captivity, CRANDALL 320; breeding attempts and behaviour in New York Zoo, McClung 992; photos of mating "play," Anon 41.

†ORDER MULTITUBERCULATA

†PLAGIAULACIDAE

†Plagiaulax, see Marsupialia, †Dipro-

†PTILODONTIDAE

Wyoming teeth variations, Wood and Ormsbee 1752.

† Meniscoessus robustus Cretaceous, Wyoming, teeth descr. figs, Wood and ORMSBEE 1752.

? †aff. Microcosmodon gen. et sp. nov. indet., tooth from Cretaceous, Wyoming, descr. figs., p. 28, Wood and Ormsbee 1752.

?Incertae sedis.

†MICROCLEPTIDAE

† Microcleptes moorei affinities shown by molars, FRIANT 505.

ORDER MARSUPIALIA

Heat regulation in marsupials, Rob-INSON 1302.

Reproduction in marsupials, SHAR-MAN 1412.

John Gilbert's original notes on marsupials, WHITTELL 1722.

Caecum in marsupials, HILL and REWELL 695.

Reported increase of rarer marsupials in S.W Australia, SERVENTY and others 1401.

DIDELPHIDAE

Caluromys derbianus aztecus range extension in Mexico, Kuns and Tashian 894.

† Delphodon sp. Cretaceous, Wyoming. tooth descr. fig., Wood and Ormsbee

Didelphis marsupialis popular account, REYNOLDS 1277; D. m. virginiana swimming ability, Dourt 383; D. virginiana as experimental animal of psychiatric research, analysis of "shamming dead," WIEDORN 1725.

† Ectoconodon petersoni Cretaceous, Wyoming, teeth descr. fig., Wood and **ORMSBEE** 1752.

† Pediomys sp. Cretaceous, Wyoming, tooth descr. fig., Wood and ORMSBEE

† Peratherium sp. Eocene, British Columbia, descr. fig., Russell 1322.

†Thylacaelurus gen. nov. for type species T. montanus sp. nov. Eocene, east side Flathead River, 8.5 miles N. of International boundary, S.E. British Columbia, Russell, Bull. Nat. Mus. Can. No. 132 1954: 96.

DASYUBIDAE

Antechinus bilarni sp. nov. Oenpelli, East Alligator River, Northern Territory, Australia (12° 20' S., 133° 3' E.). p. 77, Johnson 782; A. flavipes status and habits, WAKEFIELD 1676.

Dasyurops maculatus habits, photos, TROUGHTON 1590; birth and growth in captivity, TROUGHTON 1591.

Dasyurus notes on habits, BUCKLAND 213; D. quoll habits, breeding in captivity, growth of young, FLEAY 472.

Myrmecobius fasciatus status and need for further protection, VRYDAGH and others 1669.

Sarcophilus ursinus pituitary, OBOUS-SIER 1141.

Thylacinus cynocephalus present status and need for further protection, VRYDAGH and others 1669.

PERAMELIDAE

Australia's bandicoots, general account, RAYMENT 1263.

Chaeropus ecaudatus occidentalis type locality corrected to "Walyemara," about 45 miles N.E. of Northam, W. Australia, CALABY 243.

Echymipera kalubu Lesson antedates E. doreyanus Quoy and Gaimard, p. 11, LAURIE and HILL 914.

Isoodon obesulus recent records near Perth, Baggs 84.

Thylacis Illiger valid name for Isoodon Desmarest, p. 12, LAURIE and HILL 914.

PHALANGERIDAE

Petaurus habits and photos, FLEAY 474; P. norfolcensis status and habits in Queensland, FLEAY 473.

Phascolarctos cinereus adrenals and alleged connection with diet, BOLLIGER 165; rehabilitation in Victoria, Lewis 950.

Trichosurus vulpecula in New Zealand, damage to native vegetation, Kan and Pracy 811; sex organ changes induced by oestrogens, BOLLIGER 166, 167.

†Wynyardia bassiana Tertiary age confirmed by fluorine test, Gill 555.

†THYLACOLEONIDAE

†Thylacoleo carnifex systematic position, function of sectorial teeth, ecology, distribution, GLL 554.

PHASCOLOMIDAE

Lasiorhinus latifrons barnardi asymmetrical skull, Tucker 1601.

MACROPODIDAE

Kangaroo behaviour at birth, Bur-

Kangaroo growth rate, photos, Burton 227.

Macropus major field observations, GOULD-MARKS 585; M. robustus lung structure, HOFFMANN 709.

†Macropus titan Pleistocene, Victoria, new finds, GILL 553.

Petrogale penicillata history and rediscovery in Victoria, present status, WAKEFIELD 1675.

Setonix brachyurus reproductive methods, Sharman 1412; relationships, closest to Thylogale, study of chromosomes, vaginal anatemy, distribution, Sharman 1413; ruminant-like digestive system, Moir and others 1079; S. setosus pituitary, Hanstrom 633.

†DIPROTODONTIDAE

†Diprotodon australis new finds New South Wales, FLETCHER 477.

†Plagiaulax Jurassie, Dorset, a diprotodont marsupial, FRIANT 512.

ORDER INSECTIVORA

Phylogeny of Insectivora, reclassified in subord. nov. nom. Soricomorpha, †Mixodectomorpha, Erinaceomorpha, Saban 1333.

Morphology and homology of insectivore lower cheek teeth, LEMKE 939.

Hair changes in moles and shrews, STEIN 1481.

SOLENODONTIDAE

Solenodon cubanus status and need for strict protection, VRYDAGH and others 1669.

POTAMOGALIDAE

Micropotamogale gen. nov. p. 102, for type species M. lamottei sp. nov. Ziela, foot of Nimba Mts., 550m., French Guinea, p. 103, Heim De Balsac, C.R. Acad. Sci. Paris 239 1954.

†LEPTICTIDAE

†Gypsonictops hypoconus Cretaceous, Wyoming, tooth deser. fig., Wood and Ormsbee 1752.

ERINACEIDAR

Erinaceus europaeus physiology of hibernation, Suomalannem 1512; hibernation, electrocardiographic experiments, Sarajas 1345; seasonal changes in anterior pituitary, Halicka 618; suprarenal changes during the year, Wojcheszek 1746; changes in brown fat tissue, Karolewicz 808; olfactory bulb, Hager 617; increase in New Zealand, threat to ground birds, Shout 1423; E. e., E. romanus development of malegenitalia in breeding season, Schutz 1378.

Paraechinus aethiopicus deserti food and habits in captivity, PETTER 1194; P. micropus micropus swimming and locomotion, PRAKASH 1232.

Podogymnura truei minima subsp. nov. Mt. Katanglad, 1600 metres, Bukidnon Prov., Mindanao, Philippines, p. 283, Sanborn 1338.

MACROSCELIDIDAE

Elephantulus myurus jamesoni male genital system and reproductive cycle STOCH 1498; lactation cycle, McKer-ROW, 1000; reproductive cycle, VAN DER HORST 1624; E. rozeti chromosomes, MATTHEY 1051.

†NYCTITHEBIIDAE

†Kentrogomphios gen. nov. for type species K. strophensis sp. nov. Oligocene, 1 m. N. of Canyon Ferry, Lewis and Clark County, Montana, White Proc. U.S. Nat. Mus. 103 1954: 404.

SORICIDAE

Popular account of shrew biology, Pearson 1175.

Experiments with shrew venom, DEMEULES 362.

Daily activity cycle in British shrews, CROWCROFT 322.

Note on British shrews, Crowcroft 325.

Shrews of Saxony, relative status, comparative characters, measurements, RICHTER 1286.

Blarina brevicauda osteology and myology of cranial and cervical regions, GAUGHRAN 534; distribution in western U.S.A., JONES and FINDLEY 789; B. b. carolinensis first record Iowa, FINDLEY and others 467; first record Colorado, JONES and LOOMIS 790; B. b. kirtlandi population study in Michigan, PRUITT 1245.

Crocidura leucodon growth and habits of young in captivity, Frank 490; C. russula habits and status in Holland, photos, VRIES 1668; C. r. cyrnensis status and biology on Corsica, Kahmann and Kahmann 797; C. suaveolens first record Egypt, Wassif and Hoogstraal 1691.

Cryptotis mexicana madrea subsp. nov. Rancho del Cielo, 3500 ft., 5m. N.W. of Gomez Farias, Sierra Madre Oriental, Tamaulipas, Mexico, p. 1, Goodwin 574; C. parva further records Colorado, Jones and Loomis 790; habits, Kilham 824; C. tersus sp. nov. Santa Clara, 4200 ft., Pan American Highway, 15 m. from border of Costa Rica, Chiriqui Province, Panama, p. 1, Goodwin 575.

Myosorex valid genus, cranial and dental characters, MEESTER 1059.

Neomys anomalus milleri first record Saxony, Richter 1286; N. fodiens second record for Skye, Murray 1107.

Notiosorex crawfordi first record for Colorado and northernmost occurrence, FINLEY 468; status in S.E. Arizona, HOFFMEISTER and GOODPASTER 713.

Sorex alpinus tatricus subsp. nov. High Tatra, Czechoslovakia, p. 53, Kratochvii. and Rosicky 869; S. araneus occupying Micromys nests in bushes, WOLF 1747; S. a. araneus, S. a. tetragonurus characters, population study, seasonal changes, ecology, in Czechoslovakia, FERIANC 457; S. a., S. minutus ecological relationship, CROW-CROFT 323; S. cinereus skull and tooth changes with ageing, PRUITT 1241 : S. c. leseuri notes on a litter of young, PRUITT 1242; S. dispar first record Maine, STARRETT 1478; S. exiguus Van den Brink a synonym of S. minutus L., LEEUWEN 931; S. hosonoi sp. nov. Tokiwa Mura (Maneki, foot of Mt. Gaki, Japanese Alps), p. 94, S.h. shiroumanus subsp. nov. Mt. Shirouma, 2900 m., Japanese Alps, both Kita-Azumi Gun, p. 97, S. chouei sp. nov. Kitazawatoge, 2000 m., between Mts. Komagatake and Senjogatake, Akaishi Mts. p. 99, all Nagano Pref., Central Honsyu, Japan, IMAIZUMI 758; S. macropygma-us seasonal and geographical variation, systematic position, SITVOYEN 1425; S. minutus measurements of Netherlands series, S. exiguus Van den Brink a synonym, LEEUWEN 931.

TALPIDAE

Mole skin glands affecting pelage coloration, EADIE 398.

Humerus in moles, REED 1266.

Condylura cristata doubtfully an Illinois mammal, HOFFMEISTER 711.

Desmana moschata breeding in captivity, Krasovski 868.

†Desmana thermalis jockgrimensis Ziegelberg near Jockgrim, Pfalz, D. moschata westhofensis Westhofen, Worms, both Pleistoeene, S.W. Germany, subspp. nov. p. 468, Heller 663.

Parascalops breweri amount of food consumed in captivity, FAY 450.

Scalopus aquaticus osteology and myology of cranial and cervical region, GAUGHRAN 534.

Talpa method of age determination, DEPARMA 365; T. caeca Pleistocene, Gibraltar previously reported as T. europaea, REED 1267; T. europaea colour variations, BROUGH 202; lymphatic system, OTTAVIANI and DONINI 1152; mycosis infection of lungs, McDiarmid and Austwick 993; flesh-

96

eating, Kunzl 895; observed while feeding, Gayford 536; second litter in Russia, Grigoryev 594; effect of thyroxine on eye opening, Tusques 1607.

†MIXODECTIDAE

†Cynodontomys latidens Eccene, Wyoming, specific characters, Kelley and Wood 814.

?INSECTIVORA incertae sedis

† Arctoryctes affinities, probably related to Cryptoryctes, REED 1266.

†Cryptoryctes gen. nov. p. 103 for type species C. kayi sp. nov. p. 105, Oligocene, Big Pipestone Springs, 9 m. W. of Whitehall, Jefferson Co., Montana, REED J. Paleont. 28 1954.

†Euangelistes petersoni Cretaceous, Wyoming, teeth descr. fig., Wood and Ormseee 1752.

†Teilhardella whitakeri sp. nov. Eocene, near headwaters of R. Largo, San Juan Basin, New Mexico, p. 2, SIMPSON 1430.

ORDER CHIROPTERA

Bat guano as possible source of cave fires in Australopithecine deposits in S. Africa, OAKLEY 1138.

New records of Belgian Congo bats, HAYMAN 653.

Taxonomy of some Indian bats. Khajuria 819.

SUBORDER MEGACHIROPTERA

Fruit bats, general account, Goro 583.

Eidolon helvum mass flights in S.W. Uganda, OSMASTON 1151.

Epomophorus gambianus apparent first record Belgian Congo, HAYMAN 653

Harpionycteris whiteheadi third specimen and range extension in Philippines, SANBORN 1338.

Megaloglossus woermanni eastward range extension in Belgian Congo, HAY-MAN 653.

Micropteropus grandis first record Belgian Congo, second specimen, HAY-MAN 653.

Nanonycteris veldkampi first record in Katanga, Belgian Congo, FRECHKOP 500. Pteropus edwardsii as pest of coconuts in India, possible control measures, NIRULA and others 1128.

Rousettus (Lissonycteris) smithi new series from Togoland, notes on colour pattern, measurements, Hayman 653.

SUBORDER MICROCHIROPTERA

Outline of echolocation, Lastours 910.

Bats as flower pollinators, JAEGER 770.

Rabies in insectivorous bats in Florida, Venters and others 1637.

British bats, short notes, BLACKMORE 149.

Notes on bat distribution and habits in Hertfordshire, HAYDEN and KIRKBY 651.

Notes on Denbighshire bats, flight photos, Hesketh 678.

Bat ringing technique and results in Devon caves, HOOPER 727.

Bat banding results in Netherlands, HEERDT and SLUTTER 660; SLUTTER and HEERDT 1444, 1446.

Ringed bat returns for Germany, 1950-1953, ISSEL 764.

Bat ringing results in W. Germany, KLEMMER 842.

Bat banding results in Ohio, SMITH 1449.

Habits, breeding biology, alimentary system, in some German bats, Kolb 857.

Bats of Oberlausitz, E. Germany, NATUSCHKE 1117.

Longevity of bats, recent French results, 14 and 15 years recorded, Dorst 381.

Bats of Luxembourg casemates, Husson 751.

Bats of Vaud, Switzerland, Bovey 183.

Notes on bats and their parasites in Catalonian caves, BALCELLS 93.

Interrupted hibernation in Dutch bats, WILDE and NIEUWENHOVEN 1728.

Body temperatures of hibernating bats, Mahaley 1010.

Bats of U.S.A., popular account and key, Sanborn 1341.

Key to bats of western N. America, Krutzsch 883.

Face glands of N. American bats, DALQUEST and WERNER 337.

Notes on some Mexican bats, VILLA 1652.

Bats of a Jamaica cave, LEWIS 949.

EMBALLONURIDAE

Peropteryx macrotis macrotis range extension in Mexico, Kuns and Tashian 894.

Taphozous longimanus breeding habits, no distinct breeding season, Gopala-KRISHNA 579; T. melanopogon recorded from Andamans, KHAJURIA 819; T. sudani range extension in Belgian Congo HAYMAN 653.

RHINOLOPHIDAE

Rhinolophus ferrumequinum development of female reproductive organs, Massart 1038; development of pharyngeal pouch, Massart 1039; possible role of pharyngeal pouch, Massart 1040; clitoris, Massart 1037; R. f.-e., R. hipposideros detailed study of echolocation, Mohres 1078; R. hildebrandti apparent first record Belgian Congo, Harman 653; R. hipposideros first record Egypt, Wassif and Hoogstraal 1691; R. h. minutus first record for Shropshire?, Goodwin 571; status in Shropshire, Hesketh 677.

Rhinomegalophus paradoxolophus primitive characters of skull and teeth, Dorst 378.

HIPPOSIDERIDAE

Hipposideros curtus a distinct group from H. caffer, review and key to African H., Aellen 43; H. diadema ceramensis subsp. nov. Teleoti Bay, South Ceram, p. 58, H. inexpectatus sp. nov. Poso, north Celebes, p. 60, Laurie and Hill 914; H. marisae sp. nov. Duékoué, Ivory Coast, p. 474, review of African H. with keys, Aellen 43; H. megalotis first records Kenya, description and measurements, Hayman 653.

PHYLLOSTOMATIDAE

Heart and great veins in phyllostomid bats, PARK 1167.

Muscular adaption in throat of nectareating bats (Glossophaginae), Wille, 1732.

Anoura geoffroyi geoffroyi further Venezuelan records, Sanborn 1339.

Artibeus cinereus cinereus apparent first record Tobago, Husson 752; A. hirsutus range extension in Mexico, Davis and Russell 349; A. lituratus palmarum, A. jumaicensis yucatanicus, range extension in Mexico, Kuns and Tashian 894; A. planirostris planirostris first Mexican record, Davis and Russell 349.

Carollia perspicillata azteca range extension in Mexico, Kuns and Tashian 894.

Centurio senex record from Tamaulipas, Mexico, DE LA TORRE 356.

Chilonycteris personata range extension in Mexico, Davis and Russell 349; C. rubiginosa occurrence in Tamaulipas, Mexico, Martin 1033.

Choeroniscus first record Venezuela, notes on the species named, Sanborn 1339.

Choeronycteris mexicana range extension in Mexico, Davis and Russell 349; occurrence and habits in California and Mexico, Huey 742; deciduous teeth, Stains and Baker 1474.

Enchisthenes harti first record from Mexico, and most northern record, Goodwin 576.

Erophylla sezekorni syops rapid colour change on preservation, Lewis 949.

Glossophaga longirostris rostrata apparent first record Tobago, Husson 752; G. morenoi synonym of G. soricina leachi, Davis and Russell 349.

Leptonycteris nivalis range extension in Mexico, Davis and Russell 349; status and habits in S.E. Arizona, HOFF-MEISTER and GOODPASTER, incisor variation, 713.

Lionycteris spurrelli new record from Venezuela, Sanborn 1339.

Pteronotus davyi fulvus range extension in Mexico, Kuns and Tashian 894.

Vampyressa thyone first record Peru, Sanborn 1337.

Vampyrodes caracciolae apparent first record Tobago, measurements of four, taxonomic note, Husson 752.

DESMODONTIDAE

Desmodus and other bats involved in rabies, history, distribution, pathology,

95

MALAGA-ALBA 1014; D. rotundus musinus foetal membranes and placentation, Wimsatt 1735; range extension in Mexico, Kuns and Tashian 894; D. rufus new helminth parasite, Wolfang 1748; Diphylla ecaudata centralis range extension in Mexico, De La Torre 256.

NATALIDAE

Natalus mexicanus occurrence in Tamaulipas, Mexico, Martin 1033.

VESPERTILIONIDAE

Antrozous pallidus status in Colorado, FINLEY 468; A. p. pacificus biological study, OBE 1150.

Corynorhinus macrotis first Ohio record, Goslin 582.

Dasypterus floridanus and other Florida bats infected with rabies, child bitten, VENTERS and others 1637.

Eptesicus generic characters, dental formula variation in E. tenuipinnis from Belgian Congo, HAYMAN 653; E. serotinus? party travelling by day, NEUEAUE 1124.

Euderma maculata new records for California and Utah, Benson 134.

Glauconycteris beatrix first record Belgian Congo, HAYMAN 653.

Kerivoula aerosa Tomes possibly an Asiatic species, p. 76, LAURIE and HILL 914; K. crypta first record Assam, KHAJURIA 819.

Lasionycteris noctivagans late record in Washington, Johnson 783; April record in Oregon, Sanborn 1336.

Lasiurus borealis borealis carrying two young exceeding own weight, STALLCUP 1476; early spring record in Kansas, RAINEY and STAINS 1254; L. cinereus rabid attack on human being, Kough 862; in Pennsylvania infected with rabies, woman attacked, WITTE 1774 : seasonal distribution in southern California, VAUGHAN and KRUTZSCH 1634; second Florida record, Cooley 308; new records for Arkansas, SEA-LANDER 1387 ; first record N.W. Kansas. early date, BAKER 90; occurrence in cave, BEER 128; parasites, TROMBA 1589; L. c. villosissimus first record Peru, Sanborn 1337; L. seminolus first record Arkansas, SEALANDER and Hoi-BEEG 1388.

Miniopterus australis minor subsp. nov. Kalipoetjang, Tji-Tandoei River, south Java, p. 72, Laurie and Hill. 914; M. minor apparent first record Belgian Congo, Hayman 653; M. schreibersi ringed in France, recovered in Catalonia, Balcells 93; helminth parasites, Theodorides 1563.

Myotis data on sexual maturity, SLUITER 1443; reproduction in Wyoming, FINDLEY 465; M. key to all forms of Eastern Asia, M. nattereri bombinus first record Honshu, p. 40, IMAIZUMI 757; M. bechsteini in Gloucester, increase in range, Anon 40; second Austrian record, Rokitansky 1307; M. californicus habits, KRUTZSCH 884; M. grisescens second Illinois record, HOFFMEISTER 711; M. lucifugus prolongation of clotting time, SMITH and others 1448; size and other variation in a large colony, Stegeman 1479; development data, STEGEMAN 1480; M. muricola range extension to N.E. Assam, NATH 1116; M. myotis ovulation induced in hibernation by oestrogens, HERNANT 669; development and morphology of chondrocranium, FRICK 517; distribution in Holland, SLUITER and HEERDT 1445; M. subulatus leibi second N. Carolina record, Schwartz 1382; M. velifer brevis subsp. nov. Madera Canyon, 5000 ft., Santa Rita Mts., Pima County, Arizona, p. 509, VAUGHAN 1632.

Myotis (Selysius) ikonnikovi occurrence in Hokkaido confirmed, M. (S.) mystacinus fujiensis subsp. nov. Yoshidaguchi Ichigome (1530 m. altitude), Mt. Fuji, p. 42, M. (S.) hosonoi sp. nov. Koumito, Tokiwa-Mura (732 m. alt.) 30 km. N. of Matsumoto City, Kita-Azuni Gun, Nagano Pref., p. 44, M. (S.) ozensis sp. nov. Ozegshara (1400 m. alt.), 60 km. N.E. of Maebushi City, Gunma Pref., p. 49, all Honshu, Japan, IMAIZUMI 757.

Nyctalus leisleri first Hertfordshire record, HAYDEN and KIRKBY 651; N. noctula factors controlling ovulation, SKREB 1438.

Nycticeius (Scotoecus) hirundo hindei first record of genus and species for Belgian Congo, HAYMAN 653.

Nyctophilus microdon sp. nov. Welya, west of Hagen Range, central Highlands N.E. New Guinea, p. 78, LAURIE and HILL 914. Transfer Tra

Transitus Francis respective communication of the Francis communication of the communication

Former tree institutes, type that the second second

.F. / ... / / / refer test bon.

THE THE SECTION OF THE SAME THE

The second secon

W. LISSTAS

manufactures. Katalantin 832; the wing poundes, local

The sample Beigner Descent Beschwich 500

Adactic stope of Sarra Marine October S.W. Tamanicus, Merico, p. 2. Good-

There is the open of the part of the second of the second

Control Mass or its income? Anna Ra us it.

and the many and

Care of primates in expuising. Warrant

From the transfer of the February free Carlos and Carlos February 1988.

Francis there is never study of section to the Section of 1884.

Analog between demandings of artists. I are and Lauren 1906

The same and the street

EXC.

Species ving a primary skells.

The more with the to

Distribution in which is in Bellman longer and characters of Upania purmants, Plurans 1217.

Speciments of primares, November 1184.

STRUM PRINCIP

T-_ 13

s a #4... The manner of the first of #83 :

-APRELIA

15 limites Encere. Tirrung teste iss. Special characters. Kanner and This St4

I THE TANK

Terreinse douben uit hous peu jord is a sedinik Kordin 1871

Stories Letterine from Novega-

A STATE STATE STATE OF THE STAT

Septiment of the part of Maria. Compared to the part of the part o

SAT : SECTION STATES OF STATES AND STATES OF S

The state of the s

-

Proposed to the constant of the second of th

LORISIDAE

Arctocebus calabarensis occurrence in East Nigeria, ROSEVEAR 1313.

Galago crassicaudatus panganiensis, G. c. kikuyuensis, G. c. argentatus range records and colour characters, G. senegalensis moholi includes G. s. intontoi Monard and G. s. tumbolensis Monard, G. s. zanzibaricus new range record, SCHWARZ 1383.

Nycticebus coucang habits in captivity, photos, BUTTERFIELD 231.

Perodicticus potto external features, habits in captivity, photos, GRZIMEK 603.

†ANAPTOMORPHIDAE

† Absarokius generic characters, A. abbotti Eocene, Wyoming, descr. figs., Kelley and Wood 814; † A. witteri sp. nov. Eocene, Cathedral Bluffs tongue of Wasatch formation, Sweetwater County, Wyoming, p. 200. Morris 1091.

† Omomys minutus Eccene, Wyoming, descr. figs., generic validity, Kelley and Wood 814.

?Suborder Prosimii incertae sedis

†Phenacolemur sp. Eocene, Wyoming, descr. figs., Kelley and Wood 814.

SUBORDER ANTHROPOIDEA

CEBIDAE

Phylogenetic significance of tooth eruption sequence in New World primates, Della Serra 361.

Alouatta caraya body and organ weight and proportions, KÜHLHORN 888; A. guariba clamitans first record for Argentine, CRESPO 321; A. palliata grouping behaviour, CARPENTER 249; A. p. aequatorialis habits in Panama, LUNDY 978.

Cebus apella Linn., C. capucinus Linn, original description, taxonomic status, type locality, Tate 1540; C. apella body and organ weights and proportions, KÜHLHORN 888.

Lagothrix lagotricha unusual behaviour, ULBRICH 1615.

CALLITHRICIDAE

Mystax rosalia pituitary, Hanstrom 633.

CERCOPITHECIDAE

F19547

Colobinae visceral ontogenetic changes, Hill 692.

Cercopithecus validated as from Linnaeus, 1758, with type species Simia diana Linnaeus 1758, Ofinion 238 1; C. hamlyni photo of living animal from Epulu district, Belgian Congo, Anon 28; C. n. nictitans from Cabinda, Angola, southernmost record, C.n. martini status and range, C.n. erythrogaster includes C. signatus, C.n. montanus range in W. Tanganyika, C.m. stuhlmanni distribution, C.m. dogetti range records, C.m. opisthostictus distribution, C.m. kibonotensis range in Tanganyika, C.m. monoides range limits, C.m. moloneyi range, Schwarz 1883.

Colobus polykomos polykomos, C.p. dollmani, C.p. vellerosus distribution and taxonomic status, Booth 170; C. polykomos caudatus range in Tanganyika, C.p. palliatus range and variation, C. badius preussi southern range limit, C.b. oustaleti range, includes C.b. nigrimanus, C.b. powelli, Schwarz 1383.

Cynomacaca gen. nov. for type species C. ochreatus Ogilby, Khajuria, Rec. Ind. Mus. 50 1953: 303.

Cynopithecus niger, Macaca maura, and Cynomaca ochreata comparative characters, Khajuria 821; C.n., C. maurus breeding biology, Spiecel 1468.

Macaca inuus systematic position, suggested classification of mecaques and baboons, Frechrop 498; M. mulatta learning ability, Kuhn 891.

†Macaca cf. florentina Pliocene, C. France, descr. figs., VIRET 1663.

Piliocolobus badius badius, P.b. waldroni distribution and status, BOOTH 170.

Semnopithecus pelvis morphology, OLIVIER and LIBERSA 1148.

†Szechuanopithecus Young and Liu, with type species S. yangteensis, a synonym of †Macacus robustus, Koenigswald 855.

Theropithecus gelada observations in captivity, Appelman 61.

Trachypithecus germaini comparative morphology of scapula, OLIVIER and DEPREUX 1147.

PONGIDAE

Australopithecine genera and species, Robinson 1301.

Status of Australopithecinae, Koenigswald 854.

Summary of views for and against Australopithecines as prehominids, MURRAY 1109.

Evolutionary position of Australopithecinae, Koenigswald 856.

Fire and the Australopithecines, a correction, STRAUS 1504.

Australopithecine cranial capacity, Vallois 1620.

Australopithecine occiput, evidence for nuchal crest, Zuckerman 1794, 1795.

Australopithecine occiput, no evidence of nuchal crest, Robinson 1298, 1299.

Genetic relationship between anthropoids and other primates, FRECHROP 501.

Articular fossa in apes and man, Ashton and Zuckerman 70.

Supernumerary teeth in anthropoids, Kluge 845.

Mental foramen characters in apes and man, Montagu 1081.

"Abominable snowman" recent reports and views, photo of "scalp," ALI and SANTAPAU 49.

†Australopithecus and fire, bat guano as possible explanation, OAKLEY 1188; geological age, not tool-maker, OAKLEY 1189; A. prometheus adult female mandible descr. figs., DART 340; adult female mandible, critical examination, DART 341.

†Austriacopithecus the oldest "prehominid," Thenius 1561.

Bonobo gen. nov. for type species B. paniscus Schwarz, p. 97, Tratz and HECK, Saugetierk. Mitt. 2 1954.; B. synonym of Pan, Schultz 1371.

Gorilla chronology of discoveries and zoo specimens, TRATZ 1584; census of individuals in captivity 1953-54, ages and weights, GRZIMER 604; age changes in body proportions, ASHTON 69; notes on a family group under close observation in confined area, status and conservation in French Equatorial Africa, BLANCOU 154; habits in French Cameroons, MERFIELD 1062; need for further protection in Belgian Congo, EDMOND-BLANC 407; anatomy of 22-

year old captive animal, STEINER 1484 successful operation for removal of pencil in stomach, "doodling" marks, Heddier 658.

Hylobates note on locomotion, KÜHL-HORN 890; appendicitis in captivity, HILL 691; H. concolor leucogenys learning ability, MEYER-HOLZAPFEL 1067; H. hooloek anatomy, KANA-GASUNTERRAM 805.

†Limnopithecus jaw and lower teeth, FEREMBACH 455.

†Meganthropus synonym of Paranthropus, ROBINSON 1301; M. africanus tooth structure, relationships, REMANE 1271.

†Paidopithex rhenanus Pohlig, Pliocene, Germany, comparative study. nearly related to Proconsul, Korn 859,

Pan age changes in body proportions, ASHTON 69; P. troglodytes leaping ability, ULLRICH 1614; variability and systematics, generic separation of P.t. paniscus as Bonobo not justified, SCHULTZ 1371.

†Plesianthropus synonym of Australopithecus Robinson 1301.

†Pliopithecus phylogenetic and odontological study, P. piveteaui sp. nov. Miocene, Manthelan, Pont-Levoy, France, p. 49, HURZELER 749.

Simia satyrus pituitary, Hanstrom 833.

HOMINIDAE

Annotated catalogue of Hominoidea in Zoological Survey of India collection, Khajuria 820.

Evolution of man, EISELEY 416.

Temporary dentition of fossil men and anthropoids, BENNE-JEANT 133.

Westenhöfer's views on man's origin, a summary, Frechkop 502.

Prehominid dentition and hominid evolution, ROBINSON 1300.

Antiquity of man and the Hominidae, LE GROS CLARK 934.

"Prophaneranthropi" grouping for Swanscombe and Fontechevade men, comparative characters, SERGI 1400.

Pre-hominids and evolution of man in S. Africa, Oakley 1137.

Possibility of pre-hominids in Angola, MOUTA 1099.

The Piltdown fraud, evidence reviewed, Weiner and Oakley 1696.

The Piltdown bones and implements, report of Geological Society meeting, Anon 30.

Piltdown dating comments, Heizer and Cooke 662.

The Piltdown hoax reviewed, STRAUS 1503.

The Piltdown story, PIVETEAU 1220.

The Piltdown "man," ARAUZ 66.

The Piltdown nasal turbinate, Mon-TAGU 1080.

Early human remains found in Pleistocene of Algeria, ARAMBOURG and HOFFSTETTER 65.

†Atlanthropus gen. nov. for type species A. mauritanicus sp. nov. Pleistocene, Ternifine (Palikao) about 17 km. S.E. of Mascara (Oran), Algeria, Arambourg C.R. Acad. Sci. Paris 239 1954: 895; account of discovery, associated remains, figs. of mandibles, Arambourg 64.

†ORDER TILLODONTIA

†TILLOTHERIIDAE

†Esthonyx bisulcatus Eccene, Wyoming, descr. figs., Kelley and Wood 814.

ORDER EDENTATA

Edentates of Matto Grosso, Kuhlhorn 887.

SUBORDER XENARTHRA

Classification of Xenarthra, Talmage and Buchanan 1525.

†Orophodontidae fam. nov. for Orophodon and Octodontotherium p. 433, HOFFSTETTER 714.

†Orophodon Oligocene, Patagonia, raised to family rank, rearrangement of Xenarthra, HOFFSTETTER 715.

†MEGALONYCHIDAE

†Catonyx giganteus Winge (in part) an Ocnopus gracilis (Lund), p. 435, Hoffstetter 714.

†Pseudorophodon gen. nov. for type species P. kraglievichi sp. nov. Oligocene, Laguna Carri-Laufquén Chica, Rio Negro, Patagonia, p. 160, Hoffstette Mammalia, Paris 18 1954.; systematic position, Hoffstetter 714.

†Valgipes a Megalonychid, p. 435, HOFFSTETTER 714.

†MEGATHEBIIDAE

† Megatherium history of discovery, probable ecology, FLETCHER 476.

MYRMECOPHAGIDAE

Myrmecophaga haematology, ROSEN-FELD and HOEHNE 1311; M. jubata habits in captivity, HESS 682.

Tamandua haematology, Rosenfeld and Hoehne 1311.

BRADYPODIDAE

Choloepus didactylus habits and postures in captivity, BOPP 172, 175.

DASYPODIDAE

Armadillo etymology, Burton 224.

Chaetophractus villosus growth rate in captivity, Kühn 892.

Dasypus novemcinctus life history, anatomy, reproductive physiology, TALMAGE and BUCHANAN 1525; D.m. mexicanus range in U.S.A., BUCHANAN and TALMAGE 212; D.n. texanus reproductive physiology in relation to delayed implantation, TALMAGE and others, 1526.

†Machlydotherium systematic position, p. 434, HOFFSTETTER 714.

Priodontes gigas distribution in Paraguay, note on habits, Lowes 972.

†GLYPTODONTIDAE

†Glyptodon and related genera, taxonomic notes and corrections, Castellanos 259.

†Glyptodon (Glyptopedius subgen. nov.) for type species G. reticulatus and others, p. 395, Castellanos, An. Acad. bras. Sci. 25 1953.

†Glyptopedius subgen. nov. (type G. reticulatus) see Glyptodon.

†Glyptostracon gen. nov. for type species G. falkneri, p. 402, Castellanos, An. Acad. bras. Sci. 25 1953.

†Paraglyptodon uquiensis Uquia (Senador Perez), Jujuy, p. 7, P. dubius, coast of Buenos Aires, p. 28, P. paranensis near Parana, Entre Rios, p. 27, all spp. nov. Pliocene, Argentine, CASTELIANOS 260.

†Stromatherium gen. nov. for type species S. gemmatum, p. 406, CASTRLLANOS, An. Acad. bras. Sci. 25 1953.

ORDER PHOLIDOTA

Pangolins, general account, HAYMAN 654.

Pangolin etymology, Burton 224.

Pangolin magical importance in Tanganyika, WRIGHT 1759.

Smutsia temmincki habits, photos, MABERLEY 986.

ORDER LAGOMORPHA

Lagomorpha and Rodentia, comparative and evolutionary study, Voipio 1666.

OCHOTONIDAE

Ochotona daurica mursaevi subsp. nov. Dakhtin-Daba Pass, 80 km. N. of Uliassutsi, Khangai, Mongolia, p. 56, Bannikov, Uchen. zap. gor. pedagog. Inst. 18 1 1951 [N.V. Listed in Bannikov 98]; O. princeps habitat, habits and live-trapping method, Pruitt 1244.

LEPORIDAE

Hare and rabbit blood characteristics, Korzhuev and Goldfarb 860.

Myxomatosis—origin and spread, Тномрзон 1565.

†Desmatolagus sp. Eocene, British Columbia, descr. fig., RUSSELL 1322.

Lepus sp. damage to forestry in Japan Inukai 760; L. americanus phaeonotus occurrence of filarial worm in feet, Penner 1180; L.a. virginianus melanism in New York State, Gordon 580; winter breeding, Siegler 1424; L. europaeus breeding problems, Bloch and others 159; urine sprinkling habit, Boback 160; reared in captivity, notes, Rammner 1257; L.e. hybridus name of introduced hare in Ontario, Peterson, R. L. and Reynolds 1190; L. gaillardi probable occurrence in Arizona, Hoffmeister and Goodpaster 713.

Oryctolagus dom. hair replacement patterns, Whiteley and Ghadially 1720; O. cuniculus study of reingestion in New Zealand, Watson 1692; breeding season in New Zealand, Watson 1693; genetic polymorphism in Tasmania, Barber 100; behaviour of colour varieties, in the field, Reith 1270; age and seasonal changes in fur of fur breeds, GEDYMIN 537; ear tag and tattooing methods, Thompson

and Armour 1568; experimental foetal regression, Henderson 666; feeding habits, GAFFREY 525; seminal vesicle, CARR 250; menace to agriculture and forestry, control discussion, GRACIE 586, MERTHYR 1064; habits, damage to agriculture, control, in Belgium, GATHY 533; survey of damage to wheat, CHURCH and others 285; economic effects in Pembroke, J. L. Jones 791; long netting for control, Erskine 440; review of myxomatosis, Thompson 1566; recent developments in spread of myxomatosis in Britain, Thompson 1567; history and effects of myxomatosis, Cattelain 263; summary of report of advisory committee on myxomatosis, Lapage 908; review of effects of myxomatosis in Britain, LOCKLEY 969; survey of myxomatosis and its biological implications, RITCHIE and others 1293; results of myxomatosis, Southern 1462; history of myxomatosis in Australia, FENNER 453; aspects of myxomatosis in Britain, ANDREWES 56.

† Oryctolagus lacosti Pliocene, C. France, descr. figs., synonyms, VIRET 1663.

Sylvilagus helminth parasites, ERICK-SON 434; S. bachmani home range in California, CONNELL 302; S. mearnsi population reduction causes, KLINE and HENDRICKSON 844.

ORDER RODENTIA

Comments on rodent classification and evolution, Wood 1751.

Ontogeny and rodent classification, KEYS 818.

Trigonodonty in rodents, SCHAUB 1352.

Types of rodent populations, NAUMOV 1118.

Cheek pouch development in rodents, Chiasson 280.

24-hour periodicity in rodent activity, Aschoff and Meyer-Lohmann 68.

Rodents feeding methods underground, reaction to scents not of food, SVIRIDENKO 1516.

Baculum in rodents, DIDIER 371.

Textbook of German rodents, 3rd ed., Mohr 1077.

Field key to Sudan rodent genera, Owen 1153.

Notes on some Katanga rodents, Schwetz 1386.

African rodent reservoirs of Plasmodium, VINCKE and others 1659.

Rodent habitat preferences in California, QUAST 1248.

SUBORDER SCIUROMORPHA †ISCHYROMYIDAE

†Ailuravus macrurus Eocene, Germany, descr. figs., taxonomic status, Tobien 1577.

†Paramys bicuspis, P. excavatus Eocene, Wyoming, Kelley and Wood 814.

†Pseudocylindrodon silvaticus sp. nov. Eocene, east bank Flathead R., 2·8 m. N. of International Boundary, S.E. British Columbia, p. 99, RUSSELL 1322.

†EOMYIDAE

†Paradjidaumo alberti sp. nov. Ecocene, east side Flathead R., 8·5 m. N. of International Boundary, S.E. British Columbia, p. 102, Russell 1322; †P. spokanensis sp. nov. Oligocene, † m. S.E. of Canyon Ferry, Lewis and Clark County, Montana, p. 409, White 1706.

†Protadjidaumo burkei sp. nov. Eocene, east side Flathead R., 8 5 m. N. of International Boundary, S.E. British Columbia, p. 100, RUSSELL 1322.

SCIURIDAE

Os clitoridis in N. American sciurids, LAYNE 921.

Aethosciurus ruwenzorii distribution and races, A.r. schoutedeni, Lutunguru, 28° 47′ E., 0° 29′ S.), p. 70, A.r. ituriensis Djugu (30° 30′ E., 1° 59′ N.) p. 71, both subspp. nov. Belgian Congo, PRIGOGINE 1240.

Arctomys monax extreme case of incisor malocclusion, Gehr 543; hibernatory physiology, Hershkovitz 675.

Callosciurus griseimanus heinrichi subsp. nov. Maymyo, Mandalay, Burma, p. 1, Tate 1539.

Callosciurus (Rubrisciurus subgen. nov.) for type species C. (R.) rubriventer Forsten, p. 94, ELLERMAN in LAURIE and HILL, List of land mammals of New Guinea, Celebes and adjacent islands, 1758–1952, 1954.

Citellus in western U.S.A., distribution and phylogeny, Durrant and Hansen 396; C. barrowensis, C. parryi

haematology, LIEB and WILBER 951; C. beldingi crebus found north of Snake River, Idaho, Hansen 631; C. citellus physiology of hibernation, KAYSER 810; role of endocrine glands in hibernation VIDOVIC and POPOVIC 1650; artificially induced hibernation, Popovic 1226; C. parryii parryii habits in captivity, cannibalism, Musacchia 1110; C. tridecemlineatus hibernation physiology, LYMAN 983 : C. undulatus food storing in winter burrow, KROG 876; C. variegatus robustus subsp. nov. Pass Creek, Deep Creek Mts., 8000 ft., Juab County, Utah, p. 264, critical revision of other races, Durrant and Hansen 397.

[1954]

†Citellus dotti sp. nov. Pliocene, Buis Ranch, Buckshot Arroyo, Beaver County, Oklahoma, p. 349, HIBBARD 686.

Epixerus ebii jonesi subsp. nov. N. side of Bintamane Mt., 3,400 ft. N.E. Sierra Leone, about 9° 14′ N., 11° 10′ W., p. 16, HAYMAN 652.

Eutamias minimus eastern limits in Canada, Peterson 1189.

Funambulus palmarum palmarum male genital tract, Prasad 1235.

Heliosciurus gambianus hoogstraali subsp. nov. Ikoto, 2500 ft., Torit District, Equatoria Province, Anglo-Egyptian Sudan, p. 87 Setzer 1402.

Marmota marmota marmota past and present status in Italian Alps, distribution, maps, need for conservation, Toschi 1582; status in Europe, distribution, habitat, ecology, MULLER-USING 1104; habitat and territory, Bopp 174; thyroid function in hibernation, Lachiver 901; M. monax status in Tennessee, Schultz 1374.

†Marmota marmota primigenia first record Pleistocene Holland, Husson and Sluys 753; Pleistocene, Hungary, Kretzol 873.

Microsciurus rubirostris range extension in Peru, Sanborn 1337.

Petinomys crinitis nigricaudus subsp. nov. Tuod, 15 m. inland from Mantikaw, Misamis Oriental, Mindanao, Philippines, p. 285, Sanborn 1338.

Ratufa indica maxima male genital tract, Prasad 1235.

Rubrisciurus subgen. nov. (type R. rubriventer) see Callosciurus.

Sciurus carrying and protecting halfgrown young, PACKARD 1155 : S. carolinensis Nebraskan records, Jones 788; recorded from Iowa, FINDLEY and others 467; introduction to British Columbia, ecology and breeding biology, ROBINSON and COWAN 1297; population study in a small area in Surrey, BARNES and Duncan 105; methods of control, COTTERELL 312; control campaign, GASELEE 531; recent population studies discussed, Thompson 1564; S.c., S. vulgaris leucourus biology and comparative study in Britain, SHORTEN 1422; S. griseus first record Nevada, Johnson 785; Nevada records, RICHARD-SON 1282; S. niger cinereus Linn. valid for S.n. neglectus Gray, S.n. vulpinus Gmelin for S.n. vicinus Bangs, Barka-LOW 103; S.n. rufiventer extra large litter size, Hoover 728; S.n.r., S. carolinensis population study and home range, MORAN 1086; S. sanborni Osgood a second specimen, Sanborn 1337; S. vulgaris leucourus status in Herefordshire, Mellor 1061; recent record in S. Hertfordshire, SAGE 1335; S.v.l., S. carolinensis biology and comparative study in Britain, Shorten 1422; Spermophilus leptodactylus variation and distribution, GEPTNER 544; S. undulatus barrowensis growth and development, MAYER and ROCHE 1056.

Tamias striatus lysteri an albino pair, ZINN 1792.

Tamiasciurus hudsonicus taxonomy of Utah races, Durrant and Hansen 395; T.h. loquax life history in New York, Layne 922; territorial behaviour, Kilham 825.

GEOMYIDAE

Cratogeomys castanops plural catches from one burrow, Russell 1323.

Geomys personatus local differentiation in S. Texas, Kennerly 816.

Heterogeomys hispidus negatus correction of type locality, p. 9, Goodwin 576.

†Pliogeomys gen. nov. for type species P. buiss sp. nov. Pliocene, Buis Ranch, Buckshot Arroyo, Beaver County, Oklahoma, Hibbard Pap. Mich. Acad. Sci. 39 1954: 353.

Thomomys monticola burrowing habits, life history, photos, INGLES 759.

HETEROMYIDAE

Dipodomys dorsal skin gland, QUAY 1252; D. nitratoides statistical analysis of subspecific variation, D.n. exilis synonym of D.n. nitratoides, BOOLOOTIAN 168.

Perognathus locomotion, BARTHOLO-MEW and CARY 112; digging ability in hard soil, DENYES 363; P. flavescens cockrumi subsp. nov. 4½ miles N.E. of Danville, Harper County, Kansas, p. 589, HALL 620; P. flavus review of Mexican forms, P.f. medius 1 m. S. and 6 m. E. Rincon de Romos, 6550 ft, Aguascalientes, p. 343, P.f. parviceps 4 m. W. and 2 m. S. Guadalajara, 5100 ft., Jalisco, p. 344, P.f. pallescens 1 m. S.W. San Pedro de las Colonias, 3700 K. Cahuila, p. 345, all subsp. nov. Mexico, Baker 83; P. formosus infolatus subsp. nov. 7 m. W. of San Francisquito Bay 20° 30′ N., Baja California, Mexico, p. 1, HUEY 740; P. nelsoni canescens first record New Mexico, WEBB 1694; P. parvus yakimensis subsp. nov. 16 m. N.W. Naches, Rocky Flat, 3800 ft., Yakima County, Washington, p. 96, Broadbrooks 195.

†Prodipodomys rexroadensis sp. nov. Pliocene, Rexroad formation, Meade County, Kansas, p. 228, HIBBARD 688.

CASTORIDAE

Castor canadensis measurements, and weight of organs, Cook 304; dental and osteological age determination, Robertson and Shadle 1294; size of wood cuttings, Shadle 1406; killed by felled tree, Hitchcook 700; status in Iowa, Sanderson 1342; status in Tennessee, Schultz 1876; present distribution in Mexico, Villa R. 1654; C. fiber ecology and productivity measures in Russia, Poyarkov 1231; distribution and ecology in Ukraine, Scharlemann 1350; hand rearing, Belyavskaya 132; C.f. albicus diving habits, Petzsch 1198.

†Castor plicidens Pliocene, C. France descr. figs., VIRET 1663.

? Sciuromorpha incertae sedis

†Pseudosciuridae

†Masillamys gen. nov. for type species M. beegeri sp. nov. p. 18, M. krugi sp. nov. p. 21, and M. parsus sp. nov. p. 23, all Eocene, Messel, near

Darmstadt, Germany, Tobien, Notizbl. hess. Landesamt. Bodenforsch. 82 1954: p.18.

SUBORDER MYOMORPHA

Three Tunisian rodents susceptible to *Plasmodium* infection, Durand and Mathis 394.

Sex ratio in mice and voles estimated from owl pellet remains, BECKER 127.

Sex differences of pelvis in mice and voles, Becker 126.

CRICETIDAE

Comparative myology of some Cricetine rodents, and intergeneric relationships, RINKER 1292.

Meibomiam glands of microtines, QUAY 1249.

Diastemal palate in microtines, QUAY 1250.

Vole damage to trees ten feet above ground, Thomson 1571.

Diurnal activity of voles and lemmings in Kazakhstan, KRILTZOV 875.

Akodon torques range extension in Peru, Sanborn 1337.

Akodon (Chroeomys) jelskii inornatus range extension in Peru, Sanborn 1337.

Arvicola terrestris influence of spring floods on population fluctuations, SHILOV 1421; biology and control in Holland, WIJNGAARDEN 1727.

Chionomys nivalis habits, breeding in captivity, growth of young, FRANK 488.

Clethrionomys lateral glands as specific character, PACLT 1156; C. of Alustrian Alps, taxonomy and distribution, C. glareolus variscicus subsp. nov. p. 118, Klein Perthenschlag, Waldviertel, Lower Austria, Wetterself 1701; C. glareolus food analysis, MILLER 1071; C. gapperi loringi new to Iowa, Polder 1222; C. rjabovi Belyaeva 1953, correct type locality Zorin, Kaganovich region, valley of R. Budund, 100 km. from junction with R. Zeya, Amur Province, E. Siberia, not as in 1953 Record; C. rutilus dawsoni growth and development of temperature regulation, Morrison, Ryerr and Sterkeker 1092.

Cricetus cricetus behaviour patterns, general biology, Eibl-Eibesfeldt 413; notes in captivity, Kühlhorn 886.

Ellobius lutescens unusual chromosome number, MATTHEY 1047; E. talpinus new trap, Golov 568.

†Eumys cricetodontoides p. 411, E. latidens p. 412, E. spokanensis p. 413, spp. nov. Oligocene, † m. S.E. of Canyon Ferry, Lewis and Clark County, Montana, White 1706.

Gerbillus gerbillus multiple chromosomes, MATTHEY 1049.

Gerbillus (Dipodillus) calurus systematic position, not a Meriones, Wassir 1689.

Meriones taxonomic note, 3 species recognised, M. shawi, M. libycus, M. crassus, Petter 1192; M. crassus acoustic properties of bullae, possibility of echolocation, Wisner and others 1743; M.c., M. shawi experiments on comparative efficiency of auditory apparatus with large and medium bullae, Legouix and others 932; M. tamariscinus ecology and physiology, Kalabukhov and Pryakhin 800.

"Meriones" calurus a Gerbillus (Dipodillus), WASSIF 1689.

Mesocricetus auratus laboratory uses, Ponsford and Whyley 1225; hibernation physiology, Lyman 983; temperature and weather influence on hibernation, Schua and Schnorrenenes 1369; below zero freezing experiments, Smith and others 1447; flank gland, Lipkow 957; epoophoron, Strauss and Bracher 1502; colour and form visual ability, Knoop 849; M. raddei new data on distribution and ecology in Rostov Province, Yakovlev and Kolesnikov 1763; M. r. migriculus northern range extension in Caucasus, Luryantchenko 975.

Microtus ecological distribution of three American species, Findley 466; M. arvalis biological study, Frank 489; climatic influence on population changes Herold 670; M. guentheri incidence of malignant tumours in laboratory stocks, Bodenheimer 161; M. montanus subspeciation in Wyoming and Colorado, M.m. codiensis 3½ m. E. and ½ m. S. Cody, 5020 ft., Park Co. p. 497, M.m. zygomaticus Medicine Wheel Ranch, 9000 ft., 28 m. E. Lovell, Big Horn County, p. 500 both Wyoming, subspp. nov., Anderson 54; M. montebelli first record for U.S.S.R., occurrence on Sikotan, Kurile Is., Sorolov 1455;

growth and reproduction, Cowan and ARSENAULT 319; M. pennsylvanicus as Rickettsia carrier, Gould and Miesse 584; skull variation analysis, SNYDER 1453; M. pinetorum nemoralis new records Iowa, FINDLEY and others 467; M. provectus from Block Island a subspecies of M. pennsylvanicus, Chamber-LAIN 274; M. xanthognathus status and habits in Alaska, LENSINK 940.

Oryzomys (Microryzomys) minutus aurillus range extension in Peru, SAN-BORN 1337.

107

(Lasiopodomys) Microtus brandtii Drak Somona, S.W. Khangai, Mongolia, p. 24, Bannikov Bull. Soc. Nat. Hist. Moscow, Biol. 53 2, 1948. [N.V. Listed in BANNIKOV 98.1

Ototylomys phyllotis quaternalae first record Mexico, Kuns and Tashian 894.

Microtus (Pitymys) quasiater first record Hidalgo, Mexico, BAKER and VILLA 92.

Pallasiomys meridianus ecology and physiology, KALABUKHOV and PRYA-KIN 800; P. unquiculatus selenginus subsp. nov., near Mt. Kyakhtye, S.W. Zabaikale, Mongolia, p. 28, Heptner Bull. Soc. Nat. Hist. Moscow, Biol. 54 4 [N.V. Listed in Bannikov 98.]

†Mimomys pliocaenicus Pliocene, C. France, descr. figs. VIRET 1663.

Peromyscus home range, DICE and CLARK 370; arboreal adaptations and Nelsonia comparative characters, N.

albicaudatus Mystromys chromosomes, TAITZ 1521.

neotomodon distribution, habits, habitat,

HOOPER 726. Neotoma albigula melanism on lava beds in Texas, Blair 151; N. floridana campestris first record Nebraska, Jones 788; N. mexicana as laboratory animal for nutritional studies VAN REEN and PEARSON 1629.

†Neotoma fossilis probably synomym of N. albigula, p. 36, HOFFMEISTER and GOODPASTER 713.

Ondatra zibethica age estimation by dentition, SATHER 1346; phenomena, Errington 438; superfoctation, STIEVE-MIEGEL 1496; production and management methods, DOZIER 386; effect of predation by Lutreola vison, ERRINGTON 439; harmful Effect of oil and D.D.T. sprayed on marshes, Wrage 1758; spread and economic value in California, Seymour 1403; evizootic in Oregon, Macy and Biggs 1009; migration and abundance in France, economic value, VALLÉE 1619; O.z. cinnamomina biology and economic status in Nebraska, SATHER 1347.

ability, Horner 732; hybridization, Liu 960; P. boylii levipes first record Hidalgo, Mexico, BAKER and VILLA 92; P. eremicus eremicus range extension in Nevada, Lee 930; P. floridanus breeding in captivity, DICE 369; P. gossypinus population study in Texas, McCarley 987; P. leucopus noveboracensis non-geographic variation in cranial measurements, Cockrum 296; P.l. × gossypinus hybridization, Mc-CARLEY 988; P. maniculatus tests for discrimination between four subspecies, no reproductive isolation, BLAIR 152; suppression of audiogenic hyperexcitement, CHANCE 275; metabolic differences between three strains, COOK and HANNON 307; breeding season in Colorado, Beidleman 130; monozygotic twinning, Lru 961; P.m. bairdi, P.m. gracilis experimental evidence of reproductive isolation, HARRIS 640; P. mexicanus teapensis range extension in Mexico, Kuns and Tashian 894: P. nuttalli life history, Goodpaster and Hoffmeister 570; P. polionotus inherited abnormal behaviour---"spinner," BARTO 113; P.p. lucubrans 4½ m. E. of Savannah R. on U.S. highway 301, Allendale County, p. 564, P.p. colemani & m. E. of Campton, Spartanburg County, p. 566, subspp. nov. both S. Carolina, P.p. policontus type locality restricted to Screven County, Georgia, p. 564, P.p. subgriseus a valid race, SCHWARTZ 1381.

Onychomys leucogaster confirmed for Iowa, Miller, 1069; O.l. longipes range extension in Texas, RUSSELL and FIND-LEY 1324.

†Peromyscus baumgartneri sp. nov. Pliocene, Rexroad formation, Meade County, Kansas, p. 232, HIBBARD 688.

Phenacomys intermedius celsus first recorded Nevada, Johnson 785; P.i. intermedius notes on specimens from Gothic, Colorado, PRUITT 1244; P.i. ungava first record Minnesota, HANDLEY 629.

Pitymys subterraneus occurrence in Bialoweska, Poland, Morozova-Turova 1089.

Pitymys (Phaiomys) leucurus subgenus and species attributed to Blyth (in Theobald) 1862, J. Asiat. Soc. Bengal 31 519, not Blyth 1863, ROONWAL 1309.

Reithrodontomys megalotis dychei first record Arkansas, Sealander 1387; R.m. hooperi subsp. nov. Rancho del Cielo, 3500 ft., E. foothills of Sierra Madre Oriental, 5 m. N.W. of Gomez Farias, Tamaulipas, Mexico, p. 1, Goodwin 573; R.m. pectoralis first record Iowa, Polder 1222.

Rhombomys opimus ecology in Central Asia, Krilova and others, 874; population estimate from car, Varshavski and Shilov 1631.

Sigmodon hispidus exputus observations on Florida Keys, a valid race, Schwartz 1380; S.h. texianus phyletic relationships based on embryology, Keys 818; blood study, DOLYAK and LEONE 375.

†Synaptomys (Synaptomys) landesi sp. nov. Pleistoeene, Borchers pasture, Meade County, Kansas, p. 249, Hibbard 687.

Tatera brantsii draco sex-chromosomes and their nucleic acid metabolism, Tobias 1576; T.b., T. afra breeding biology and growth, Measroch 1057; T. indica cuvieri biology in S. India, Prasad 1233; food analysis, Prasad, 1234.

MURIDAE

Control of rats and mice, textbook, CHITTY and SOUTHERN 284.

Rat biology and control, with special reference to poisons, STEINIGER 1485.

Rat and mouse control techniques, Anon 38, 39.

Chromosomes of murids, new data, MATTHEY 1048.

Chromosomes of 21 species of Muridae, relation to evolution and taxonomy, Matthey 1050.

[1954]

Control of field rats and bandicoots in India, Katarki and Kulkarny

Moonlight effect on rat breeding, HARRISON 643.

Malayan forest rats pregnancy relation to moonlight, correction, Van DER BIJL and HARRISON 1623.

Swimming ability of murines, JANY 774.

Reproduction data for some Congo murines, PIRLOT 1213.

Acomys cahirinus, A. cineraceus comparative characters, pelage changes, synonymies, distribution in N. Africa, Petter 1195; A.c., A. russatus difference in chromosome numbers, WAHRMAN and ZAHAVI 1674.

Apodemus agrarius partial albinism, Gaffrey 524; A. flavicollis status in Gotland, Sweden, Reinwaldt 1269; A.f., A. sylvaticus comparison of nuteating methods, Zimmermann 1788; A.s. habits in captivity, Harder 635; food analysis, Miller 1071; melanistic specimen, Husson 750; A.s. dichrurus two forms in Sicily, Hagen 616.

Mayermys gen. nov. p. 133 for type species M. ellermani sp. nov. p. 134, northern slopes of Mt. Wilhelm, Bismarck Range, N.E. New Guinea, 8000 ft., LAURIE and HILL, List of land mammals of New Guinea, Celebes and adjacent islands, 1758–1952, 1954.

Mindanaomys gen. nov. for type species M. salomonseni sp. nov. Mt. Katanglad, 1600 metres, Bukidnon Province, Mindanao, p. 287, SANBORN Vidensk. Medd. dansk. naturh-Foren. Kbh. 115 1953.

Mus dom. classified bibliography of inbred strains, STAATS 1471; M. musculus notes on Schwarz's classification, in relation to France and N. Africa, PETTER 1193; control methods, textbook, CHITTY and SOUTHERN 284; modern study methods, CROWCEOFT 324; breeding at -3° C., BARNETT and MANLY 108; depredations on man's food supplies, SOUTHERN 1461; reproduction in Mississippi, SMITH 1451.

Paruromys subgen. nov. (type P. dominator) see Rattus.

Rattus control methods, CHITTY and Southern 284; R. dom. adopting mouse nestlings, HEROLD 671: R. exulans exulans status on Onatoa Atoll. Gilbert Is., Moul 1907; present distribution in New Zealand, measurements of type skull of synonym R. maorium Hutton, MARPLES 1031; R. maculipilis sp. nov. Rurukan, Minahassa, north Celebes, 3500 ft. p. 115, R.m. jentinki subsp. nov. Koelawi, middle Celebes, 2500 ft., p. 115, R. rattus amboinensis subsp. nov. Pokka, Amboina, p. 102, R. ruber melanurus subsp. nov. Mt. Giluwe, central Highlands, N.E. New Guinea, 11,000-12,000 ft., p. 112, Laurie and Hill 914; R. norvegicus sewer populations and control methods, BARNETT and BATHARD 107; pregnancy rates in different populations, Becker 125; as chick killers, Anon 33; method of trans-porting eggs, Anon 35; as egg-eaters, ANON 37; enticed from burrows by simulated calls on whistle or pipe, STEINIGER 1486; rapid increase in southwest Georgia, competition with R. rattus, ECKE 405; R. rattus rattus first record Illinois, Hoffmeister 711.

Rattus (Mastomys) natalensis oestrous cycle, Johnston and Oliff 786.

Rattus (Parwomys subgen, nov.) for type species R.(P.) dominator Thomas, p. 117, ELLERMAN in LAURIE and HILL, 1954, List of Land Mammals of New Guinea, Celebes and adjacent islands, 1758–1952.

Solomys Thomas a valid genus p. 123, LAURIE and HILL 914.

Thamnomys surdaster as a laboratory animal, Rodhain 1305.

GLIRIDAE

Glis glis introduction to England, habits, food, Leutscher 946; occurrence in Northants, Collyer 299; electro-physiological study of retina, Bornschein and Vilter 176; as nest-box occupant in Austria, Vietinghoff-Riesch 1651.

†Leithia melitensis study of new material, valid genus, relationships, RICHARD 1280.

Muscardinus avellanarius breeding biology and population study, Lik-Hachev 952; individual taste for insect diet, Knight 848; distribution in S. Sweden, Hallander 622.

ZAPODIDAE

Napaeozapus insignis birth and growth of young in captivity, LAYNE and HAMILTON 924.

Sicista subtilis trizona in Austria, systematic position, biology and distribution, BAUER 120.

Zapus hudsonius nesting habits, Dexter 367; distribution in Ohio, Dexter 368; Z. taxonomic revision, Z. hudsonius intermedius Ridgeway, Winneshiek County, Iowa, p. 447, Z.h. preblei Loveland, Larimer County, Colorado, p. 452, subspp. nov., Krutzson 882.

DIPODIDAE

Jerboa distribution and counting methods in U.S.S.R. sand deserts, Sir-VECHKOVSKI 1434.

Allactaga sibirica semideserta subsp. nov. Lake Achit-Nor. N.W. Mongolia, p. 29, Bannikov Bull. Soc. Nat. Hist. Moscow Biol. 52 4 1947. (N.V. Listed in Bannikov 98.]

Scirtopoda telum distribution and damage to crops in Rostov province, RALL and KARAEROVA 1255.

SUBORDER HYSTRICOMORPHA

Hystricomorphs of Matto Grosso, Kuhlhorn 887.

HYSTRICIDAE

†Hystrix refossa Pliocene, C. France, descr. figs., synonyms, VIRET 1663; ?†H. schaubi sp. nov. Pleistocene, Siegmannsbrunn, Oberfr., Germany, p. 101, BRUNNER 211.

ERETHIZONTIDAE

Erethizon dorsatum birth and postnatal behaviour, Shadle 1404; characters, distribution, habits, Shadle 1405.

CAVIIDAE

Review of Argentine Caviidae, CABRERA 237.

Microcavia Gervais and Ameghino, with type species M. typus (fossil) includes Nanocavia and Caviella p. 20, CABRERA 237.

Nanocavia synonym of Microcavia, p. 22. Cabrera 237.

Pediolagus salinicola cyniclus subsp. nov. La Florencia, Formosa, Argentine, p. 75, Cabrera 237.

HYDROCHOERIDAE

Hydrochoerus capybara brain development and structure, FRIANT 515.

DASYPBOCTIDAE

Myoprocta pratti pratti range extension in Peru, Sanborn 1337.

CHINCHILLIDAE

Chinchilla history, distribution, races, need for strict protection, VRYDAGH and others 1669.

Lagostomus maximus systematics, distribution, growth, reproduction, ecology in Entre Rios, Argentine, control methods, LLANOS and CRESPO 962.

CAPROMYIDAE

Myocastor coypus history, life-history, farming, Klapperstuck 839; pelvic structure, Schwarz and Hoffmann 1384; brain structure, Grolamo 557; feral in Nevada, Richardson 1282; present status and distribution in North Norfolk and East Suffolk, p. 29, Anon 24

ECHIMYIDAE

Evolution of molars in Echimyinae, FRIANT 513.

Dactylomys boliviensis second Peru record, Sanborn 1337.

ORDER CETACEA

An ecological classification of cetacea, Tomilin 1579.

Whales as an economic resource, brief survey, CLARKE 290.

Hearing in cetaceans, Fraser and Purves 497.

Whale marking trials in Antarctic, RUUD and ØYNES 1329.

Whale blubber measuring methods, SLUPER 1442.

Weights of some whales, BJARNASON and LINGAAS 147.

Inflammations in whales, STOLK 1499.

Parasites of cetacea from west coast of N. America, Margolis 1026.

Whale distribution in S. Pacific, MACKINTOSH 1001.

Cetacea at Kerguelen, ANGOT 57.

Guide to S. African whales and dolphins, BARNARD 104.

†SUBORDER ARCHAEOCETI

†BASILOSAURIDAE

†Prozeuglodon isis skull morphology, evolution of Archaeoceti, proposed new family Prozeuglodontidae for the Basilosauridae and Dorudontidae, Moustafa 1098.

SUBORDER ODONTOCETI

PLATANISTIDAE

Inia geoffrensis habits, LAMB 905.

ZIPHIIDAE

Berardius bairdi blood groups, Fujino 519.

Hyperoodon rostratus two stranded in Mersey, Ellison 422; food composition, AKIMUSHKIN 47.

Mesoplodon europaeus two stranded in Jamaica, key to Caribbean eetacea, RANKIN 1258; possible additional Jamaican specimens, LEWIS 943.

Ziphius cavirostris? food analysis, Nicholson 1125.

PHYSETERIDAE

Open boat whaling in Azores, history and methods, Clarke 287.

.Kogia breviceps morphological and taxonomic notes, status and habits in Japanese seas, Yamada 1764.

Physeter catodon open boat whaling in Azores, CLARKE 287; analysis of cephalopod food, AKMUSHKIN 48; second largest single find of ambergris, CLARKE 288; Ambergris from British Columbia, ANON 18; blood groups, FUJINO 519; pelvic bones, DEINSE 354.

Maxapaxmenta

Delphinapterus leucas cardiogram, Anon 20; blood cells, QUAY 1251.

Monodon monoceros study of manus, Eales 399.

DELPHINIDAR

Mechanism of swimming in dolphin, MATSCHINKI 1042.

Feresa intermedia from Japan, third known and first complete specimen, detailed account, figs, Yamada 1765. Globicephala melaena stranded in Italy, measurements, plates, Tamino 1529; skull characters, skeletal asymmetry, swimming adaptations, Tamino 1534; exploitation, popular account, photos, Chack 267.

Grampus griseus recent stranding in Italy, Tamino 1530; functional anatomy of tail, Tamino 1532; sight records in W. Atlantic, validity of generic name, Schevill 1355.

Lagenorhynchus obliquidens measurements and stomach contents, Scheffer 1353.

Prodelphinus caeruleo-albus age determination by tooth growth, NISHIWAKI and YAGI 1130.

Stenella styx Oregon specimen, measurements, figs., Scheffer 1353.

Tursiops truncatus in captivity, learning ability, LAWBENCE and SCHE-VILL 919; a Dorset specimen, ALLEN 50.

PHOCAENIDAE

Phocaena phocaena rhineneephalon Breathmach and Goldby 192; P. comerina occurrence in Alaska, Hall and Bee 621; measurements and stomach contents, Scheffer 1353.

Phocaenoides dalli measurements and stomach contents, SCHEFFER 1353.

SUBORDER MYSTICETI

Movements of marked blue and fin whales in Antarctic, Brown 208, 209.

Relative growth of body parts in fin whales, Kramer 866.

Respiratory tissue of fin whales, Engel 428.

Fin whale size limits regulations, FREILI 518.

+CETOTHERHDAE

†Isocelus de Pauwii first record Miocene Portugal, mandible descr. figs., Zbyszewski 1783.

RHACHIANECTIDAE

Eschrichtius glaucus discussion of distribution, habits, Anon 21; observations on W. U.S.A. coast, Manzer 1023; study of coastal movements, speeds, duration of dives, Wyrker 1761.

BALAENOPTERIDAE

Bulasnaptera etymology of name "rorqual," BUDKER 216; B. sp.

stranded on Malabar coast, Chacko and Mathew 268; B. acutorostrata stranded on Lancashire coast, Ellison 423; B. shorealis size at sexual maturity, Nishiwaki and others 1129; B. brydei, B. borealis specific characters, external morphology, Omura and Fuiko 1149; B. musculus fractured earbones, figs., Fraser and Purves 496; exceptionally large ovaries, Laws 920; B. physalus microscopic study of development of foetal teeth, Dissel-Scherft and Veryoort 373; body proportions in N. Pacific, Fuiko 520; Italian stranding, Tamno 1531; stranding on Isle of Ischia, Tamno 1533.

Megapiera nodosa movements and biology in New Zealand waters, Dawben and Falla 351; ovaries and ovulation, Chittle Bosocche 283; distinguishing features of ovulation and pregnancy corporea lutea, Robins 1295; over 18 years old, Anon 19.

BALAENIDAE

Balaena value of orbital characters in species distinction, MULLER 1102.

ORDER CARNIVORA

Tooth structure in evolution of earliest carnivora, RUSSELL 1321.

†SUBORDER CREODONTA

Creodont generic characters, evolution of primitive carnivora, MATTHES 1044.

†ARCTOCYONIDAE

†Anacodon ursidens Eocene, Wyoming, descr. figs., Kelley and Wood 814.

†Thryptacodon loisi sp. nov. Eccene, Bridger Creek, Fremont County, Wyoming, p. 346, Kelley and Wood 814.

†MESONYCHIDAE

†Chadronia gen. nov. for type species C. margaretae sp. nov. Oligocene, near Whitney, Dawes County, Nebraska, p. 385, Cook Amer. Midl. Nat. 52 1954.

†OXYAENIDAE

†Oxyaena ultima Eocene, Wyoming, descr. figs., Kelley and Wood 814.

†HYAENODONTIDAE

†Prolimnocyon elisabethae Eccene, Wyoming, descr. figs., Kelley and Wood 814. SUBORDER FISSIPEDA

Carnivores of Yuma County, Arizona, Halloran and Blanchard 623.

Pleistocene carnivora from Italy, Campana 246.

†MIACIDAE

† Didymictis altidens lysitensis Eccene, Wyoming, descr. figs., Kelley and Wood 814.

CANIDAE

Chromosomal relationships of some canids, MATTHEY 1052.

Canidae comparative morphology of body skeleton, review of classification and distribution, HILDEBRAND 689.

Summary of recent work on Pleistocene Canidae from Lower Austria, Thenrus 1558.

Canidae from Pleistocene of Hundsheim, Lower Austria, Thenius 1559.

Alopex lagopus lagopus circumpolar in distribution, RAUSCH 1262.

†Amphicynodonts Ursid, not Canid, in affinities, p. 419, White 1706.

†Campylocynodon gen. nov. for type species C. personi sp. nov. Oligocene, S.E. of Wagon Bed Springs, Beaver Divide, Fremont County, Wyoming, p. 43, CHAFFEE J. Paleont. 28 1954.

Canis dom. investigation and causes of man-killing cases, GRZIMEK 606, 607; closed social groups, KING 826; brain proportions in different breeds, Stephan 1490; buccinator muscle, OBERFELD 1140; haematology, Rosenfeld and HOEHNE 1312; skulls from archaeological sites in Italy, CADEO 239; C. dingo habits and comparative harmlessness, Hodge 703; C. latrans occurrence in Kentucky, skull characters distinguishing from C. familiaris, GALE and PIERCE 528; C. lupus skull morphology, SCHUBEL 1370; status in Arabia, BROMAGE 198; status in Near East, FIELD 459; status in Bialowesckza reserve, Poland, GAV-RIN and DONAUROV 535; reported killing domestic stock in Valais, Switzerland, MARIETAN 1028; killed in Valais, Switzerland, 1947, photo and details, Marietan 1029; control measures in Russia, Kozlov 864; control in game reserves in Russia, Kozhevnikov 863; control measures in game reserves, Bromlei 199; control measures in Voronezh, Meetz 1065; skull from Bronze Age in Italy, Cadeo 240; C. mesomelas economic role in S. Africa, Van der Merwe 1625; life history, destructive role in S. Africa, control methods, C. adustus brief account, Van der Merwe 1627; C.m., C. latrans comparison of habits, Van der Merwe 1626.

†Canis edwardi Gazin synonym of C. lupus baileyi, p. 34, HOFFMEISTEE and GOODPASTEE 713; †C. lupus mosbackeasis Pleistocene, Hundsheim, Lower Austria, descr. figs., discussion of phylogeny, THEXIUS 1559.

†Canis (Aenocyon) dirus Pleistocene Alberta, northernmost record, Cowas 318.

Cerdocyon thous azarae haematology, Hoehne and Rosenfeld 705.

Cuon phylogeny, THENTUS 1560.

†Cuon dubius stehlini Pleistocene, Rosieres, Cher, France, p. 259, C. priscus Pleistocene, Hundsheim, Lower Austria, p. 258, both nom. nud., Thenius 1558; f.C. priscus sp. nov. Pleistocene, Hundsheim, near Deutsch-Altenburg, Lower Austria, p. 255, C. dubius stehlini subsp. nov. Pliocene, Rosieres, near St. Florent, Cher, France, p. 275, discussion of C. phylogeny, Thenius 1559.

Dasycyon hagenbecki comparative structure of hair, Dieterlen 372.

†Hesperocyon paterculus, H. gregarius Oligocene, Montana, descr. figs., White 1706.

Icticyon venaticus habits in captivity, photos, Bates 117; ? origin of "Warracaba tiger" stories in British Guiana, Bridges 193.

Lycaon pictus hunting habits, HUB-BARD 738.

†Nyctereutes sp. Pliocene Poland, descr. figs., discussion, STACH 1472; †N. megamastoides Pliocene, Central France, descr. figs., VIRET 1663.

Otocyon megalotis short account, VAN DER MERWE 1627.

Vulpes brain studies of wild and captive animals, Stephan 1489; V. chama short account, VAN DER MERWE 1627; V. fulva weights and reproduction in Indiana, HOFFMAN and KIRKPATRICK 707; V. culpes behaviour comparison with wolf, Tembrock 1551.

†Vulpes alopecoides Pliocene, Central France, descr. figs., VIRET 1663.

†Vulpes (Vulpes) angustidens nom. nud. Pleistocene, Hundsheim, Lower Austria, p. 258, Thenius 1558; †V. (V.) angustidens sp. nov. Pleistocene, Hundsheim, Lower Austria, p. 250, Thenius 1559.

URSIDAE

Popular account of bears, HAYMAN 656.

Diseases of captive bears, Schulze 1377.

†Amphicynodonts Ursid, not Canid, in affinities, p. 419, White 1706.

Melursus ursinus hole-digging for grubs, Chandrasekhar 276.

Selenarctos t. thibetanus high tree nest building, YIN 1774.

Ursus deformed jaw after injury, LENSINK 941; U. americanus semihibernation observations, notes on date of birth and growth of young, Marson 1043; physiology of hibernation, SVIH-LA and BOWMAN 1515; hand-rearing technique, REVENTLOW 1275; U. arctos monograph, Couturier 315; new data on reproduction in captivity, Kostyan 861 : in Carpathians, population analysis, local types distinguished, breeding biology, LINDEMANN 954; as predator in U.S.S.R., TEPLOV 1555; U. gyas fishing habits in Alaska, Rhode 1279; birth and rearing in captivity, REVENT-LOW 1276; U. richardsoni past status and possible present existence in northeast Labrador and Quebec, ELTON 426: U. thibetanus japonicus basking couches described, HIRASAKA 699.

†Ursus from Pleistocene of Italy comparative cranial morphology, CONTI 303; †U. etruscus Pliocene, Central France, descr. figs., VIRET 1663; †U. spelaeus frontal sinus lesions, KOBY 851; new skeleton, VIALLI 1648; new finds in Switzerland, SPAHNI 1465; Pleistocene, Austria, new finds, bone measurements, EHRENBERG 409; new find Pleistocene Spain, MALUQUER DE MOTES 1015.

PROCYONIDAE

Bassariscus astutus food habits and life history in Texas, Taxlor 1542; new record in Colorado, Rutherford 1327; range extension in Nevada, Johnson 785.

Nasua introduction on Juan Fernandez Island, Grzimek 605; N. narica status in Arizona, habits, colour phases, Wallmo and Gallizioli 1687; N.n. panamensis habits, LUNDY 979.

Procyon loter live-trapping and marking methods, Butterfield 232; transuterine migration, Llewellyn and Enders 963; ovulation not spontaneous, Llewellyn and Enders 964; longevity, Haugen 648; P.l. elucus abundance after introduction to Bahamas, Sherman 1417; P.l. hirtus ecology in Iowa, Caralka and others 271.

MUSTELIDAE

Mustelids introduced to New Zealand, Wodzicki 1745.

Perianal gland in skunks, BISHOP 145. †Baranogale helbingi Pliocene, C. France, descr. figs. VIEET 1663.

†Brachyopsigale gen. nov. for type species B. dubius sp. nov. Pliocene, Fox Canyon, Meade County, Kansas, Hib-Bard, Trans. Kansas Acad. Sci. 57 1954: 927.

†Buisnictis schoffi sp. nov. Pliocene, Buis Ranch, Buckshot Arroyo, Beaver County, Oklahoma, p. 344, Hibbard 636; †B. breviramus Pliocene, Kansas, descr. figs., p. 224, Hibbard 688.

Enhydra lutris incisor wear probably due to specialised feeding habits, HILDE-BRAND 690; parasites, MARGOLIS 1026.

†Enhydrictis ardea Pliocene, C. France descr. figs., synonyms, VIRET 1663.

Gulo gulo importance as predator in Altai, Dulkert 391; learning ability in captivity, Krotr 877; rearing in captivity, Krotr 877; rearing in captivity, Behm 129; G. luscus old records for Wisconsin, Jackson 768; sight record, Squaw Valley, California, Ruth 1326.

†Hypsoparia gen. nov. for type species H. bozemanensis sp. nov. Miocene, 13 m. W. of Bozeman, Gallatin County, Montana, Dorr, Ann. Carnegie Mus. 33 1954: 179.

Ictonyx Kaup 1835, and I. striatus (Perry), 1810, correct generic and specifernames for the African stinkmuishond, ELLERMAN and MORBISON-SCOTT 420.

Lutra canadensis extra premolars, DEARDEN 352; status in Tennessee, SCHULTZ 1376; L.c. sonora recorded from S.W. New Mexico, McClellan 991; L. lutra preliminary report on enquiry, Stephens 1491; occurrence in N. Wirral, Cheshire, Ellison 421.

†Lutra cf. bravardi Pliocene, C. France, descr., VIRET 1663.

Lutreola vison predation effect on Ondatra, Errington 439.

Martes martes rearing and habits in captivity, Herter, Ohm-Keltter and others 676; status, distribution and habits in Lake District, Humber 745; importance as predator, and control in U.S.S.R., BROMLEI 200; as predator on squirrels in Russian taiga, Yurgenson 1778.

Meles meles filmed at night, methods and results, Hewer and Neal 684; habits and reproduction, Neal 1120; plea for tolerance, Gresson 593; Mm. danicus food analysis, Andersen 53.

†Meles thorali Pliocene, C. France, deser. figs., VIRET 1663.

Mephitis mephitis status in Tennessee, Schultz 1374.

Mustela erminea breeding data, MÜLLER 1101; first record Great Cumbrae Island, BAGENAL 83; M.e. aestiva young reared in captivity, growth, habits, coat change, SCHMIDT 1357; M.e.a., M. nivalis distribution and comparative characters in Europe, Klem-MER 841; M. furo laboratory breeding report, Wilson-Jones 1734; dates of oestrus in normal and blinded animals, Thomson 1569; M. nigripes status in U.S.A. and proposed conservation measures, Cahalane 242; recent occurrence in S. Dakota, Garst 530; Young 1776; as Indian ceremonial objects, Peterson and Berg 1188; M. rixosa occurrence in Glacier National Park, Montana, LECHLEITNER 929; M. vison age criteria, Lechleiter 928,

Mustela (Putorius) eversmanni distribution in S.W. Bohemia, JIRSIK 777.

†Potamotherium valetoni brain formation shows lutrine affinities, FRIANT 509.

Putorius putorius status and distribution in Wales, CONDRY 301; no recent occurrences in Devon, HURRELL 747.

Spilogale putorius status in Tennessee, Schultz 1374.

Taxidea taxus apache Schantz synonym of T.t. sonoriensis Goldman, p. 79, Hoffmeister and Goodpaster 713.

VIVERRIDAE

African genets and mongooses, short account, PITMAN 1216.

Cryptoprocta ferox notes on habits, LOUVEL 971.

Herpestes mungo introduced to Ryukyu Is., present status, Takashma 1524; H. smithi zeylanicus record longevity (over 16 years), Phillips 1202.

Paguma larvata naturalized in Japan, UDAGAWA 1612.

Xenogale microdon recorded from Katanga, Belgian Congo, Freснкор 500.

HYAENIDAE

Hyaena dentition, adaptive features, EWER 442.

Hyaenas not bone collectors in caves, investigation of lairs and feeding habits, Hughes 743, 744.

Status of fossil hyaenid populations, Kurten 898.

Crocuta crocuta field observation of rectum extrusion, BIGALKE 139.

†Crocuta spelaea capensis? Pliocene, Transvaal, comparative study, EWER 443; †C. ultra sp. nov. Kromdraai, p. 570, C.u. latidens subsp. nov. Clyde Trading Co., near Kromdraai, p. 574, both? Pliocene, Transvaal, EWER 443.

†Crocuta (Plesiocrocuta subgen. nov.) for type species C. perrieri, p. 46, VIRET, Nouv. Arch. Mus. Hist. nat. Lyon No. 4, 1934

†Eucrocuta gen. nov. for type species E. spelaea, p. 51, Viret, Nouv. Arch. Mus. Hist. nat. Lyon, No. 4, 1954.

†Euryboas tunensis Pliocene, Central France, descr. figs., synonyms, VIRET 1663.

Hyaena hyaena record by Broom (1939) from Kromdraai not accepted, EWER 443.

†Hyaena bellax sp. nov. ? Pliocene, Kromdraai, Transvaal, p. 579, EWER 443; †H. donnezani sp. nov. Pliocene, Perpignan, France, p. 52, Viret 1663.

† Ictitherium palaeobiological study, KURTEN 897; † I. robustum redescribed, refigured, notes on allied species, use of allometry, Kurton 898B.

† Plesiocrocuta subgen. nov. (type P. perrieri) see Crocuta.

Proteles cristatus short account, VAN DER MERWE 1627; ?first Egyptian record, NEGUMI 1121.

FELIDAE

†Acinonyx pardinensis Pliocene, C. France, descr. figs., synonyms, Viret 1663.

Felis concolor method of calculating local population, JOHNSON and COUCH 784; status and habits in California, McLean 1004; F.c. araucanus weights, measurements and colour, Sanborn 1340; F. dom., review of breeds and their standard points, SCHWANGART 1379; direction-finding experiments, PRECHT and LINDENLAUB 1236; F.s. silvestris another Saxony record, DATHE 345.

†Felis (Lynx) issiodorensis Pliocene, Central France, descr. figs, VIRET 1663.

†Homotherium crenatidens Pliocene, C. France, descr. figs., Viret 1663.

Lynx canadensis cycle statistical analysis, Moran 1085; case of cannibalism, ELSEY 425; L. lynx Scandinavian status and conservation, ERRINGTON 437; recent reports in Valais, Switzerland, MARIETAN 1027; reported killing domestic stock in Valais, Switzerland, MARIETAN 1028; importance as predator in Altai, DULKEIT 391; L. rufus case of notoedric mange, PENNER and PARKE 1179; L.r.r., Lr. floridanus status in Tennessee, Schultz 1375.

†Megantereon megantereon Pliocene, Central France, descr. figs., M. nihowanensis a synonym, Viret 1663.

Panthera leo survey of breeding data in captivity, Steyn 1494; pattern development and characteristics in young, Schneider 1362; habits particularly in Belgian Congo, Jobaret 778; pituitary, Kladetzky 838; further note on a mounted Cape specimen, photo, Stevenson-Hamilton 1493; killing five-foot elephant, Skennton 1415; P.l. persica present distribution, status and need for conservation, Veydagh and others 1669; P.l. × tigris backcross to P. leo, Kenna 815; P. pardus habits in Parc National Albert, Hoere 716; P. tigris measurements of large Assam

specimen, Hawkins 650; placenta, Srivastava 1470.

†Panthera schaubi sp. nov. Pliocene, Saint-Vallier, Drome, France, p. 67, Viret 1663.

†Pseudaelurus aeluroides sp. nov. Miocene, N.E. rim of Sinclair Draw, Sioux County, Nebraska, p. 67, MacDonald 994.

SUBORDER PINNIPEDIA

Parasites of pinnipeds from west coast of N. America, Margolis 1026.

Seals of Heard Island, Law and Burstall 918.

Seals as an economic resource, brief survey, Clarke 290.

Seals and seal hunting off Hokkaido, WILKE 1730.

TARIIDAE

Otariid taxonomy, age determination, skull measurement variability, specific list with distribution, SIVERTSEN 1436.

Otariid seals of Pacific coast of America, characters, distribution, key to skulls, King 828.

Arctocephalus stocks of New Zealand and adjacent islands, Falla 449; A. australis recent census and status on Argentine coast, Santiago Carrara 1344; A. doriferus, A. tamamicus probably synonyms of A. forsteri, p. 47, Styeetsen 1436; A. galapagoensis Heller a synonym or possible race of A. australis Zimmermann, A. townsendi Merriam synonym of A. philippi Peters, characters, distribution, status, Kung 828; A. gazella status on Kerguelen, Angor 57; occurrence at Bouvet Island, taxonomic notes, skull characters, field notes, Siversensen 1436.

Arctophoca philippii Juan Fernandez, Chile, taxonomy and characters, p. 40, A. townsendi characters, SIVERTSEN 1436.

Callorhinus alascanus population analysis on Pribilovs, Kenyon and others 817; C. ursinus economic value and conservation methods, Scheffer 1354; ashore in California, STOTT 1501; taken in an inland lake in Yukon, McEwen 996.

†Eumetopias (?) kishidai sp. nov. ?Pleistocene, ?Umegase Dist., Japan, p. 11, Shikama 1420.

Neophoca cinerea range restricted to Australia-New Zealand, erroneously listed from Japan, Sivertsen 1436.

Otaria flavescens recent census and status on Argentine coast, Santiago Carrara 1344.

Phocarctos hookeri type locality probably New Zealand, not Falkland Is., synonym of Neophoca cinerea, Siversen 1436.

Zalophus californianus occurrence in Gulf of California, Mexico, Chiasson 281; Z. japonicus synonym of Z. californianus, p. 35, Siveetsen 1436; Z. wollebaeki sp. nov. Floreana (Sancta Maria), Galapagos Islands, p. 2, Siveetsen 1435; Galapagos, full description, figs., measurements, p. 38, Siveetsen 1436.

ODOBENIDAE

Odobenus general description, importance to Eskimo, figs, Minner 1072; unusual mortality in Alaska, Schiller 1356; occurrences in Norway since 1900, Lund 976; Norwegian records, migrations, speed of travel, Lund 977; recent record on Aberdeenshire coast, photo, Forman 483; skull dredged from off Maine coast, Dow 384.

PHOCIDAE

Cystophora cristata occurrence in N. Carolina, Goodwin 572.

Halichoerus grypus attempt at world census, need for longer close season in Britain, Lockley 965; population estimate, breeding season problems, Lockley 966; natural history in British Isles, Lockley 967; green algal growth on hair, MACKENZIE 998; photos at breeding colony in Orkneys, PITT 1219; on Sussex coast, TICEHURST 1572; mistakenly reported from Alaska, KRUIDENIER 879.

Hydrurga leptonyx occurrence on Kerguelen, Angor 57; branding at Heard Island, Howard 735; measurements, Siverisen 1436; fat composition, Winter and Nunn 1740.

Leptonychotes weddelli measurements, Sivertsen 1436.

Lobodon carcinophagus measurements, Sivertsen 1436.

Mirounga angustirostris physiological studies, Bartholomew 111; stranding on Oregon coast, first record, Freiburg and Dumas 504; M. leonina variations in breeding season in recent years, Paulian 1173; breeding biology on Kerguelen, Angot 57; branding methods and results at Heard and Macquarie Islands, Howard 735; status on Bouvet Is., Sivertsen 1436; recent census and status on Argentine coast, Santiago Carrara 1344; in captivity, technique of feeding, growth, Bullier 218; fatty acids in oil, Winter and Nunn 1738, 1739.

[1954]

Monachus schauinslandi history, characters, distribution, habits, photos, BALLEY 85.

Phoca groenlandica occurrence off Virginia, Goodwin 572; P.h. annellata capture in Baltic, Dathe 343; status in west Baltic, Dathe 344; P. vitulina caval sphincter, Harrison and others 646; evidence of delayed implantation, Fisher 470; P.v. mellonae status and habits in Seal Lake, Ungava, Doutr 382.

†ORDER CONDYLARTHRA

†HYOPSODONTIDAE

†Hyopsodus generic characters, H. mentalis, H. powellianus, H. minor Eocene, Wyoming, descr. figs., Kelley and Wood 814.

†Phenacodontidai

†Phenacodus from Eocene, Wyoming, descr. figs., Kelley and Wood 814.

†ORDER NOTOUNGULATA

†Suborder Notioprogonia

†NOTOSTYLOPIDAE

†Homalostylops atavus sp. nov. Paleocene, São Jose de Itaborai, 14 m. N. of Niteroi, Brazil, p. 2, Couto 314.

†ORDER ASTRAPOTHERIA

†Suborder Astrapotherioidea

†ASTRAPOTHERIIDAE

†Astrapotherium probable mode of life, SERA 1399.

ORDER TUBULIDENTATA

Orycteropus afer general biology, habits in captivity, URBAIN 1616.

†ORDER PANTODONTA

*CORYPE DONTIDAE

†Coryphodon sp. Eocene, Wyoming, descr. figs., Kelley and Wood 814.

ORDER DINOCERATA

TUNTATHER TAR

†Probathyopsis lysilensis sp. nov. Eocene, Cottonwood Creek, Lysite, Fremont County, Wyoming, p. 356, Kelley and Woop 814.

†ORDER PYROTHERIA

†PYROTHERIDAE

†Pyrotherium ordinal relationships, probably an aquatic Proboscidean, SERA 1398.

ORDER PROBOSCIDEA

Comparative brain characters of Proboseidea, Friant 510.

+SUBORDER MORRITHERIOIDEA

*Moerstheraba

† Moeritherium ?sp. nov. Eccene, Thiès-Est, Senegal, Gorodiski and Lavocat 581.

SUPORDER ELEPHANTOIDE

*GOMPHOTHERIDAE

†Anamena occumensis Plincene, deser. ins.. Vireit 1663.

*MAMMUTIDAE

+Mastodon rediscovery of Peale's original mounted skeleton in Germany, Surgeov and Tobien 1432; remains from Serbia, Petronyyavic 1191.

†Mastodon (Zygolophodon) turicensis Miocene, Czechoslovakia, descr. figs., Zappe 1780.

ELEPHANTIDAE

Tooth malformations in elephants, Gill 556.

Pleistocene dwarf elephants of Mediterranean region, LEONARDI 942.

Elephant lice, EICHLER 414.

†Archidiskodon celebensis Pleistocene, Celebes, molars and tusked mandible descr. figs., HOOLIER 725; †A. meridionalis Pliocene, Spain, descr. figs., MASACHS ALAVEDRA and VILLALTA COMELLA 1036.

Elephas maximus training methods and learning ability in India, Rensch and Altevoer 1274; low intelligence, Kadambe 796; suspected food poisoning, Phlas 1209.

†Elephas antiquus italicus almost complete skeleton deser. figs, racial characters, Trevisan 1586; †E. meridiomalis first find N. Siberia, Dubrovo 389; †E. primigenius account and figures of the Lena River delta specimen, Dubinin and Gabutt 383; mortality rate and population dynamics, Kueden 899; new finds in southern Siberia, Obbuttense 1142; skull anomaly, Kaiser 798; tusk at Slough, Anon 25; new finds Somerset, Donovan 376.

†Elephas (Archidiskodon) meridionalis deser. figs., Viret 1663.

†Hesperoloxodon antiquus Pleistocene, Kiel Canal, new finds, Gurnther 609.

Loxodonta in history, Gowers in HILL 696; L. africana breeding habits, migrations, feeding habits, Nicholson 1126; status of Addo Bush herd, VRY-DAGH and others 1669; growth and tusk weight correlation, PERBY 1183; prenatal brain, FRIANT 508; capture and rearing of calves, LANG 907; swim to Manda Island, off coast of Kenya, FORAN 482; in sitting position, photo, DOWNEY 385; anatomy, HILL 696; distribution, population and status in Tanganyika, RUSHBY in HILL 696; history, population, status in Uganda, PITMAN in HILL 696; history, population, status in Sudan, BARKER in HILL 696; history, population, status in Kenya, STOCKLEY in HILL 696; L. a., L. a. cyclotis history, population, status in Belgian Congo, OPPERMANN in HILL 696; L. a. c. training methods in Belgian Congo, WAGER 1673; L. pumilio considered a valid species, characters, measurements, distribution in Belgian Congo, VLEESCHOUWERS 1665.

†Mammonleus primigenius Pleistocene, Schleswig-Holstein, recent finds of molars, GUENTHER 608; new finds N. Germany, GUENTHER 609; recent find in Czechoslovakia, MUSIL 1112.

†Mammuthus find in Mexico, BAR-GALLO 101.

†Stepedon hypsilophus sp. nov. Pleistocene, north of Dietis and Perning, E. Java, p. 92, HOOIJER 724.

*SUBGROSE DEINOTHERIGIDEA

†DEINOTHERHDAE

† Dinotherium cf. bavaricum Miocene, Czechoslovakia, descr., ZAPFE 1780; †D. giognteum Pliocene, Hungary, new finds, VITALIS 1664.

ORDER HYRACOIDEA

Origins, distribution, evolution and revision of hyracoids, Whitworth

Comparative brain characters of Hyracoidea, FRIANT 510.

PROCAVIDAE

† Merochyrax gen. nov. p. 40, for type species M. bateae sp. nov. Miocene, Rusinga Island, Kenya, p. 41, Whit-worth Foss. Mamm. Afr. No. 7, Brit. Mus. (Nat. Hist.) 1954.

†GENIOHYIDAE

+Bunohyrax emend. descr., WHIT-WORTH 1723.

† Megalokyrax emend. deser., M. championi emend. deser., figs., Whirt-WORTH 1723.

†MYOHYRACIDAE

† Myohyrax emend. descr., M. oswaldi emend. descr. figs., Whitworth 1723.

ORDER SIRENIA

Comparative brain characters of Sirenia, FRIANT 510.

SUBORDEE TRICHECHIFORMES

Dugong dugong trematode parasites, CRUSZ and FERNAND 332; kidney anatomy, Batrawi 118.

† Eotherium Eocene, Hungary, pathological bone condition, KRETZOI 872.

†Halitherium (?) Oligocene. Mexico second occurrence of sirenian in Mexico, MALDONADO-KOERDELL 1017.

TRICHECHIDAE

†Ribodon a valid genus, R. limbatus Miocene, Argentine, new finds, phylogeny, PASCUAL 1169.

Trichechus manatus habits and local distribution in Florida. Moore 1084 : T. inunquis brain, FRIANT 514.

†SUBORDER DESMOSTYLIFORMES

†DESMOSTYLIDAE

† Desmostylella typica discovery of mandibular vein impressions on fossil molar, YABE and IZIRI 1762.

† Desmostylus zoological position, anomodent affinities, SERA 1397.

ORDER PERISSODACTYLA

Comparative brain characters of Perissodactyla, FRIANT 510.

SUBORDER HIPPOMORPHA

EQUIDAE

Horses and evolution, SIMPSON 1428.

On certain odontological characters in Equidae, VIRET 1662.

+? Anchitherium tracks in Miocene of Precarpathia, VIALOV and FLEROV 1649.

Equus Linnaeus 1758 added to Official List of Generic Names, OPINION 271 4; E. dom. coat colour inheritance, CASTLE 261; Iceland pony habits and social order, EBHARDT 404; development of hoof structure, ERNST 436: history of British thoroughbred, FOSTER 486; E. hemionus carpal anomaly MANZII 1024; E. przewalskii new arrivals at Whipsnade, photos, Tong 1580 ; E. zebra zebra present distribution, status and conservation, VRY-DAGH and others 1669.

† Equus mauritanicus Pleistocene. Morocco, notes, Ennouchi 429.

† Equus (Hippotigris) stenonis Pliocene, C. France, descr. figs., VIRET 1663.

Equus (Pseudoquagga subgen. nov.) for type species E. granti, HOFFSTETTER Bull. Mus. Hist. Nat. Paris (2) 22 1951: 690; E. (P.) boehmi cf. zambesiensis, systematic value of lower incisors, skull and tooth measurements, RICHARD

+Hipparion origin and distribution. PERLOT 1214; from Miocene of Algeria, ARAMBOURG 62; ÷H. catalannicum nom. nud. Miccene. Spain, p. 107. VILLALTA COMELLA 1657.

†Hyracotherium vasacciense, H. craspedotum Eocene, Wyoming, descr. figs., Kelley and Wood 814.

†Merychippus from Miocene, Mexico, descr. fig., first Mexican Miocene fauna, STIRTON 1497.

Pseudoquagga subgen. nov. (type P. granti) see Equus.

SUBORDER CERATOMORPHA

+HELALETIDAE

†Heptodon ventorum Eocene, Wyoming, deser. figs., Kelley and Wood 814.

TAPIRIDAE

Characteristics of mountain and lowland tapirs of S. America, Eigener 415.

Pinchacus emendation for Cinchacus Gray, p. 469, Hershkovitz 674.

Tapirus systematic review of New World forms, T. terrestris colombianus subsp. nov. El Salado, E. slope Sierra Nevada de Santa Marta, between Valencia and Pueblo Bello, Department of Magdalena, Colombia, 430 metres, p. 486, HERSHROYITZ 674.

+HYRACE YIDAE

†Hyrachyus modestus Eocene, Wyoming, descr. figs., status and phylogeny, Morris 1091.

RHINOCEROTIDAE

Reports of a forest rhinoceros in French Equatorial Africa, BLANCOU 155.

Territoriality and gene dispersal in rhinoceroses, Hutchinson and Ripley 754.

Status of rhinos in Indonesia, Hoo-GERWERF 722.

†Chilotherium anderssoni hungarica subsp. nov. Pliocene, Hatvan, Hungary, p. 264, Gaal 522.

†Coelodonta antiquitatis a reconstruction, Rodens 1306.

Dicerorhinus sumatrensis status and distribution in Burma, YIN 1770.

† Dicerorhinus etruscus Pliocene, C. France, deser. figs., VIRET 1663.

† Dromoceratherium nom. nud. Miocene, Spain, p. 109, VILLALTA COMELLA 1657.

Rhinoceros status in Burma, 1953, YIN 1773; R. sondaicus reported in Burma in 1949, YIN 1770; R. s., R. unicornis present distribution, status and need for conservation, VRYDAGH and others 1669; R. w. early classical references, PRELL 1237; status in E. India and Assam, p. 234, GEE 539; more observations in Kaziranga Sanctuary, Assam, GEE 538; an old individual in the Kaziranga Sanctuary, Assam, GEE 540.

† Rhinoceros antiquitatis new find in Czechoslovakia, Zazvorka 1781.

ORDER ARTIODACTYLA

Comparative brain characters of Artiodactyla, Friant 510.

SUBORDER SUIFORMES

†DICHOBUNIDAE

†Bunophorus macropternus Eccene, Wyoming, descr. figs., Kelley and Wood 814.

† Diacodexis chacensis Eccene, Wyoming, descr. figs., Kelley and Wood 814.

†Wasatchia cf. dorseyana Eocene, Wyoming, descr. fig., Kelley and Wood 814.

SHIDAR

†Celebochoerus heekereni Pleistocene, Celebes, dentition, skeleton, relationships, HOOIJER 723.

†Omochoerus maroccanus sp. nov. Pliocene Sidi Abdallah track, 11 km. from Rabat on road to Port Lyautey, Morocco, p. 651, Ennouch 431.

Phacochoerus early classical references
PRELL 1237.

†Schizochoerus gen. nov. for type species S. vallesensis sp. nov. Miocene, Viladecaballs, Vallés-Penedes, Spain p. 89, CRUSAFONT PAIRO and LAVOCAT, Notas Comun. Inst. Geol. Min. Espana 36 1954.

Sus phylogeny, review of Pleistocene and Recent groups, AZZAROLI 82; S. scrofa habits in captivity, STEINBACHER 1482; represented in Stone Age figures, PETZSCR 1199; origin of Kangaroo Island feral population, COOPER 309.

†Sus strozzi, S. minor characters and phylogeny, AZZAROLI 82.

HIPPOPOTAMIDAE

Hippopotamus amphibius detailed field study in Parc National Albert, Vernheyen 1644; habits in Belgian Congo, JOBAERT 780; effect of drought in Rukwa valley, Tanganyika, VESEY-FITZGERALD 1647; figs. of cow and calf at play, Burton 225.

†MERYCOIDODONTIDAE

† Desmatochoerinae subfam. nov., Schultz and Falkenbach 1373.

†Desmatochoerus hatcheri geringensis Gering formation, Little Muddy Creek, p. 187, D. h. niobrarensis Monroe Creek formation, Muddy Creek, p. 191, both Miccene, Niobrara County, Wyoming, subspp. nov., D. newchicagoensis sp. nov. Miccene, S.E. of New Chicago, Granite County, Montana, p. 192, SCHULTZ and FALKENBACH 1373.

†Desmatochoerus (Paradesmatochoerus subgen. nov.) p. 193 for type species D. grangeri Gering formation, Little Muddy Creek, p. 914, D. monroecreekensis Monroe Creek formation, Muddy Creek p. 195 both Niobrara County, Wyoming, D. sanfordi Gering formation, Joe Sanford Ranch, Sioux County, Nebraska, p. 197, D. wyomingensis Gering formation, Willow Creek, Niobrara County, Wyoming, p. 199 all spn. nov. Miocene, Schultz and Falkenbach, Bull. Amer. Mus. Nat. Hist. 105 1954.

†Megoreodon gen. nov. for type species M. grandis (Douglass), p. 163, M. fricki sp. nov. Miocene, Muddy Creek, Niobrara County, Wyoming, p. 167, SCHULTZ and FALKENBACH, Bull. Amer. Mus. Nat. Hist. 105 1954.

†Merycoidodon culbertsoni cranial morphology, phylogeny, WHITMORE 1721.

†Paradesmatochoerus subgen. nov. (type P. grangeri) see Desmatochoerus.

†Prodesmatochoerus gen. nov. p. 225 for type species P. meekae Brule formation, Old Woman Creek, Niobrara County, p. 226, P. natronensis Chadron, Bates Hole, Natrona County, p. 228, both Oligocene, Wyoming, spp. nov. SCHULTZ and FALKENBACH Bull. Amer. Mus. Nat. Hist. 105 1954.

†Pseudodesmatochoerus gen. nov. p. 203 for type species P. hoffmani Monroe Creek formation, 2. m. W. of Bridge, Muddy Creek, p. 206, P. milleri Gering formation, Little Muddy Creek, p. 209 both Niobrara County, Wyoming, P. wascoensis John Day formation, Bridge Creek, Wasco County, John Day Valley, Oregon, p. 210 all spp. nov. Miocene, Schultz and Falkenbach, Bull. Amer. Mus. Nat. Hist. 105 1954.

†Subdesmatochoerus gen. nov. for type species S. socialis (Marsh), p. 217, S. socialis dakotensis subsp. nov. Brule formation, E. side of Harney Springs Range, Spring Creek, S. shannonensis sp. nov. Brule formation, Cheyenne R. both Oligocene, Shannon County, S. Dakota, p. 223, Schultz and Falkenbach, Bull. Amer. Mus. Nat. Hist. 105 1954.

†Superdesmatochoerus gen. nov. for type species S. lulli (Thorpe), and S. microcephalus (Thorpe), p. 213, SCHULTZ and FALKENBACH, Bull. Amer. Mus. Nat. Hist. 105 1954.

SUBORDER TYLOPODA

CAMELIDAE

Camel breeding textbook, LAKOZA 904.

History of domestication of Old World camels, Walz 1688.

Comparative study of behaviour of Old and New World camelids, Pilters 1211.

†Cameliscus subgen. nov. (type C. bessarabiensis) see †Camelus.

Camelus dromedarius former existence in Morocco, and review of camel evolution, CHARNOT 278; history in ancient Orient, EPSTEIN 432.

†Camelus dromedarius dahli subsp. nov. Pleistocene, between Tsovagyukh and Shordjhe, Gyuneiski, Lake Sevan, Russian Armenia, p. 475, Khaveson 823; ?†C. knoblochi first record Pleistocene, Siberia, Buinovski and Khaveson 217.

†Camelus (Cameliscus subgen. nov.) for type species C. bessarabiensis, p. 235, Kretzoi, Acta Geol. Hung. 2 1954.

Lama guanicoe distribution, status, habits, DE LA TOUE 357; L. vicugna history, distribution, present status, need for more protection, DE LA TOUR 358.

?†Oxydactylus reported Miocene, Mexico, STRTON 1497.

†Poebrotherium wilsoni cranial morphology, phylogeny, WHITMORE 1721.

SUBORDER RUMINANTIA

†Hypertragulidae

†Leptomeryx characters and taxonomy, p. 426, White 1706; †L. evansi

cranial morphology, phylogeny, distinct sub-family, Whitmore 1721.

†Leptotragulus? significans sp. nov. Eocene, east side Flathead R., 8·5 m. N. of International Boundary, S.E. British Columbia, p. 104, RUSSELL 1322.

CERVIDAE

Generic names to be used for Virginia deer and fallow deer, HEMMING 665.

Fallow, roe and sika comparative status in S. England, CARNE 248.

Introduced deer in S. England, Johnstone 787; Whitehead 1711.

History of deer in Epping Forest, BUXTON 234; WHITEHEAD 1716.

Introduced deer in Hampshire, WINGATE-GRAY 1736.

Deer at Whipsnade, figs., STREET 1506.

Caribou, reindeer and moose, status and conservation in Alaska, Darling 339.

Pituitary in roe, fallow and reindeer, WAAGE 1671.

Deer marking devices, CLOVER 294.

Portable deer trap and catch net, CLOVER 295.

Giant deer antler worked as tool, Brandt 191.

Cervid remains from Tertiary of Portugal, Zbyszewski 1782.

Alces alces rearing in captivity, failure as draught animals, Krott 878; status in Kronoberg region, Sweden, Svenson 1514; domestication in U.S.S.R., Knorre 850; summer food analysis in Russia, Zharkov 1785; found in Pleistocene of Holland, Erdbright 433; A. americana status, ecology and conservation in Alaska, Leopold and Darling 945; A. a. shirasi behaviour study in Yellowstone Park, McMillan 1006.

Capreolus capreolus population study, age and breeding analysis, based on 213 killed in Denmark, Andersen 52; breeding biology, Engel 427; status in E. Anglia, Taylor Page 1543; former distribution in Epping Forest, Buxton

236; status and biology in Jura, QUARTIER 1247; ecology and migrations in southern Urals, USHKOV 1618; malformed antiers, photo, Tegner 1545; two remarkable heads, photos, Tegner 1546; coalesced antiers, Tehner 1547; photo of ten-pointer Belgian head, Tegner 1548; suggestions for control of shooting, Tegner 1549; ossification of thyroid cartilage in relation to age, Bejsovec 131; C. pygargus recorded in Belgium, Turbang 1603.

Cervus canadensis management principles at Jackson Hole, Wyoming, MURIE 1106; C. c. canadensis former status in Wisconsin, Schorger 1368; C. elaphus history, life-history, distribution, Linke 955; effect of daylight lengthening on antler growth, JACZEWSKI 769; status in Holland, WALLACE 1680; results of introduction to Argentine, WALLACE 1682; C. e. maral winter food in Altai. Shaposhnikov 1409; C. e. scoticus population estimate, PERRY 1184; note on estimates of population, Perry 1185; estimate of Scottish population, Wallace 1684; Whitehead 1708, 1709; deformed head, photo, WHITEHEAD 1715; exceptional heads, measurements, photos, WHITEHEAD 1719; damaged antlers, photo, Pilkington 1208; 1953 stalking season, WHITEHEAD 1710; plea for close season, WHITEHEAD 1718; status in E. Anglia, TAYLOR PAGE 1543; present status in Ireland, Boyle 185: two massive heads from Northumbrian bogs, TEGNER 1544.

†'Cervus' colberti sp. nov. Pleistocene, 9 miles W. of Kulka, Punjab, p. 81, review of the species of Siwalik deer, AZZAROLI 81; †C. megaceros new find in Switzerland, Schnorf 1365, 1367; †C. cf. philisi, C. ramosus Pliocene, C. France, descr. figs., synonyms, Virer 1663.

†Cervus (Dama) somonensis Pleistocene, France, redefined, C. (D.) grimaldiensis sp. nov. Pleistocene, Grimaldi, Bousse, France, p. 660, Patte 1171,

†Cervus (Euctenoceros) senezensis Pliocene, C. France, descr. figs., Viret 1663.

Cervus (Sika) nippon population on Lundy, Anon 26; possible origin of melanistic Whipsnade specimens, Whitehead 1714; C. n. ?keramae, possible origin of Whipsnade herd, GLOVER 563.

Dama Frisch, application for validation, Morrison-Scott 1094; counter proposals, Cabrera 238; D. dama status and habits in Britain, Tenner 1550; status in E. Anglia, Taylor Page 1548; antler growth and shedding in New Zealand, Riner 1291; development and growth of placentomes, Harrison and Hyett 645; large size of Danish bucks, Buxton 235; D. mesopotamica recorded from Neolithic, Cyprus, King 827.

†Dama clactoniana Pleistocene, Suffolk, new find, Spencer 1467.

?†Dremotherium tracks in Miocene of Precarpathia, Vialov and Flerov 1649.

†Elaphurus davidianus former range in China from sub-fossil finds, SOWERBY 1464; history of Woburn herd, WHITE-HEAD 1707; foetal anatomy, GLENISTER 560.

Hyelaphus porcinus early classical references, PRELL 1237.

†Megaceros systematics, notes on dwarfing in island species, AZZAROLI 80.

Muntiacus sp. in Essex, Waller 1686; M. munijac occurrence in Northants, Collyer 299; status in E. Anglia, Taylor Page 1543.

Odocoileus hemionus range extension in Minnesota, ERICKSON and BUE 435 : O. h. columbianus sex difference in mortality rate, TABER and DASMANN 1519; O. h. hemionus forage needs, DASMANN and BLAISDELL 342; 8th report on interstate herd, Anon 23; O. virginianus occurrence of upper canine teeth, VAN GELDER and HOFF-MEISTER 1628; canines in fawn skull, SOUTHWICK 1463; rutting behaviour, PRUITT 1243; history and status in Illinois, Pietsch 1205; status in Iowa, SANDERSON and SPEAKER 1343; antler growth rate in Mexico, VILLA R. 1655; O. v. borealis antlered does, reproductive organs examined, Wislocki 1742; O. v. carminis occurrence of dichotomous forking in antlers, LEOPOLD 944; O. v. macrourus recent record in Colorado, TILL 1574; O. v. mexicanus lengthened gestation, VILLA 1653.

Panolia eldi thamin present status in Burma, Yin 1771; status in Burma, 1953, Yin 1773; present distribution, status, and need for conservation, VRYDAGH and others, 1669; status in Manipur, GEE 539.

Pudu mephistopheles first record Peru, Sanborn 1337.

Rangifer arcticus detailed investigation, past and present status, distribution, life history, utilization, Banfield 96; status, ecology and conservation in Alaska, Leopold and Darling 945; status in Greenland, Pedersen 1178; R. tarandus status in Norway, Whitehead 1717.

†Rucervus simplicidens Pleistocene, Punjab, characters and comments, AZZAROLI 81.

Rusa occurrence on Pulau Panaitan, Java, problem of origin, Pieters 1204; R. unicolor albinism in India, Pillay 1210; abnormal antlers, Kitchener 833, 835; record antlers from Nilgiris, Phythian-Adams 1203.

GIBAFFIDAE

Third arcuated sulcus in brain of Giraffidae, Friant 516.

Giraffa camelopardalis former occurrence south of Orange R. in Namaqualand, earliest record, BIGALKE 138; brain, FRIANT 506; pituitary, KLADETZKY 838.

Okapia johnstoni birth in captivity, ANON 29; observations in captivity, MOHR 1075.

† Palaeotragus Miocene Spain, first discovery, CRUSAFONT PAIRO 326.

†Samotherium majori Pliocene, central Anatolia, descr. figs., a species distinct from S. boissieri, Senyurek 1396.

†Triceromeryx pachecoi not directly related to †Cranioceratidae, CRUSAFONT PAIRO 329.

ANTILOCAPRIDAE

Antilocapra americana effect of light on breeding, SHELFORD 1414.

BOVIDAE

Classification of the Bovidae, fossil and recent, review of groups and genera, Sokolov 1454.

Horn form and significance, particularly in hartebeestes, BOETTICHER 164.

Pathological lesions of a fossil bovid jaw, Pales and Wernert 1157.

Feral goats in Wales, history and status, Matheson 1041.

Tracks and dung of E. African antelopes, HESSE 683.

Fossil rupicaprines of W. Mediterranean bearing on insular evolution, Dehaut 353.

Alcelaphus buselaphus buselaphus considered extinct, VRYDAGH and others 1669.

Ammotragus lervia caprine affinities, DALIMIER 336; need for protection in Egypt, RUSSELL 1325.

Bibos gaurus behaviour study in Malaya, OGILVIE 1144.

Bison bison dental anomalies retention of first lower premolars, method of canine replacement, Fulles 521; former distribution in Florida, identification of bones, Sherman 1418; old record of killing by prairie fires, Cole 298; pituitary, Waage 1671; B. b. × Bos dom. crosses, economic value and prospects, Findlay 463; B. bonasus bonasus history, status and results of conservation, Vrydagh and others 1669; history at Woburn, Whittehead 1707; breeding results at Leipzig 200, Mohr 1076; sexual dimorphism in skeleton, Jusko 795; nuchal ligament, Krysiak 885.

†Bison occidentalis Pleistocene, Wisconsin, review of recent finds, Palmer 1161; †B. priscus recent finds Switzerland, Schnorf 1364, 1366; †B. p. deminutus Pleistocene, Russia, new find, Karlov 807.

Bos dom. Chillingham breed, possible origin, Tankerville 1536; White-Head 1713; origin of Hungarian breeds, Hanko 630; climatic effects and temperature regulation, Patchell 1170; improvement in tropics, PHILLIPS 1201; heat resistance of European and Afrikander breeds, Martinho 1034; breeding for beef in tropics, Joubert 794; microscopic horn structure, Schmidt and Sprankel 1359; B. indicus grazing habits in tropics, Harker and others 639.

†Bos prehistoric remains N. and N.W. Germany, detailed analysis, Nobis 1131; †B. primigenius Pleistocene, Morocco, descr. figs., Ennough 429; "breeding back" claims refuted, Herre 673.

Bos (Bubalus) bubalis history, distribution and economic value in N. Australia, McCarthy 989; oestrous behaviour, Hafez 612; haematology, Hafez and Anwar 613; placentome, Hafez 615; habits, Noronha 1132.

Capra dom. feral in Wales, distribution, origin, habits, Baker 86; C. aegagrus pictus characters and status on Eremomilos, Greece, Wettstein 1702; C. hircus aegagrus recorded from Neolithic, Cyprus, King 827; C. sinaitica need for protection, Russell 1325.

Cephalophus nigrifrons kivuensis absence of inguinal glands, BOUILLON and LELEUP 179.

Gazella bennetti distribution and habits, Satyamurti 1348.

†Gazella borbonica Pliocene, C. France, descr. figs., VIRET 1663.

Hippotragus leucophaeus history and contemporary accounts, Oliver 1146; H. niger variani present distribution, status and need for further protection, VRYDAGH and others, 1669; status, habits, hunting, Fenykovi 454.

† Ibex priscus Pleistocene, Austria, characters and status, EHRENBERG 411.

†Leptobos stenometopon Pliocene, C. France, descr. figs., VIRET 1663.

Oryx leucoryx \times Addax nasomaculatus hybrid in Giza zoo, p. 139, Keimer 813.

Ovibos moschatus habits and status, ILLINGWORTH 756; status in Greenland, JENNOV 775; PEDERSEN 1178; status and habits in Peary Land, N. Greenland, JOHNSEN 781; status and habits on Prince Patrick Island, MACDONALD 995; longevity, BUCKLEY and others 214; facial musculature, MEINERTZ 1060; O. m. wardi population study and ecology on Ellesmere Island, N.W.T., TENER 1552.

†Ovibos pallantis Pleistocene, Silesia, new finds, Ryziewicz 1331; †O. p. comparative study, O. p. abbreviata subsp. nov. Pleistocene, Poland, p. 219, Ryziewicz 1332.

Ovis canadensis nelsoni status and distribution in San Gabriel Mts., California, ROBINSON and CRONEMILLER 1296; O. dom. history and possible origins of Spanish piebald and St. Kilda sheep, WHITEHEAD 1712; O. musimon status in W. Germany since the war, RIECH 1287.

†Poephagus baikalensis sp. nov. Pleistocene, Chernishev region, Chitinsk Province, Siberia, p. 455, Vereshchagin 1639.

Procapra gutturosa growth and ecology on Barsa-Kelmes Island, Sea of Aral, ISMAGILOV 763.

[1954]

Redunca arundinum precarious status in Cape Province, SKEAD 1437.

Syncerus caffer the sole species, discussion of regional characters, key to races, Blancou 156; habits, food, colour variation in Parc National Albert, Verheyen 1643; third horn, Shenton 1415.